

ECS types.

ECI FUEL SYSTEMS

EXECUTIVE ORDER U-U-140-0067 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012:

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION							
	MANUFACTURER	ENGINE FAM	IILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG≂compressed/liquefied natural gas LPG=liquefied petroleum gas)					
CUM	MINS POWER GENERATION		CC (U-U-008-0289) 21C (U-U-008-0290)	653	Gasoline					
	e Certified		IT DESCRIPTION							
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	E	QUIPMENT A	PPLICATION					
2018	CM34	See Attachments	Pump, Gene	rator Set and I	Refueling/Transfer Pump					
EMISSION	N CONTROL SYSTEMS (ECS)		ENGINE and/or	EQUIPMENT I	MODEL					
Carl	oon Canister, Metal Tank	See Attachments								

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		PERFORMANCE BASED (grams HC/day)	
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL
1.20 + 0.056*Tank Vol. (L)	•	*	2.2

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this _____ day of December 2017.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

ATTACHHEUT B 1 of 4

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

U-U-140-0067

S1.	S2.	S3.		S4.	S5.		S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model	Codes (appropri		Engine Class (I or II)	Fuel System (FI or CARB)	l	Tank Vol. iters)	Fuel Tank Internal Surface Area (m²)	Fuel Line Type	Nominal Fuel Line Length ⁽¹⁾ (mm)	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive Order
,	ELC36ON5.5		1	II	CARB	138.02	124.22	2.43	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016
	ECI40ON5.5		1	II	CARB	151.41	136.27	2.44	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016
	FW18AON5.5		1	11	CARB	77.74	69.96	1.37	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b Q-07-016
	FLW200N5.5		1	II	CARB	83.4	75.06	1.59	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b Q-07-016
	FW30BON5.5		1	II	CARB	127.42	114.69	2.20	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016
	FR34ON5.5		1	II	CARB	129.76	116.78	2.06	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016

ATTACAMENT By 2 of 4

) -	,	•			
												<i>U-U</i>	-140 - 00	×67
FR170N5.5		1	11	CARB	66.85	60.17	1.36	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016
IND30ON5.5		1	II	CARB	115.03	103.53	2.12	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016
IND18ON5.5		1	11	CARB	76.69	69.02	1.57	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016
VIN25ON5.5		1	11	CARB	96.23	86.61	1.73	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016
MR40ON5.5		√	11	CARB	157.57	141.23	2.43	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-017
KS300N5.5	-	/	11	CARB	109.77	98.79	1.96	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016 Q-07-017
FR20ON5.5		1	11	CARB	75.70	68.13	1.52	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b Q-07-016 Q-07-017
SF20ON5.5		/	II	CARB	74.30	66.87	1.29	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b Q-07-016 Q-07-017
MM12AON5.5		1	11	CARB	45.42	40.88	.83	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b Q-07-016 Q-07-017

														0001
М	IM12BON5.5	/	II	CARB	45.99	41.39	.94	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b Q-07-016 Q-07-017
	ON7ON5.5	/	II	CARB	26.53	23.88	.55	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
C	ON14ON5.5	/	11	CARB	55.72	50.15	.94	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
0	DN20aON5.5	/	II	CARB	76.95	69.26	1.21	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
C	ON10ON5.5	/	11	CARB	38.98	35.08	.70	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
C	ON15ON5.5	/	II	CARB	57.34	51.61	.95	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
0	DN20bON5.5	/	II	CARB	75.7	68.13	1.20	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
0)N14TON5.5	/	II	CARB	53.09	47.78	1.16	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
	ON40ON5.5	/	II	CARB	153.95	138.56	1.76	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-016

ATTACHMENT B 40+4

U-U-140-0067

ON20	0cON5.5			11 .	CARB	74.30	66.87	1.29	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
ON14	4bON5.5		/	II	CARB	55.64	50.08	.94	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
FBIC	0ON4.0		✓	II	CARB	38.27	34.44	.74	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
ON20/	ABON5.5	-	✓	11	CARB	77.96	70.16	1.40	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b
BIS2	00N5.5		/	II	CARB	76.65	68.99	1.75	Multi- layer	10058.4	6.35	JN5XS.6532CC JN5XS.6532IC	Exempt Metal	Q-09-019a Q-09-022 G-05-018 Q-08-022 Q-10-004	Q-07-015b