

CHONGQING AM PRIDE POWER&MACHINERY CO.,LTD

EXECUTIVE ORDER U-U-164-0081 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION	1						
	MANUFACTURER	ENGINE FAMILY (FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petrolei gas)							
	CHONGQING AM PRIDE /ER&MACHINERY CO.,LTD	HCPPS.4572GA (I HCPPS.4592GC (I JCPPS.4592GC (I JCPPS.4572GA (I	U-U-164-0070) J-U-164-0077)	389, 420, 457 420, 459 420, 459 389, 420, 457						
	GOING ZONGSHEN GENERAL WER MACHINE CO., LTD.	HCZHS.6792H1 (U	Gasoline							
	KOHLER COMPANY	HKHXS.4292GA (U JKHXS.4292GA (U		429 429						
	Attachment Be Certified	EQUIPMEN	T DESCRIPTION	ON						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION							
2018	CM4572	6.1, 23, 28 Compressor, Pump, Pressure Washer, Generator Set								
EMISSIO	N CONTROL SYSTEMS (ECS)		ENGINE a	and/or EQUIPMENT Me	ODEL					
	Canister/Metal	See Attachment								

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

(Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

*=not applicable		DE	SIGN BASED				
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER		
. 15	Q-08-005, G-05-018, Q-14-008, Q-12-016A, Q-15-011, Q-13-013, Q-17-043	1.5	Q-16-027, Q-16-019, Q-17-049	1.4	C-U-07-016, C-U-07-016A, C-U-07-021, C-U-07-022, Q-08-035, Q-08-036, Q-13-005, C-U-06-009		

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this ____

day of February 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Attacharent, 1 ct 2.

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

	MODEL SUMMARI									T			,		·
Ş1.	S2.	S3.		S4.	S5.	S6.		S7.	S8.	S9.	S10.	SN.	S12.	S13.	S14.
Wors Case (Chec k One)	Model	Sales Code all appro	priate)	Engine Class (1 or II)	Fuel Syste m (FI or CAR B)		Fank Vol. iters) nominal	Fuel Tank Intern al Surfa ce Area (m²)	Fuel Line Type	Nomi nal Fuel Line Lengt h (mm)	Fuel Line Insid e Diam eter (mm)	Exhaust Family	Fuel Tank Executiv e Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive Order
	AP188F,AP190F,AP190FL AP192F,AP192FL. AP192FB, AP192FBL,SC390, SV390, SC420, SV420, SC460, SV460, SC460L,SV460L		X	11	CARB	6.5	6.1	0.32	Multi- layer				Q-17-049 Q-16-027 Q-16-019	Q-08-005 G-05-018 Q-14-008 Q-12-016A Q-15-011 Q-13-013 Q-17-043	C-U-07-021 Q-08-035
×	AP6500C,SU6500C, AP6500C,SU6500C, AP6500C,SU6500EC, SU6500EC,AP6500EC, SU620EC,SU8250EC, AP8250EC,SU8250EC, AP8250EC,SU8250EC, AP8250EC,SUA9000EC, SU9000EC,AP9000EC, SU410000EC,SU10000EC, AP10000EC, SUA12000EC, EC12000EC, AP12000EC, SUA5000EQC, SUA10000EQC, SC6000-1,SC6000-11, SC8000-1,SC8000-11, SC10000-1,SC9000-11, SC10000-1,SC9000-11, SUA65000EC, SUA9000EC, SUA120000EC, SUA7000C, SC7000C, AP7000C, SUA7000EC, SUA9000EDC		X	Н	CARB	25	23	0.8	Multi- layer	250 205 420	4.5 6.35	HCPPS.4592GC HCPPS.4572GA JCPPS.4592GC JCPPS.4572GA	Q-17-049 Q-16-027 Q-16-019	Q-08-005 G-05-018 Q-14-008 Q-12-016A Q-15-011 Q-13-013 Q-17-043	C-U-07-016 C-L-07-016A C-L-07-022 Q-08-036 Q-13-005 C-U-09-009

Attachment, 2 of Z.

CH440 SC8500E.SC8500EC, AK10KRS, AKGACW9000RS, DKS8500	X	11	CARB	25	23	0.8	Multi- layer			HKHXS.4292GA JKHXS.4292GA	Q-17-049 Q-16-027 Q-16-019	Q-08-005 G-05-018 Q-14-008 Q-12-016A Q-15-011 Q-13-013 Q-17-043	C-U-07-016 C-U-07-016A C-U-07-022 Q-08-036 Q-13-005 C-U-06-009
SU15000EC, SUA15000EC, AP15000EC, WP6015S, WP4015S, SC11000EC, SUA11000EC, SUA12000EDC, SUA7500C,SUA7500EC,	X	H	CARB	30	28	0.67	Multi- layer	420 450	4.5 6.35	HCZHS 6792H2 HCZHS 6792H1 HCPPS.4572GA JCPPS.4572GA HCPPS.4592GC JCPPS.4592GC	Q-17-049 Q-16-027 Q-16-019	Q-08-005 .G-05-018 Q-14-008 Q-12-016A Q-15-011 Q-13-013 Q-17-043	Q-13-005 C-U-07-022

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

