

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

	MANUFACTURER	ENGINE FAM	ILY (E.O. NUMBER)	ENGINE SIZE	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas) Gasoline				
	ing Rato Technology Co., Ltd.	JCRPS.2121 JCRPS.22310 JCRPS.0991	GC (U-U-169-0248) GC (U-U-169-0243) GA (U-U-169-0240-1) GA (U-U-169-0235) GV (U-U-169-0239)	179 212 223, 224 99 212					
BC = To Be (Certified	EQUIPMEN	T DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)		EQUIPMENT APPLICATION					
2018	CM1H	See Attachment	Compre	Compressor, Pump, Pressure Washer, Tiller, Other Industrial Equipment					
MISSION	CONTROL SYSTEMS (ECS)		ENGINE and/or	EQUIPMENT MO	DEL				
	Canister/Metal	See Attachment							

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	PERFORMANCE BASED (grams HC/day)							
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL					
0.95 + 0.056*Tank Vol. (L)	•	= (STANDARD) - (EFELD)	0.83					

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-169-0252 dated December 27, 2017.

Executed at El Monte, California on this

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

Attachment, 1 of 1

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)		S4.		Fuel	S6. Fuel Tank Vol. (Liters)		S8. S9. Fuel Nomi Line nal Typ Fuel e Line	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting		
		CA Onl y	49- Stat e	50- State	II)	Total	Nominal	Surfac e Area (m ²)	Lengt h (mm)					Control Executive Order		
x	R180-3III, K180III R210III, K210III, R225,						3.6	3.4	0.15		160	4				
	R224 R210-V, RG3.6-60Q-D RT50ZB26-3.6Q RT80ZB26-3.6Q						2.8	2.5	0.13		53 195	4.5 4.5				
			x		CARR	3.6	3.1	0.139		160	4	JCRPS. 1791GC JCRPS. 2121GC				
	RT50YB50-3.8Q RT50HB35-3.8Q			X	1	CARB	3.6	3.44	0.16	Mul	160	4	JCRPS. 2231GA JCRPS. 2121GV		Q-10-003	
	RT80HB35-3.8Q RT80WB26-3.8Q WP3070S RT80ZB28-3.8Q					3.445	2.885	0.149	ti- laye r	160	4		N/A	Q-08-005 Q-15-010 Q-15-011 Q-17-043	N/A	
	R100-III, K100-III, R100-V DR RapidFire Log Splitter	X I CARB 2.0	x	I	CARB	2.0	1.75	0.094		200	4.5	JCRPS. 0991GA				
						140	4.5									

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)