

WORLDLAWN POWER EQUIPMENT

EXECUTIVE ORDER U-U-211-0013 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION						
	MANUFACTURER	ENGINE FAM	ILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
Ka	wasaki Heavy Industries, Ltd.	JKAXS.72620	CA (U-U-004-0743) CC (U-U-004-0752) CB (U-U-004-0751)	603 726	Gasoline				
TBC = To B	Attachment e Certified		T DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	FOUNDMENT APPLICATION						
2018	CP18WPE.00XP	10.90, 17.75, 18.9 Riding Mower							
EMISSION	CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
	CP	See Attachment							
Metal=M Tr	eated HDPE or PE=P Co-extruded=C S	Selar=L Nylon=N Acetal=A	Other=O B. EVAPORATIVE	FAMILY 2-Lette	ther=O 2. <u>Tank Barrier Type and Code</u> : r CODE (Venting Control Codes =C, S, O) Do not use abbreviations for ECS types.				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		DE	SIGN BASED				
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER		
15	C-U-06-030	1.5	Q-17-030	1.4	Q-08-007, Q-12-005, C-U-07-009		

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this

___ day of January 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

ATTACHMENT (page 1 of 1)

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1.	S2.	S3.		S3.		S5.	S6		S7.	S8.	S9.	\$10.	\$11.	S12	S13	S14.
Worst Case	Engine or Equipment Model	Sales Codes (check all appropriate)			Engine Class	Fuel System (FI			Fuel Tank Internal Surface	Fuel Line Type	Nominal Fuel Line	Fuel Line Inside	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive	Carbon Canister or Other Venting Control Executive
(Check One)		CA Only	49- State	50- State	(I or II)	or CARB)	NOMINAL	TOTAL	Area (m²)		Length ⁽¹⁾ (mm)	Diameter (mm)			Order	Order
	F34K20CA	х			11	Carb	10 90 qty 2	12 qtv 2	4075 qty 2	30R7LP	2128	6 3 5	JKAXS.6032CA	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-08-007
-	F42K20CA	х			11	Carb	10.90 qty 2	12 qtv 2	.4075 qty 2	30R7LP	2128	. 635	JKAXS.6032CA	Q-17-030 / qt 2	C-U-06-030	(gty 2) Q-08-007
	F48K20CA	х			11	Carb	10.90 qty 2	12 qty 2	4075 qty 2	30R7LP	2128	6 35	JKAXS.6032CA	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-08-007
	WYDB52FR691V32CA	х			II	Carb	18.9 qty 2	20.8 qty 2	.57 qty 2	30R7LP	1824	6.35	JKAXS.7262CB	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	WYDB52FS691V34CA	х			11	Carb	18.9 qty 2	20.8 qty 2	.57 qty 2	30R7LP	1824	6.35	JKAXS.7262CA	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	WYDB48FR691V32CA	х			11	Carb	18.9 qty 2	20.8 qty 2	57 qty 2	30R7LP	1824	6.35	JKAXS.7262CB	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	EE48FR691V32CA	х			11	Carb	18.9 qty 2	20 8 qty 2	.57 qty 2	30R7LP	1824	6.35	JKAXS.7262CA	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	EE52FR691V32CA	х			II	Carb	18.9 qty 2	20,8 qty 2	57 qty 2	30R7LP	1824	6 35	JKAXS.7262CB	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	EE52FX691V34CA	х			II	Carb	18.9 qty 2	20.8 qty 2	.57 qty 2	30R7LP	1824	6 3 5	JKAXS.7262CC	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	EE60FX730V34CA	х			II	Carb	18.9 qty 2	20.8 qty 2	.57 qty 2	30R7LP	1824	6 35	JKAXS.7262CC	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	WYDB60FS691V34CA	х			II	Carb	18.9 qty 2	20.8 qty 2	57 qty 2	30R7LP	1824	6 3 5	JKAXS.7262CA	Q-17-030 / gt 2	C-U-06-030	(qty 2) Q-12-005
	WYDB52FX691V34CA	х			Ħ	Carb	18.9 qty 2	20.8 qty 2	.57 qty 2	30R7LP	1824	6.35	JKAXS.7262CC	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	WYDB60FX691V34CA	х			IJ	Carb	18.9 qty 2	20.8 qty 2	.57 qty 2	30R7LP	1824	6.35	JKAXS.7262CC	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	WYDB52FX691V34ECA	х			II	Carb	18.9 qty 2	20.8 qty 2	57 qty 2	30R7LP	1824	6.35	JKAXS.7262CC	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	WYDB60FX730V34ECA	х			II	Carb	18.9 qty 2	20.8 qty 2	.57 qty 2	30R7LP	1824	6.35	JKAXS.7262CC	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-12-005
	62K28A3CA	х			11	Carb	17.75 qty 2	19.55 qty 2	.56 qty 2	30R7LP	2812	6 35	HKAXS.7642CB	Q-17-030 / qt 2	C-U-06-030	(qty 2) C-U-07-009
х	72K28A3CA	х			II	Carb	17.75 qty 2	19.55 qty 2	.56 gty 2	30R7LP	2812	6.35	HKAXS.7642CB	Q-17-030 / qt 2	C-U-06-030	(qty 2) C-U-07-009
	ED34FS600VCA	х			II	Carb	10,90 qty 2	12 qty 2	4075 qty 2	30R7LP	2128	6.35	JKAXS.6032CA	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-08-007
	WYZ34FS600VCA	х			U	Carb	10.90 qty 2	12 qty 2	.4075 qty 2	30R7LP	2128	6.35	JKAXS.6032CA	Q-17-030 / qt 2	C-U-06-030	(qty 2) Q-08-007

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)