

CHONGQING HEYA TECHNOLOGY CO., LTD.

EXECUTIVE ORDER U-U-224-0016

New Off-Road Small Spark-Ignition
Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleun
CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD.	HCZHS.4202H1 (U-U-082-0245) JCZHS.4202H1 (TBC)	357, 420	gas)
CHONGQING DAJIANG POWER EQUIPMENT CO., LTD	HCDPS.4572DJ (U-U-105-0144) JCDPS.4572DJ (U-U-105-0199)	389, 420, 457	Gasoline
KOHLER COMPANY	HKHXS.4292GA (U-U-005-0527) JKHXS.4292GA (TBC)	429	

EQUIPMENT DESCRIPTION

MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION					
2018	CM1	25	Compressor, Pump, Generator and Pressure Washer					
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL						
Car	bon Canister/Metal Tank		See Attachment					

A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code: - Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code: - Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes = C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		DE	SIGN BASED				
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER		
15	Q-08-005, Q-10-003	1.5	Q-16-027, Q-16-027A	1.4	Q-12-011, Q-15-007		

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 30 day of November 2017.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

AHACHIEUT B 10f2

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

U-U-224-0016

S1.	S2.		S3.		S4.	S5.	S	66.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model	C A On	es Codes ll appropr 49- State	•	Engine Class (I or II)	Fuel System (FI or CARB)		Tank (Liters) Nom inal	Fuel Tank Internal Surface Area (m²)	Fuel Line Type	Nomina I Fuel Line Length ⁽¹	Fuel Line Inside Diamete r (mm)	Exhaust Family	Fuel Tank Executi ve Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive Order
	DJ190F/ HY7500i/ IG7800i/ XK8000i/ 7500i EZV7500/ HY7500/ EZV7500P/ HY7500P/ XP7000S/ SG7000	ly		×	II	CARB	25.1	25	0.65	multila yer	180	4,25	HCZHS.4202H1 HCDPS.4572DJ JCZHS.4202H1 JCDPS.4572DJ	Q-16- 027 Q-16- 027A	Q-08-005 Q-10-003	Q-12-011 Q-15-007
	CH440/ HY7500i/ IG7800i/ XK8000i/ 7500i/ EZV7500/ HY7500/ EZV7500P/ HY7500P/ XP7000S/ SG7000			×	11	CARB	25.1	25	0.65	multila yer	180	4.25	HKHXS.4292GA JKHXS.4292GA	Q-16- 027 Q-16- 027A	Q-08-005 Q-10-003	Q-12-011 Q-15-007

190FE-2/ 190F-2/ HY7500i/ IG7800i/ XK8000i/ 7500i/ EZV7500/ HY7500P/ HY7500P/ XP7000S/ SG7000		х	П	CARB	25.1	25	0.65	multila yer	180	4.25	HCZHS.4202H1 JCZHS.4202H1	Q-16- 027 Q-16- 027A	Q-08-005 Q-10-003	Q-12-011 Q-15-007
-														
													,	

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)