

KOHLER COMPANY

EXECUTIVE ORDER U-U-005-0633 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION					
	MANUFACTURER	ENGINE FAI	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleun gas)			
	KOHLER COMPANY	KKHXS.196 JKHXS.177 KKHXS.177 JKHXS.208	1GA (U-U-005-0525) 1GA (U-U-005-0597) 1GA (U-U-005-0583) 1GA (U-U-005-0596) 1GB (U-U-005-0590) 1GB (U-U-005-0599)	177,196, 208	Gasoline			
TBC = To	Be Certified	FOLIPME	NT DESCRIPTION					
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE EQUIPMENT APPLICATION (liters)						
2019	CM11	2.6, 3.3, 3.8		Pump, Generator, Non-Backpack Blower, her, Tiller and Other Industrial Equipment				
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL						
Canister/Metal Tank		See Attachment						

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	PERFORMANCE BASED (grams HC/day)						
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL				
0.95 + 0.056*Tank Vol. (L)	0.15	= (STANDARD) - (EFELD)	0.90				

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model and it's for use in the averaging and banking program. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1(e).

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.



KOHLER COMPANY

EXECUTIVE ORDER U-U-005-0633 New Off-Road Small Spark-Ignition Equipment

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

day of November 2018. Executed at El Monte, California on this

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

ATTACHMEN B 1201

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

u-u-005-0633

MODEL SUMMARY

S14.	Carbon Canister or Other	Control Executive Order	N/A	N/A	N/A	N/A	N/A	N/A			
S13.	Fuel Line Executive Order		Q-08-005	Q-08-005	Q-08-005	Q-08-005	Q-08-005	Q-08-005			
S12.	Fuel Tank Executive Order		N/A	N/A	N/A	N/A	N/A	N/A			
S11.	Exhaust Family		KKHXS.2081GB JKHXS.2081GB	KKHXS.2081GB JKHXS.2081GB	KKHXS.1961GA JKHXS.1961GA	KKHXS.1771GA JKHXS.1771GA	JKHXS.1771GA KKHXS.1771GA	KKHXS.1961GA JKHXS.1961GA			
S10.	Fuel Line Inside Diameter (mm)		4.5	4.5	4.5	4.5	4.5	4.5	·	>	
.89.	Nominal Fuel Line Length ⁽¹⁾ (mm)		151	151	204	204	204	204			
S8.	Fuel Line Type	Fuel Line Type		Multi	Multi	Multi	Multi	Multi			
S7.	Fuel Tank Internal	Area (m²)	0.155	0.155	0.148	0.122	0.122	.0148			
S6.	Fuel Tank Vol. (Liters)	Nominal	3.8	3.8	3.3	2.6	2.6	3.3			
,		Total	4.0	4.0	3.5	3.0	3.0	3.5			
S5.	Fuel System (FI or CARB)		CARB	CARB	CARB	CARB	CARB	CARB			
S4.	Engine Class (I or II)		П	н	H	-	ы	н	-		
	Sales Codes (check all appropriate)	50- State	×	×	×	×	×	×			
S3.		49- State									
		CA									
S2.	Engine or Equipment Model		CH270	CH260	SH265	CH245	CH255	SH270			
S1.	Worst Case (Check	One)					×				

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)