

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012:

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION						
	MANUFACTURER	ENGINE FAN	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas) Gasoline				
Life	an Industry (Group) Co., Ltd.	KCLGS.163	1CB (U-U-074-0228)	163					
S.A. = See / TBC = To B	Attachment e Certified	EQUIPMEN	NT DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION						
2019	CM1631CB	See Attachment	er, Generator Set, Snowblower, /asher, Tiller, Edger, Brushcutter, ler Industrial Equipment						
EMISSION	CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL See Attachment							
	Canister/Metal								
	Canister/Metal E (Venting Control Type/Tank Barrier Tyleated HDPE or PE=P Co-extruded=C S		pe and Code:- Canister=C S	Sealed Tank=S C					

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

(Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

*=not applicable		DE	SIGN BASED				
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER		
15	See Attachment	1.5	See Attachment	1.0, 1.4	See Attachment		

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this _____ day of February 2019.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Attachment, 1 of 2

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1.	S2.		S3.		S4.	S5.	S6.		S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model	(c) app	es Co heck propria 49- State	all	Engine Class (I or II)	Fuel System (FI or CARB)	(Lite	Fuel Tank Vol. (Liters) NOMIN TOTAL AL		Fuel Line Type	Nomin al Fuel Line Length (mm)	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive Order
	168F, 168F-A, 168F-B, 168F-C			×	ı	CARB	3.5	4.0	0.14	multilayer	145	4.5	KCLGS.1631CB	Q-17-022A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	Q-07-020, C-U-07-008, C-U-06-003
	168F, 168F-A, 168F-B, 168F-C			×	I	CARB	3.5	3.6	0.15	multilayer	145	4.5	KCLGS.1631CB	Q-16-019A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	Q-07-020, C-U-07-008, C-U-06-003
	168F, 168F-A, 168F-B, 168F-C			×	ı	CARB	3.6	4.0	0.15	multilayer	145	4.5	KCLGS.1631CB	Q-17-022A Q-16-015A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	Q-07-020, C-U-07-008, C-U-06-003
	168F, 168F-A, 168F-B, 168F-C			×	ı	CARB	3.8	4.0	0.15	multilayer	145	4.5	KCLGS.1631CB	Q-16-019A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	Q-08-035, C-U-07-021, C-U-06-031A
	168F, 168F-A, 168F-B, 168F-C			x	1	CARB	9.2	10	0.35	multilayer	130	4.5	KCLGS.1631CB	Q-17-022A Q-16-019A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	C-U-06-008 Q-08-007 C-U-07-009, C-U-06- 007A Q-07-021
	168F, 168F-A, 168F-B, 168F-C			x	1	CARB	9.8	10	0.35	multilayer	130	4.5	KCLGS.1631CB	Q-17-022A Q-16-019A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	Q-08-007 C-U-07-009, C-U-06- 007A Q-07-021

Attachment, 2 of Z

168F, 168F-A, 168F-B, 168F-C	X	I	CARB	10.0	12.0	0.36	multilayer	130	4.5	KCLGS.1631CB	Q-16-019A Q-16-015A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	Q-08-007 C-U-07-009, C-U-06- 007A Q-07-021
168F, 168F-A, 168F-B, 168F-C	X	1	CARB	10.0	11.0	0.35	multilayer	130	4.5	KCLGS.1631CB	Q-17-022A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	Q-08-007 C-U-07-009, C-U-06- 007A Q-07-021
168F, 168F-A, 168F-B, 168F-C	Х	1	CARB	15	16	0.46	multilayer	130	4.5	KCLGS.1631CB	Q-16-019A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	C-U-07-009, C-U-06- 007A Q-07-021 Q-13-004
168F, 168F-A, 168F-B, 168F-C	X	1	CARB	14.5	15	0.47	multilayer	130	4.5	KCLGS 1631CB	Q-16-019A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	C-U-07-009, C-U-06- 007A Q-07-021 Q-13-004
168F, 168F-A, 168F-B, 168F-C	X	1	CARB	13	15	0.45	multilayer	130	4.5	KCLGS.1631CB	Q-17-022A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	C-U-07-009, C-U-06- 007A Q-07-021 Q-13-004
168F, 168F-A, 168F-B, 168F-C	x	I	CARB	15	17	0.47	multilayer	130	4.5	KCLGS.1631CB	Q-17-022A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	C-U-07-009, C-U-06- 007A Q-07-021 Q-13-004
168F, 168F-A, 168F-B, 168F-C	x	ŀ	CARB	17	18	0.62	multilayer	130	4.5	KCLGS.1631CB	Q-17-022A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	C-U-07-009, Q-07-021
168F, 168F-A, 168F-B, 168F-C	x	1	CARB	18	22	0.62	multilayer	130	4.5	KCLGS.1631CB	Q-17-022A	Q-08-037, Q-08-005, C-U-05- 012 Q-12-016A	C-U-07-009,

Remark:

Q-07-020-----3.75L C-U-07-008----3.75L C-U-06-003----3.75L Q-08-035-----7.4L C-U-07-021----7.4L