WENLING JENNFENG INDUSTRY INC.

EXECUTIVE ORDER U-U-075-0267-1 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION								
	MANUFACTURER	ENGINE FA	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)						
WENLI	NG JENNFENG INDUSTRY INC	. KWJFS.173	1GV (U-U-075-0266)	173	Gasoline						
S.A. = See Attachment TBC = To Be Certified EQUIPMENT DESCRIPTION											
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	E	QUIPMENT A	APPLICATION						
2019	CPEKWJFPNHEQ	See Attachment Pump, Generator Set, Non-Backpack Blower, Pressure Washer, Till Ice Auger, Edger, Brushcutter, Other Industrial Equipment									
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL									
	Canister/Metal	See Attachment									
Metal=M Tr	reated HDPE or PE=P Co-extruded=C :	Selar=L Nylon=N Acetal=A	A Other=O B. EVAPORATIVE	FAMILY 2-Lette	other=O 2. <u>Tank Barrier Type and Code</u> - or CODE (Venting Control Codes =C, S, O) Do not use abbreviations for ECS types.						

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable DESIGN BASED										
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)						
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER					
15	See Attachment	1.5	See Attachment	1.0	See Attachment					

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby cancels and replaces Executive Order U-U-075-0267 dated November 27, 2018.

Executed at El Monte, California on this ______

day of January 2019.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

Attachment

MODEL SUMMARY

SI.	S2.		S3.		S4.	S5.	S	6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model	Sales Codes (cl all appropriat		Eng ine Cla	Fuel Syste m	Fuel Tank Vol. (Liters)		Fuel Tank Interna	Fuel Line Type	Nominal Fuel Line	Fuel Line Insid	Exhaust Family	Fuel Tank Executive .Order	Fuel Line Executive Order	Carbon Canister or Other	
Olley		CA Only	49- State	50- State	ss (I or II)	(FI or CAR B)	Nom inal	Total	Surface Area (m²)		Length ⁽¹⁾ (mm)	e Diam eter (mm)				Venting Control Executive Order
x	JF1P70FKV			х	ı	CAR B	1.3	1.5	0.087	Multilayer	100~1000	≽Φ 4.5	KWJFS.1731GV	Q-12-014 Q-12-013	Q-08-017 Q-15-010; Q-08-005; Q-13-022; Q-09-028; Q-12-018B Q-08-026	Q-07-020, Q-11-003, Q-13-008, Q-10-006 C-U-07-008
								·								
				-												

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)