

## CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD

EXECUTIVE ORDER U-U-082-0354 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012:

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION						
	MANUFACTURER	ENGINE FAI	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
	GQING ZONGSHEN GENERAL OWER MACHINE CO., LTD.	KCZHS.208	11H1 (U-U-082-0332)	208	Gasoline				
S.A. = See / TBC = To B		EQUIPME	NT DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION						
2019	СММЗ	Compressor, Pump, Stump Beater, Generator 3 1.45 Non-Backpack Blower, Pressure Washer, Til Other Industrial Equipment							
EMISSION	CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
	Canister/Metal		See Attachment						
A. ECS TYPI Metal=M Tr	E (Venting Control Type/Tank Barrier Ty eated HDPE or PE=P Co-extruded=C S	Selar=L Nylon=N Acetal=/	ype and Code: - Canister=C S A Other=O B EVAPORATIVE	FAMILY 2-Letter CO	DE (Venting Control Codes =C, S, O);				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

(Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

*=not applicable		DESIGN BASED										
, , , , , , , , , , , , , , , , , , , ,	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)								
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER							
15	See Attachment	1.5	See Attachment	1.0	See Attachment							

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

day of December 2018.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

## . Attachment, 1 of 1

## Small Off-Road Evaporative Certification Database Form (Supplementary Information)

## **MODEL SUMMARY**

S1.	S2.		S3.		S4.	S5.	S5. S6.		S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Equipment	Equipment all appropriate) Class System		System (FI or	(L	Tank Vol. Liters)	Fuel Tank Internal Surface Area (m²)	Fuel Line Type	Fuel Line	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive Order		
	170-AU_ 170-PU_ 170-DU_ 170-CU_			Х	I	CARB	2.7	1.45	0.12	multilayer	113 or 115 or 123	6.3	KCZHS.2081H1	Q-16-027B or Q-17-022A or	Q-14-008 or	C-U-06-003 or C-U-07-008 or Q-11-003 or Q-13-008

<sup>(1)</sup> The nominal fuel line lengths can be grouped into increment of  $\pm 3$  inches (76 mm)

<sup>(2)</sup> Postfix "" is the designator(s) for future non-emission related revision change, may appears as other number or letter.