

NORTHERN TOOL AND EQUIPMENT CO., INC.

EXECUTIVE ORDER U-U-153-0040 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION					
	MANUFACTURER	ENGINE FA	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)			
			2BB (U-U-001-0925) 2AB (U-U-001-0859)	270				
ŀ	HONDA MOTOR CO., LTD.		2BB (U-U-001-0897-1) 2AD (U-U-001-0864)	389	Gasoline			
			2BA (U-U-001-0923) 2AA (U-U-001-0867)	688				
BRIGG	S & STRATTON CORPORATION		2HH (U-U-002-1077) 2HH (U-U-002-1042)	479	Gasoline			
	Attachment Be Certified		NT DESCRIPTION					
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	E	QUIPMENT A	PPLICATION			
2019	CM5	24, 38	Ger	nerator Set, Pr	essure Washer			
MISSIO	N CONTROL SYSTEMS (ECS)		ENGINE and/or I	EQUIPMENT N	MODEL			
	Canister/Metal		See A	attachment				
Metal=M Tr	E (Venting Control Type/Tank Barrier Typereated HDPE or PE≖P Co-extruded=C S	Selar=L Nylon=N Acetal=/	A Other=O B. EVAPORATIVE	FAMILY 2-Lette	ther=O 2. <u>Tank Barrier Type and Code</u> r CODE (Venting Control Codes =C, S, C Do not use abbreviations for ECS types			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		DE	SIGN BASED				
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER		
15	Q-07-001, Q-09-019A, Q-08-005, C-U-05-003, Q-07-018	1.5	Q-17-021	1.4	C-U-07-016A, Q-09-027		

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).



NORTHERN TOOL AND EQUIPMENT CO., INC.

EXECUTIVE ORDER U-U-153-0040 New Off-Road Small Spark-Ignition Equipment

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this

_ day of March 2019.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1.	S2.		S3.		S4.	S5.		S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Engine or Equipment Model		Codes (appropri		Engine Class (I or II)	Fuel System (FI or CARB)	Fuel Tank Vol. (Liters)		Fuel Tank Internal Surface Area (m²)	Fuel Line Type	Nominal Fuel Line Length ⁽¹⁾ (mm)	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State			Total	Nominal								
	165601	-		х	11	CARB	31	24	.69	Multi- layer	152	4.5	KHNXS.2702BB, JHNXS.2702AB	Q-17-021	C-U-05-003, Q-08-005	C-U-07- 016A
	BRPG5500			х	11	CARB	31	24	.69	Multi- layer	152	4.5	KHNXS.2702BB, JHNXS.2702AB	Q-17-021	C-U-05-003, Q-08-005	C-U-07- 016A
	165603			х	11	CARB	31	24	.69	Multi- layer	152	4.5	KHNXS.3892BB, JHNXS.3892AD	Q-17-021	Q-07-018	C-U-07- 016A
	BRPG8000			х	11	CARB	31	24	.69	Multi- layer	152	4.5	KHNXS.3892BB, JHNXS.3892AD	Q-17-021	Q-07-018	C-U-07- 016A
	165604			х	II	CARB	31	24	.69	Multi- layer	152	4.5	KHNXS.3892BB, JHNXS.3892AD	Q-17-021	Q-07-018	C-U-07- 016A
	BRGG800ES			х	11	CARB	31	24	.69	Multi- layer	152	4.5	KHNXS.3892BB, JHNXS.3892AD	Q-17-021	Q-07-018	C-U-07- 016A
	165605			х	II .	CARB	42	38	.96	Multi- layer	508	6.35, 4.5	KHNXS.6882BA, JHNXS.6882AA	Q-17-021	C-U-05-003, Q-08-005, Q-09-019A Q-07-001	Q-09-027
	165606			х	II	CARB	42	38	.96	Multi- layer	508	6.35, 4.5	KHNXS.6882BA, JHNXS.6882AA	Q-17-021	C-U-05-003, Q-08-005, Q-09-019A Q-07-001	Q-09-027
	BRPG13000ES			х	11	CARB	42	38	.96	Multi- layer	508	6.35, 4.5	KHNXS.6882BA, JHNXS.6882AA	Q-17-021	C-U-05-003, Q-08-005, Q-09-019A Q-07-001	Q-09-027
	165607			х	11	CARB	42	38	.96	Multi- layer	508	6.35, 4.5	KHNXS.6882BA, JHNXS.6882AA	Q-17-021	C-U-05-003, Q-08-005, Q-09-019A Q-07-001	Q-09-027

х	1572081		х	11	CARB	42	38	.96	Multi- layer	1118	6.35	KBSXS.4792HH, JBSXS.4792HH	Q-17-021	Q-09-019A	Q-09-027
	1572093		х	II	CARB	42	38	.96	Multi- layer	762	6.35	KHNXS.6882BA, JHNXS.6882AA	Q-17-021	Q-09-019A	Q-09-027

(1) The nominal fuel line lengths can be grouped into increment of \pm 3 inches (76 mm)