

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012:

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION							
	MANUFACTURER	ENGINE FAM	IILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)					
	gqing Rato Technology Co., Ltd.	KCRPS.189 KCRPS.223 KCRPS.1501 KCRPS.1211	KCRPS.1741GD (U-U-169-0286) 173, 174 KCRPS.1891GB (U-U-169-0287) 174, 189 KCRPS.2231GB (U-U-169-0290) 223, 200 KCRPS.1501GD (U-U-169-0267) 150 KCRPS.1211GV (U-U-169-0268) 121 KCRPS.2241GB (TBC) 224							
BC = To B	e Certified	EQUIPME	NT DESCRIPTION							
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)		EQUIPMENT APP	QUIPMENT APPLICATION					
2019	CP1V	See Attachment Walk-Behind Lawnmower								
EMISSION	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL								
C	anister/Treated HDPE	See Attachment								

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	PERFORMANCE BASED									
-not applicable		(grams HC/day)								
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL							
1.0		= (STANDARD) - (EFELD)	0.75							

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this _

day of December 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Attachment, 1 of 2

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

MODI	EL SUM	MARY

	MODEL SUMMA		S3.		C4	C.E		S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.	
S1.	S2.		53.		S4.	S5.		30.	57.	50.	39.	310.	311.	312.	313.	314.	
Worst Case (Check One)	Engine or Equipment Model	ent all app	Sales Codes (check all appropriate)		Engine Class (1 or	Class	Fuel System (FI or CARB)		Tank Vol. Liters)	Fuel Tank Internal Surface	Fuel Line Type	Nominal Fuel Line Length ⁽¹⁾	Fuel Line Inside Diameter	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting
		CA Only	49- State	50- State	11)	CARB)	Total	Nominal	Area (m²)		(mm)	(mm)		Oluci		Control Executive Order	
	MA175,			x	1	CARB	1.55	1.5	0.09	Multi-	196 216 110 196 118 122	3 3 4 4 4 4	KCRPS.1891GB	N/A		N/A	
	MA190						1.0	0.95	0.07	layer	196 216 110 196 118	3 3 4 4 4 4			Q-10-003 Q-08-005		
х	RV170,RV175			x		CARB	1.1 1.0 1.32 1.69	0.76 1.08 0.98 1.3 1.67 0.98	0.06 0.09 0.08 0.09 0.1 0.08	Multi- layer	250 145 305	4 4	KCRPS.1741GD	N/A	Q-15-010 Q-17-043	N/A	
	Bytte			.,		CARR	0.78	0.95	0.07		245 168 68	4 4 4	VCDDS 1501CD	N/A		N/A	
	RV150			Х	1	CARB	1.0	0.98	0.08	layer	245	4	KCRPS.1501GD	N/A		N/A	
							1.0	0.98	0.08		130	4					

Attachment, 2 of Z

RV225,		X	1		1.0	0.95	0.07	Multi-	304	4				
RV200				CARB	1.0	0.98	0.08	layer	250	4				
				CARD	1.32	1.3	0.09		250	4	1			
					1.69	1.67	0.1		250	. 4	KCRPS.2231GB	N/A		N/A
					1.0	0.98	0.08		145	4				
			1		0.78	0.76	0.06		[*] 250	4			Q-10-003	
					1.1	1.08	0.09		250	4			Q-10-003 Q-08-005	
RVM120		X	1	CARB	0.83	0.81	0.06	Multi-	233	4	KCRPS.1211GV	N/A	Q-15-010	N/A
					0.83	0.81	0.06	layer	240	4	KCKF5.1211GV	IN/A	Q-17-043	IN/A
MA225		X	1	CARB				Multi-	196	3				
								layer	216	3				
			1.55	1.5	0.09		110	4	KCRPS.2241GB	N/A		N/A		
					1.55	1.3	0.07		196	4	KCIG 5.22410B	17/74		IV/A
									118	4				
									122	4		l		

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)