

HYDRO TEK SYSTEMS, INC

EXECUTIVE ORDER U-U-192-0022 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION						
	MANUFACTURER	ENGINE FAI	MILY (E.O. NUMBER)	ENGINE SIZE	FUEL TYPE (CNG/LNG=compressed/liquefinatural gas LPG=liquefled petroleum gas)				
BRIGG	S & STRATTON CORPORATION	JBSXS.479	2HH (U-U-002-1077) 2HH (U-U-002-1042)	479 479	Gasoline				
			2HN (U-U-002-1076) 2HN (U-U-002-1040)	570, 627 570, 627					
H	HONDA MOTOR CO., LTD.	KHNXS.688	2AA (U-U-001-0921) 2AA (U-U-001-0867)	688 688					
	KOHLER COMPANY		2GC (U-U-005-0617) GC (U-U-005-0567-1)	725 725					
			2PD (U-U-005-0629) 2PD (U-U-005-0587)	747 747					
	Attachment de Certified	EQUIPME	NT DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)							
2019	CO3	68.14		Pressure Washer					
EMISSIO	N CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL						
	Canister/Other		See Attachment						
Metal=M Tr	E (Venting Control Type/Tank Barrier Typeated HDPE or PE=P Co-extruded=C S r Codes = M, P, C, L, N, A, O). Note: Al	Selar=L Nylon=N Acetal=/	A Other=O B. EVAPORATIVE	FAMILY 2-Letter CO	DE (Venting Control Codes =C, S, C				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable.

*=not applicable	DESIGN BASED								
,	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)					
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER				
15	C-U-06-010	*	*	1.4	Q-08-031, Q-11-005				

BE IT FURTHER RESOLVED: That the listed equipment is in conformance with the evaporative emission requirements specified in 13 CCR Section 2766(b) (small production volume tank exemption).

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this _____3 day of April 2019.

Knnette Hebert, Chief

Émissions Compliance, Automotive Regulations and Science Division

Small Off-Road Evaporative Certification Database Form

(Supplementary Information)

	MODEL SUMMARY															
S1.	S2.	. S3. S4.		S5.	S	S6. S7.		S8.	S9.	S10.	S11.	S12.	S13.	S14.		
Worst Case (Check One)	Engine or Sales Core Equipment All approach		es Codes (check Engine Class (I or II)		Fuel System (Fl or CARB)				Line Type	Fuel	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting	
		CA Only	49- State	50- State		,	Total	Nominal	Area (m²)		(mm)					Control Executive Order
	scx			x	II	CARB	68.14	68.14	1.53	MULTI	1981	6.6	JBSXS.4792HH JBSXS.6272HN JHNXS.6882AA JKHXS.7252GC JKHXS.7472PD KBSXS.4792HH KBSXS.6272HN KHNXS.6882AA KKHXS.7252GC KKHXS.7472PD	EXEMPT See S19	C-U-06- 010	Q-08-031 Q-11-005

The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)