

ECHO INCORPORATED

EXECUTIVE ORDER U-U-010-1229

New Off-Road Small Spark-Ignition
Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION											
	MANUFACTURER	ENGINE FAMIL	Y (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)						
E	ECHO INCORPORATED	LEHXS.0254KS	(U-U-010-1228)	25	Gasoline						
TBC = To Be	TBC = To Be Certified EQUIPMENT DESCRIPTION										
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION								
2020	LEHXS.0254KS	0.630	Line Trimmer, Hedge Trimmer, Edger, Brushcutter and Other								
EMISSI	ON CONTROL SYSTEMS	ENGINE and/or EQUIPMENT MODEL(S)									
	Р		See Attachment								
TANK TYPE: S=sealed M=metal P=treated HDPE or PE C=coextruded L=selar N=nylon A=acetal O=other (specify)											

The following are the evaporative emission standard (Title 13, California Code of Regulations, 13 CCR Section 2755 or 2757, as applicable), and certification level in g ROG·m⁻²·day⁻¹ for this evaporative family or the component Executive Order, as applicable.

*=not applicable	pplicable PERMEATION EMISSION STANDARDS									
	FUEL LINE PERMEATION (g ROG·m²·day⁻¹)	FUEL TANK PERMEATION (g ROG·m²·day¹¹)								
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER							
15	Q-19-011	2.0	Q-19-059A							

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this _____ day of June 2020.

Allen Lyons, Chief

Emissions Certification and Compliance Division

For CARB Use Or	nly
Executive Order: I	U-U-
Attachment	of

Model Summary Sheet

(In #11, identify the fuel tank model exhibiting the highest permeation rate relative to the applicable permeation emission standard.)

11. Worst Case (Check One)	12. Model	Sales (Cheappro Calif.	3. Codes ck all	Fue	14. I Tank e (Liters) Nominal	15. Fuel Tank Internal Surface Area (m²)	16. Fuel Line Type (e.g. Single or Multi- Layer)	17. Fuel Line Length (mm)	18. Fuel Line Internal Diameter (mm)	19. Exhaust Family	20. Fuel Tank Component Executive Order*	21. Fuel Line Component Executive Order*
Х	SRM-2620		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	SRM-2620S or 2620ST		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	SRM-2620T or 2620U		X	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	PE-2620 or 2620S		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	PPF-2620		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	PPT-2620 or 2620H		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	PAS-2620		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	HCA-2620 or 2620S		х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	SHC-2620 or 2620S		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	BRD-2620		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	T262 or T262X		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	AH or AHS262		Х	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	BD262		X	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011

For CARB Use Only
Executive Order: U-UAttachment _____ of ____

Q-19-011

LEHXS.0254KS Q-19-059A

	C262	X	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	LE262	X	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011
	M262	X	0.630	0.630	0.048	Multi	72	3	LEHXS.0254KS	Q-19-059A	Q-19-011

Multi

72

0.048

PS262

Χ

0.630

0.630

^{*}If not using CARB Component EOs, fill out test data information in #26-31.