ANDREAS STIHL

EXECUTIVE ORDER U-U-015-1023 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

	ENGINE DES	CRIPTION					
MANUFACTURER .	ENGINE FAMILY	(E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied ratural gas LPG=liquefied petroleur gas) Gasoline			
ANDREAS STIHL	LA8XS.0244UA (U-U-015-1001)	24				
Certified	EQUIPMENT D	ESCRIPTION					
EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION					
LA8XS.0244UA	0.54	Line Trimmer, Edger, Brushcutter					
ON CONTROL SYSTEMS	ENGINE and/or EQUIPMENT MODEL(S)						
N	See Attachment						
_	ANDREAS STIHL Certified EVAPORATIVE FAMILY LA8XS.0244UA ON CONTROL SYSTEMS	ANDREAS STIHL Certified EQUIPMENT D FUEL TANK NOMINAL CAPACITY (liters) LA8XS.0244UA ON CONTROL SYSTEMS	ANDREAS STIHL Certified EQUIPMENT DESCRIPTION FUEL TANK NOMINAL CAPACITY (liters) LA8XS.0244UA 0.54 ENGINE and/or EC	ANDREAS STIHL LA8XS.0244UA (U-U-015-1001) Certified EQUIPMENT DESCRIPTION FUEL TANK NOMINAL CAPACITY (liters) LA8XS.0244UA 0.54 ENGINE PAMILY (E.O. NUMBER) SIZE (cc) SIZE (cc) LA8XS.0244UA (U-U-015-1001) 24 EQUIPMENT DESCRIPTION FUEL TANK NOMINAL CAPACITY (liters) LA8XS.0244UA DN CONTROL SYSTEMS ENGINE and/or EQUIPMENT M			

The following are the evaporative emission standard (Title 13, California Code of Regulations, 13 CCR Section 2755 or 2757, as applicable), and certification level in g ROG·m⁻²·day⁻¹ for this evaporative family or the component Executive Order, as applicable.

*=not applicable	PERMEATION EMISSION STANDARDS							
	FUEL LINE PERMEATION (g ROG·m-²-day-¹)	FUEL TANK PERMEATION (g ROG·m·²·day¹)						
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER					
15	Q-19-139	2.0	Q-19-129					

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 22th day of November 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division

For CARB Use Only	
Executive Order: U-U- 0/5	-1023
Attachment / of	1

Model Summary Sheet

(In #11, identify the fuel tank model exhibiting the highest permeation rate relative to the applicable permeation emission standard.)

11. Worst	12. Model	13. Sales Codes (Check all appropriate)		14. Fuel Tank Volume (Liters)		15. Fuel Tank Internal	16. Fuel Line	17. Fuel	18. Fuel Line		20. Fuel Tank	21. Fuel Line
Case (Check One)		Calif. Only	50- State	Total	Nominal	Surface Area (m²)	Type (e.g. Single or Multi- Layer)	Line Length (mm)	Internal Diameter (mm)	Exhaust Family	Component Executive Order*	Component Executive Order*
X	FS 94 R		X	0.57	0.54	0.066	Multi- Layer	91	3.1 ±0.25	LA8XS.0244UA	Q-19-129	Q-19-139
	KM 94 R		Х	0.57	0.54	0.066	Multi- Layer	91	3.1 ±0.25	LA8XS.0244UA	Q-19-129	Q-19-139
	HL 91 K		Х	0.57	0.54	0.066	Multi- Layer	91	3.1 ±0.25	LA8XS.0244UA	Q-19-129	Q-19-139
	HL 91 KC		Х	0.57	0.54	0.066	Multi- Layer	91	3.1 ±0.25	LA8XS.0244UA	Q-19-129	Q-19-139
	HL 94		Х	0.57	0.54	0.066	Multi- Layer	91	3.1 ±0.25	LA8XS.0244UA	Q-19-129	Q-19-139
	HL 94 K		X	0.57	0.54	0.066	Multi- Layer	91	3.1 ±0.25	LA8XS.0244UA	Q-19-129	Q-19-139

^{*}If not using CARB Component EOs, fill out test data information in #26-31.