

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE <small>(CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)</small>
BRIGGS & STRATTON CORPORATION	LBSXS.4792HH (U-U-002-1115)	479	Gasoline
	KBSXS.4792HH (U-U-002-1077)	479	
	LBSXS.6272HN (U-U-002-1110)	570, 627	
	KBSXS.6272HN (U-U-002-1076)	570, 627	
HONDA MOTOR CO., LTD.	LHNXS.6882BA (U-U-001-0942)	688	
	KHNXS.6882BA (U-U-001-0923)	688	
KOHLER COMPANY	LKHXS.6742GD (U-U-005-0638)	674	
	KKHXS.6742GC (U-U-005-0607)	674	
	LKHXS.7252GD (U-U-005-0655)	725	
	KKHXS.7252GD (U-U-005-0608-1)	725	
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION
2020	MTMCP189HW	20.3000	Pressure Washer
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
CP		See Attachment	
A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code: - Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code: - Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Aceta=FA Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent·day⁻¹ or g ROG·m⁻²·day⁻¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)					
1.20 + 0.056 × Nominal Capacity (L)					
FUEL LINE PERMEATION <small>(g ROG·m⁻²·day⁻¹)</small>		FUEL TANK PERMEATION <small>(g ROG·m⁻²·day⁻¹)</small>		CARBON CANISTER BUTANE WORKING CAPACITY <small>(grams per liter)</small>	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	Q-19-002, Q-19-003, Q-19-024, Q-19-025	1.5	Q-19-016	1.4	Q-19-056

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.



CALIFORNIA
AIR RESOURCES BOARD

MI-T-M CORP.

EXECUTIVE ORDER U-U-093-0051
New Off-Road Small Spark-Ignition
Equipment

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 18TH day of July 2020.

Allen Lyons, Chief
Emissions Certification and Compliance Division

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

Page 1 of 7

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type (e.g. Single or Multi-layer)	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L))/ Other Venting Control Executive Order
		CA Only	50-State			Total	Nominal								
	GH-3505-0MGH		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	GH-4004-0MAH		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDB-3005-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	838.2	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDB-3005-0V6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1663.7	6.35	LBSXS.4792HH KBSXS.4792HH	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDC-3005-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	838.2	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDC-3005-0V6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1663.7	6.35	LBSXS.4792HH KBSXS.4792HH	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDC-3505-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1143	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-layer)	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L))/ Other Venting Control Executive Order
		CA Only	50-State			Total	Nominal								
	HDC-3505-1H6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1143	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDC-4004-0K6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1143	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDC-4004-1H6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1143	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDD-3804-0V6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1663.7	6.35	LBSXS.4792HH KBSXS.4792HH	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3005-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3005-0V6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2768.6	6.35	LBSXS.4792HH KBSXS.4792HH	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3008-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2692.3	6.35	LKHXS.7252GD KKHXS.7252GD	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type (e.g. Single or Multi-layer)	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L))/ Other Venting Control Executive Order
		CA Only	50-State			Total	Nominal								
	HDS-3008-1H6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2692.3	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3505-0K6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3505-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3505-0V6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2768.6	6.35	LBSXS.6272HN KBSXS.6272HN	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3505-0V6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2768.6	6.35	LBSXS.6272HN KBSXS.6272HN	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3505-1H6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3506-0K6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.7252GD KKHXS.7252GD	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3506-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.7252GD KKHXS.7252GD	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type (e.g. Single or Multi-layer)	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L))/ Other Venting Control Executive Order
		CA Only	50-State			Total	Nominal								
	HDS-3506-1H6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3506-HZ01		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	3301.9	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-3506-VZ01		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	3301.9	6.35	LBSXS.6272HN KBSXS.6272HN	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-4005-0K6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	927.1	6.35	LKHXS.7252GD KKHXS.7252GD	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-4005-1K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	927.1	6.35	LKHXS.7252GD KKHXS.7252GD	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HDS-4005-2H6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	3301.9	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HS-3005-0MGV		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2768.6	6.35	LBSXS.4792HH KBSXS.4792HH	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HS-3505-1MGH		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type (e.g. Single or Multi-layer)	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L))/ Other Venting Control Executive Order
		CA Only	50-State			Total	Nominal								
	HS-3506-0BEG0H		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HS-3506-0MBE		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HS-3506-1MGH		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HS-4004-1MAH		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1257.3	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3005-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3005-0V6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2768.6	6.35	LBSXS.4792HH KBSXS.4792HH	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3008-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2692.3	6.35	LKHXS.7252GD KKHXS.7252GD	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3008-1H6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2692.3	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type (e.g. Single or Multi-layer)	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L))/ Other Venting Control Executive Order
		CA Only	50-State			Total	Nominal								
	HVS-3504-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3504-0V6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2768.6	6.35	LBSXS.4792HH KBSXS.4792HH	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3505-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3505-0V6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2768.6	6.35	LBSXS.6272HN KBSXS.6272HN	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3505-1H6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3506-0K6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1917.7	6.35	LKHXS.7252GD KKHXS.7252GD	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-3506-1H6G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2254.25	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	HVS-4004-0K6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	927.1	6.35	LKHXS.6742GD KKHXS.6742GC	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

**Small Off-Road Evaporative Certification Database Form
(Hot Water Supplementary Information)**

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)		S7. Fuel Tank Internal Surface Area (m2)	S8. Fuel Line Type (e.g. Single or Multi-layer)	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L))/ Other Venting Control Executive Order
		CA Only	50-State			Total	Nominal								
	HVS-4004-0V6A		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	1790.7	6.35	LBSXS.6272HN KBSXS.6272HN	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	AGW-SH22-20BX		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2158.9	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	AGW-SH22-20G		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2158.9	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	AGW-SH22-20M		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2158.9	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	AC2-CW5220H		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2158.9	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056
	CC2-CW5220H		X	II	CARB	20.4500	20.3000	0.4900 m ²	Multi-Layer	2158.9	6.35	LHNXS.6882BA KHNXS.6882BA	Q-19-016	Q-19-002, Q-19-003, Q-19-024, Q-19-025	Q-19-056

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)