



Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DES	CRIPTION					
	MANUFACTURER	ENGINE FAMILY (E.	O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural ga LPG=liquefied petroleum gas)			
Br	iggs & Stratton Corporation	JBSXS.3442VA (U- LBSXS.3442VA (U- KBSXS.3442VA (U- JBSXS.5002VV (U- LBSXS.5002VV (U- KBSXS.5402VL (U- LBSXS.5402VL (U- KBSXS.5402VL (U- KBSXS.5402VL (U-	U-002-1098) U-002-1068) U-002-1023) U-002-1099) U-002-1071) U-002-1024) J-002-1100-1)	344, 500, 540	Gasoline			
	ongqing Zongshen General Power Machine Co., Ltd.	JCZHS.4392V1 (U- LCZHS.4392V1 (U- KCZHS.4392V1 (U- JCZHS.5472V1 (U- LCZHS.5472V1 (U- KCZHS.5472V1 (U-	U-082-0395) U-082-0333) U-082-0283) U-082-0378)	382, 439, 547	Gasoline			
	Kohler Company	JKHXS.7252GB (U- LKHXS.7472GF (U- KKHXS.7252GB (U- JKHXS.5412GB (U- KKHXS.5412GB (U- LKHXS.5412GB (U-	U-005-0651) ·U-005-0635) ·U-005-0554) ·U-005-0606)	660, 725, 747, 541	Gasoline			
S.A. = See A FBC = To Be		EQUIPMENT DI	ESCRIPTION					
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)		EQUIPME	ENT APPLICATION			
2020	MTDCP1	See Attachment	Riding Mower, Lawn and Garden Tractor, Commercial To ZTR-Residential, ZTR-Commercial					
EMISSION	CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL						
C	anister/Treated HDPE	See Attachment						
Metal=M Trea	(Venting Control Type/Tank Barrier Type) ted HDPE or PE=P Co-extruded=C Sele = M, P, C, L, N, A, O). Note : Always list	r=L Nylon=N Acetal=A Other=O I	B. EVAPORATIVE FA	AMILY 2-Letter C	ODE (Venting Control Codes = C, S, O); (Tank			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent or g ROG·m⁻²·day⁻¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day¹) 1.20 + 0.056 × Nominal Capacity (L)									
	INE PERMEATION ROG·m²·day¹)		FANK PERMEATION ROG·m ⁻² ·day ⁻¹)	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)					
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER				
15	See Attachment	1.5	See Attachment	1.4	See Attachment				

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).



MTD CONSUMER GROUP, INC.

EXECUTIVE ORDER U-U-130-0052-1 New Off-Road Small Spark-Ignition Equipment

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-130-0052 dated June 18, 2020.

Executed on this <u>22nd</u> day of December 2020.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Date: 11-10-2020

Evaporative Family: MTDCP1

Model Summary

For CARB Use Only Executive Order: U-U-130-0052-1 Attachment 1 of 1

		Sa	3.	T		Se	6.						Ī		
		Sales Codes (Check all				Fuel Tank Vo									
S1. Worst Case (Check One)	S2. Model	Calif.Only	oriate) 50-State	S4. Engine Class (I or II)	S5. Fuel System (Fl or CARB)	Total	Nominal	S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
	13x72xxx2xx		x	II	CARB	6.07	3.79	.2286	MULTI-LAYER	575	6.4	JCZHS.4392V1 KCZHS.4392V1 LCZHS.4392V1	Q-20-015	Q-19-002 (Q-14-008)	Q-19-087 (Q 09-024)
	13xC2xxx2xx		x	II	CARB	6.07	3.79	.2286	MULTI-LAYER	508	6.4	JBSXS.3442VA KBSXS.3442VA LBSXS.3442VA	Q-20-015	Q-19-002 (Q-14-008)	Q-19-087 (Q 09-024)
	13x87xxx2xx		x	II	CARB	6.19 6.241	5.15 5.087	.1933 .1970	MULTI-LAYER	406	6.4	JCZHS.5472V1 KCZHS.5472V1 LCZHS.5472V1	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (C 09-024)
	13xB7xxx2xx		x	II	CARB	6.19 6.241	5.15 5.087	.1933 .1970	MULTI-LAYER	448	6.4	JCZHS.4392V1 KCZHS.4392V1 LCZHS.4392V1	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (C 09-024)
	13xC7xxx2xx		x	II	CARB	6.19 6.241	5.15 5.087	.1933 .1970	MULTI-LAYER	394	6.4	JBSXS.3442VA KBSXS.3442VA LBSXS.3442VA	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (C 09-024)
	13xL7xxx2xx		x	II	CARB	6.19 6.241	5.15 5.087	.1933 .1970	MULTI-LAYER	419	6.4	JBSXS.5402VL KBSXS.5402VL LBSXS.5402VL	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (C 09-024)
	13xM7xxx2xx 13xN7xxx2xx		x	II	CARB	6.19 6.241	5.15 5.087	.1933 .1970	MULTI-LAYER	419	6.4	JBSXS.5002VV KBSXS.5002VV LBSXS.5002VV	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (C 09-024)
	13xO7xxx2xx		x	II	CARB	6.19 6.241	5.15 5.087	.1933 .1970	MULTI-LAYER	419	6.4	JKHXS.5412GB KKHXS.5412GB LKHXS.5412GB	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (Q-09-024)
	13x6Axxx2xx 13x8Axxx2xx		x	II	CARB	13.52 13.514	11.36 12.537	0.34933 0.354	MULTI-LAYER	533	6.4	JCZHS.5472V1 KCZHS.5472V1 LCZHS.5472V1	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (C 09-024)
	13xOAxxx2xx		x	II	CARB	13.52 13.514	11.36 12.537	0.34933 0.354	MULTI-LAYER	529	6.4	JKHXS.5412GB KKHXS.5412GB LKHXS.5412GB	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (Q-09-024)
	13xQAxxx2xx 13xPAxxx2xx 14xQAxxx2xx		x	II	CARB	13.52 13.514	11.36 12.537	0.34933 0.354	MULTI-LAYER	859	6.4	JKHXS.7252GB KKHXS.7252GB LKHXS.7472GF	Q-20-015 Q- 19-037	Q-19-002 (Q-14-008)	Q-19-087 (C 09-024)
х	17xRExxA2xx 17xRExxM2xx		х	II	CARB	14.79	13.25	0.84946	MULTI-LAYER	1067	6.4	JKHXS. 7252GB KKHXS.7252GB LKHXS.7472GF	Q-20-015	Q-19-002 (Q-14-008)	Q-19-087 (C 09-024)
<u> </u>															
							_								