

CHONGQING AM PRIDE POWER&MACHINERY CO.,LTD

EXECUTIVE ORDER U-U-164-0108 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DE	SCRIPTION						
	MANUFACTURER	ENGINE FAMILY (E.O.	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefiedpetroleum gas)						
	HONGQING AM PRIDE ER&MACHINERY CO.,LTD	KCPPS.0981GA (U-U- LCPPS.0981GA (U-U- LCPPS.0981GC (U-U- LCPPS.0981SF (KCPPS.2231GA (U-U- LCPPS.2231GA (U-U- KCPPS.2231GD (U-U- LCPPS.2231GD (U-U- LCPPS.2231GD (U-U-	Gasoline,						
	KOHLER COMPANY	KKHXS.1961GC (U-U-005-0598) 196 Gasoline-LPG dua LKHXS.1961GC (U-U-005-0647) 196 KKHXS.2081GB (U-U-005-0599) 208 LKHXS.2081GB (U-U-005-0643) 208 KKHXS.1731GB (U-U-005-0594) 149, 173 LKHXS.1731GB (U-U-005-0670) 149, 173							
YA	MAHA MOTOR CO., LTD.	KYMXS.1921EH (U-U- KYMXS.1711EH (U-U-							
	Attach ment Be Certified	EQUIPMENT D	ESCRIPTION	ON					
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION						
2020	CPPCM2081	3.4, 4.0, 14.5, - 15, 7, 11.5	Compres	sor, Pump, Pressure V	/asher, Generator Set, Go-Cart				
EMISSIO	NCONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
	СМ	See Attachment							
Code:- Me	PE (Venting Control Type/Tank Barrier Ty tal=M Treated HDPE or PE=P Co-extru Tank Barrier Codes = M, P, C, L, N, A, C	ded=C Selar=L Nylon=N Aceta	=A Other=O B	. EVAPORATIVE FAMILY ?	2-Letter CODE (Venting Control Codes				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day or g ROG·m⁻²·day or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)												
0.95 + 0.056 × Nominal Capacity (L)												
	INE PERMEATION ROG·m ² ·day ⁻¹)	FUEL	TANK PERMEATION (g ROG·m²·day¹)	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)								
STANDARD	CERTIFICATIONL OR EXECUTIVE OF	- SIANIIAR	CERTIFICATIONLEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER							
15	Q-18-018, Q-18-0 Q-18-030A, Q-18-0 Q-19-071-	' I	Q-19-023, Q-19-007A-	1.0, 1.4	Q-19-039, Q-18-011, - Q-19-040, Q-18-012,- Q-19-027, Q-19-028,- Q-19-041, Q-19-065,- Q-18-014, Q-18-027,- Q-19-018, Q-19-042, Q-19-063, Q-19-049							

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).



CHONGQING AM PRIDE POWER&MACHINERY CO.,LTD

EXECUTIVE ORDER U-U-164-0108 New Off-Road Small Spark-Ignition Equipment

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this day of April 2020.

Allen Lyons, Chief Emissions Certification and Compliance Division

For CARB Use Only
Executive Order: U-UAttachment _____ of ____

Small Off-Road Evaporative Certification Database Form

MODEL SUMMARY

S1.	S2.	S	3.	S4.	S5.	;	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Model		Codes ck all priate)	Engine Class (I or II)	Fuel System (FI or CARB)	(Liters) Interna Surfac		Fuel Tank Internal Surface Area (m²) Fuel Line Type (e.g. Single	Nominal Fuel Line Length ⁽¹⁾ (mm)	Fuel Line Inside Diameter (mm)	Engine Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister (or Working Capacity (g/L))/	
		CA Only	50- State			Total	Nominal		or Multi- layer)						Other Venting Control Executive Order
	AP156F, SC200, SV200, SC230, SV230, SV212, SC212,					4.1	3.4	0.1551				LCPPS.0981GA KCPPS.0981GA KCPPS.2231GA	Q-19-023	Q-18-018	Q-19-039 Q-18-011 Q-19-040
	AP168FB, AP170F, AP170FB, SC230L, SV230L, SH100, AT20-225001		×	I	CARB	4.2	4.0	0.150	Multi- layer	125	4.5 6.35	LCPPS.2231GA KCPPS.2231GD LCPPS.2231GD LCPPS.0981GC LCPPS.0981SF	Q-19-007A	Q-18-024 Q-18-030A Q-18-031A Q-19-071	Q-18-012 Q-19-027 Q-19-028 Q-19-041 Q-19-065
	SUPW50, SUPW80, APW2700, APW3200, SUWP50C, AK4KSE, APW3100C,					4.1	3,4	0.1551				LCPPS.0981GA	Q-19-023		Q-19-039 Q-18-011 Q-19-040
	APW80C, AWP50, AKGPW3500, AKPW3000, AKW930, APW4200SHA, APW2700S, APW3200KVA, PWF3201YH, PWF3201YH, PWF3800KV, SCGPW3400H-G, PWF3100YV, GPW3500, AT30127011, AT30127001, AKPW3000, MXPW3200		×	- C	CARB	4.2	4.0	0.150	Multi- layer	125	4.5 6.35	KCPPS.0981GA KCPPS.0981GA LCPPS.2231GA KCPPS.2231GA KKHXS.1961GC LKHXS.1961GC LKHXS.2081GB KKHXS.2081GB KKHXS.1731GB LKHXS.1731GB KYMXS.1921EH	Q-19-007A	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071	Q-18-012 Q-19-027 Q-19-028 Q-19-041 Q-19-065

For CARB Use Only Executive Order: U-U-Attachment of

											Attachment	o	T	
	AP2500C, SU2500C, SUA2500C, SUA4000C, SUA4000C, AP4000C, SU4500C, SUA500C, SUA500C, SUA550C, SU5250C, AP5250C, SU5250C, AP5250C, SU5250-1, SC3250-1, SC3500-1, SC3500-1, SC4000-1, GP3250, AP3250, AP3000C, SUA5000C, SUA5000C, SUA5000C, AP5000C, SUA5000EC, AP5000EC, AP500DEC, AP50DEC,				17	14.5	0.4694			4.5	LCPPS.0981GA KCPPS.0981GA	Q-19-023	Q-18-018	Q-18-014 Q-18-027
×	MBE3500PS, MX4200PS, MX4200PS, MS4200PS, MS4200PS, BE3500PS, S24200PS, S3500PS, SUA4500EC, AP5000, AP5000COM, AP4800, SUA7000, SC200A, SC4000i, SUA4000i, SUA4000i, SUA4200IF, SUA3200IF, SUA3200IF, SUA3200IF, SUA3200IF, SUA4200PS, NC3500PS, NC3500PS, NC3500PS, NC3500PS, NC3500PS, NC3500PS, NC3500PS, NC3500PS, NC3500PS, NC3400PS, NC3400PS, NC3400PS, NC3400PS, NC3400PS, NC3400PS, NC3500PS, NC3400PS, NC340PS, NC3400PS, NC3400P	×	- C	CARB	16	15	0.463	Multi- layer	105 180	5 6 6.35	KCPPS.2231GA LCPPS.2231GA KCPPS.2231GD LCPPS.2231GD	Q-19-007A	Q-18-024 Q-18-030A Q-18-031A Q-19-071	Q-19-018 Q-19-042 Q-19-063
	SU1500C, AP1500C, SUA1500C, SUA1200C, SC1200C,	×		CARB	8.3	7	0.280	Multi- layer	125	4.5 5 6 6.35	LCPPS.0981GA KCPPS.0981GA	Q-19-023	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071	Q-18-012 Q-19-041 Q-19-049 Q-19-065

For CARB Use Only Executive Order: U-UAttachment of

SUA3800iED, SC3000iE, SC3000i,	×	I	CARB	12	11.5	0.390	Multi- layer	125	4.5 5 6 6.35	LCPPS.2231GA KYMXS.1711EH	Q-19-007A	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071	Q-18-014 Q-18-027 Q-19-018

(1) The nominal fuel line lengths can be grouped into increment of \pm 3 inches (76 mm)