

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
CHONGQINGAM PRIDE POWER&MACHINERY CO.,LTD	KCPPS.4572GA (U-U-164-0086)	389, 420, 457	Gasoline, Gasoline-LPG dual-fuel
	KCPPS.4592GC (U-U-164-0087)	420, 459	
	KCPPS.4592GD (U-U-164-0088)	459	
	LCPPS.4572GA (U-U-164-0101)	389, 420, 457	
	LCPPS.4592GC (TBC)	420, 459	
	LCPPS.4592GD (U-U-164-0102)	459	
CHONGQINGZONGSHENG GENERAL POWERMACHINE CO., LTD.	KCZHS.7502HG (U-U-082-0366)	679, 750	
	LCZHS.7502HG (U-U-082-0399)	679, 750	
KOHLER COMPANY	KKHXS.4292GA (U-U-005-0601)	429	
	LKHXS.4292GB (U-U-005-0644)	429	
S.A = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION
2020	CPPCM4572	6.2, 22, 6, 25, 30, 27, 44	Compressor, Pump, Pressure Washer, Generator Set
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
CM		See Attachment	
A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code: Carister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code: Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes O=C, S, O); (Tank Barrier Codes =M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for O ECS types.0			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent·day⁻¹ or g ROG·m⁻²·day⁻¹⁰ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.


DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)					
1.20 + 0.056 × Nominal Capacity (L)					
FUEL LINE PERMEATION (g ROG·m ⁻² ·day ⁻¹)		FUEL TANK PERMEATION (g ROG·m ⁻² ·day ⁻¹)0		CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	Q-18-018, Q-18-024, Q-18-030A, Q-18-031A, Q-19-0710	1.5	Q-19-023, Q-19-007A0	1.4	Q-18-012, Q-19-041, 0 Q-19-049, Q-19-065, 0 Q-18-015, Q-19-020, Q-18-016, Q-18-020, 0 Q-18-028, Q-19-019, Q-19-043, Q-19-066, 0 Q-19-056, Q-18-017, Q-19-0220

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at ~~El Monte, California~~ on this 28TH day of April 2020.



Allen Lyons, Chief
Emissions Certification and Compliance Division

SUPERSEDED

Small Off-Road Evaporative Certification Database Form

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-layer)	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L))/ Other Venting Control Executive Order	
		CA Only	50-State			Total	Nominal									
	AP188F, AP190F, AP190FL, AP192F, AP192FL, AP192FB, AP192FBL, SC390, SV390, SC420, SV420, SC460, SV460, SC460L, SV460L, SDP460, SV320, SV320L, SV690, AP6500C, SU6500C, AP6500C, SUA6500EC, SU6500EC, AP6500EC, SUA8250EC, SU8250EC, AP8250EC, SUA9000EC, SU9000EC, AP9000EC, SUA10000EC, SU10000EC, AP10000EC, SUA12000EC, EC12000EC, AP12000EC, SUA5000EQC, SUA10000EQC, SC6000-I, SC6000-II, SC8000-I, SC8000-II, SC9000-I, SC9000-II, SC10000-I, SC10000-II, SUA6500EC, SUA9000EC, SUA120000EC, SUA7000C, SC7000C, AP7000C, SUA7000EC, SUA9000EDC, GPE6500, R12000ED, SC8000I, SCGPDW4200H-K, SUA8000I, SC9000IFED, SUA13000EFIA, SUA12000EDCO, ST12000ED, SUA12000ECCOA, SUA12000ECA, SUA12000ED, SUA12000EDCO, PWF4200SH, SUA13000EFI, AT30142001, SUA8000IED, SC8000IED					7.4	6.2	0.223					Q-19-023		Q-18-012 Q-19-041 Q-19-049 Q-19-065	
			x	II	CARB	25.8	22	0.6498						Q-19-023		
						7	6	0.388	Multi-layer	250 205 420	4.5 6.35	LCPPS.4592GC LCPPS.4572GA LCPPS.4592GD KCPPS.4592GC KCPPS.4572GA KCPPS.4592GD LCPPS.3222GA LCPPS.6882GA		Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071		Q-18-015 Q-19-020
						26	25	0.603					Q-19-007A			
	CH440, SC8500EC, AK10KRS, AKGACW9000RS, DK8500, AKGACWLT		x	II	CARB	25.8	22	0.6498	Multi-layer	125	4.5 6.35	KKHXS.4292GA LKHXS.4292GB	Q-19-023	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071	Q-18-015 Q-19-020	

For CARB Use Only
 Executive Order: U-U-
 Attachment _____ of _____

	SU15000EC, SUA15000EC, AP15000EC, WP6015S, WP4015S, SC11000EC, SUA11000EC, SUA12000EDC, SUA7500C, SUA7500EC, SUA12000EE, SUA13000EFICO		x	II	CARB	30.5	30	0.6236	Multi-layer	420	4.5 6.35	LCPPS.4572GA KCPPS.4572GA LCPPS.4592GC KCPPS.4592GC LCPPS.4592GD KCPPS.4592GD LCZHS.7502HG KCZHS.7502HG	Q-19-023	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071	Q-18-016 Q-18-020 Q-18-028 Q-19-019 Q-19-043 Q-19-066
						27.5	27	0.624		450			Q-19-007A		
x	AP10000E		X	II	CARB	45	44	0.843	Multi-layer	420 450	4.5 6.35	LCPPS.4572GA KCPPS.4572GA	Q-19-007A	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071	Q-19-056 Q-18-017 Q-19-022

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)

SUPERSEDED