

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

granted.										
ENGINE DESCRIPTION										
	MANUFACTURER	ENGINE FAMILY (E	E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)					
Chon	gqing Rato Technology Co., Ltd.	LCRPS.1211GV (U LCRPS.1271GD (U LCRPS.1501GD (U LCRPS.1741GD (U LCRPS.2231GB (U LCRPS.1891GB (U LCRPS.2011GB (U	J-U-169-0320) J-U-169-0321) J-U-169-0345) J-U-169-0347) J-U-169-0324)	121 127 150, 144 174, 173, 170 223, 200 189, 174 201, 185	Gasoline					
TBC = To Be Certified EQUIPMENT DESCRIPTION										
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	NOMINAL CAPACITY EQUIPMENT APPLICATION							
2020	CRPCP1V	1.1, 1.43, 0.76, 0.98, 1, 1.45, 1.67, 0.95, 0.8, 0.75, 0.81, 1.3	1.1, 1.43, 0.76, 0.98, 1, 1.45, 1.67, 0.95, 0.8, Walk-BehindMower							
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL								
	СР		See Attachment							
A. ECSTY Code:- Me =C, S, O); ECS types	A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code: - Carister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code: - Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Aceta=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes = C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list verting control type or code first before tank barrier type or code. Do not use abbreviations for									

The following are the evaporative emission standard (Title 13, California Code of Regulations, 13 CCR Section 2754 or 2754.1, as applicable), and certification level in g organic material hydrocarbon equivalent day. The running loss emissions control has been demonstrated by the manufacturer.

	l Dii	URNAL EMISSION STANDARD								
*=not applicable	(g organic material hydrocarbon equivalent day 1)									
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATIONLEVEL							
1.0	*	= (STANDARD) - (EFELD)	0.89							

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal emissions level declared by the manufacturer based on diurnal test results for a worst-case engine or equipment model within an evaporative family. No engine or equipment emissions within the evaporative family could be closer to its respective standard than the evaporative family emission limit differential (EFELD) calculated from the declared EMEL for the worst-case engine or equipment.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission level differential between the effective standard level for a specific model representing the entire evaporative family and the EMEL declared for the specific model. It serves as the applicable evaporative emission standard for determining compliance on a corporate average basis of any equipment within this evaporative family under 13 CCR Sections 2754.1.

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-169-0356 dated February 12, 2020.

Executed on this ______ day of June 2020.

1 1

Allen Lyons, Chief

Emissions Certification and Compliance Division

For CARB Use Only
Executive Order: U-UAttachment _____ of ____

Small Off-Road Evaporative Certification Database Form

MODEL SUMMARY

S1.	S2.	S	3.	S4.	S5.		S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Model	Sales Codes (check all appropriate)		Engine Class (I or II)	Fuel System (FI or CARB)	m (Liters)		Fuel Tank Internal Surface Area (m²)	Fuel Line Type (e.g. Single	Nominal Fuel Line Length ⁽¹⁾ (mm)	Fuel Line Inside Diameter (mm)	Engine Family	Fuel Tank Executi ve Order	Fuel Line Executive Order	Carbon Canister (or Working Capacity (g/L))/ Other
		CA Only	50- State			Total	Nominal		or Multi- layer)						Other Venting Control Executive Order
			Х	I	CARB	1.14	1.1	0.09			3 or greater	LCRPS.1741GD	N/A	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119	1.64
			Х	I	CARB	1.47	1.43	0.09							1.26
			Х	I	CARB	0.78	0.76	0.06					N/A		2.37
	RV175		Х	I	CARB	1.0	0.98	0.08					N/A		1.84
			Х	ı	CARB	1.05	1	0.08					N/A		1.8
			Х	I	CARB	1.52	1.45	0.1	N.A. 14:				N/A		1.24
Х			Х	I	CARB	1.69	1.67	0.1	Multi- layer	≤350			N/A		1.08
	RV170		Х	I	CARB	1.0	0.95	0.07					N/A		1.89
	RV170-S		х		CARB	0.9	0.8	0.06					N/A	(Q-15-010)	2.25
	RV170-5		X	!	CARB	0.9	0.75	0.07					IN/A		2.25
	RVM120		Х	I	CARB	0.83	0.81	0.06				LCRPS.1211GV	N/A		2.22
	D\/125_S		Х		CARB	0.9	0.8	0.06				LCRPS.1271GD	N/A		2.25
	RV125-S				I CARB	0.9	0.9 0.75	0.07					IN/A		2.20

For CARB Use Only
Executive Order: U-UAttachment ______ of _____

Small Off-Road Evaporative Certification Database Form

MODEL SUMMARY

S1.	S2.	S	3.	S4.	S5.	;	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.		
Worst Case (Check One)	Model	Sales Codes (check all appropriate)		(check all appropriate)		Engine Class (I or II)	Fuel System (Fl or CARB)		nk Volume iters)	Fuel Tank Internal Surface Area (m²)	Fuel Line Type (e.g. Single	Nominal Fuel Line Length ⁽¹⁾ (mm)	Fuel Line Inside Diameter (mm)	Engine Family	Fuel Tank Executi ve Order	Fuel Line Executive Order	Carbon Canister (or Working Capacity (g/L))/
		CA Only	50- State			Total	Nominal		or Multi- layer)						Other Venting Control Executive Order		
			Х	I	CARB	0.78	0.76	0.06					N/A	Q-18-031A (Q-10-003)	2.37		
	RV150		Х	1	CARB	1.05	1	0.08				LCRPS.1501GD 3 or greater	N/A		1.8		
			Х	I	CARB	1	0.98	0.08					N/A	Q-18-018 (Q-17-043)	1.84		
	RV145-S		×	x	CARB	0.9	0.8	0.06					N/A	Q-19-119 (Q-15-010)	2.25		
	1001400		Α	'	ONIND	0.9	0.75	0.07					14// ((Q-15-010)	2.20		
			Х	I	CARB	1.32	1.3	0.09	Multi- layer	≤350	3 or		N/A		1.38		
			Х	1	CARB	1.52	1.45	0.1	layei	≥350	greater		N/A	Q-18-031A	1.24		
			Х	1	CARB	0.78	0.76	0.06					N/A	(Q-10-003)	2.37		
	RV200		Х	I	CARB	1.05	1	0.08				LCRPS.2231GB	N/A	Q-18-018 (Q-17-043)	1.8		
			Х	I	CARB	1.14	1.1	0.09					N/A	Q-19-119	1.64		
			Х	I	CARB	1	0.95	0.07					N/A	(Q-15-010)	1.89		
			Х	1	CARB	1	0.98	0.08					N/A		1.84		

Small Off-Road Evaporative Certification Database Form

MODEL SUMMARY

	S1.	S2.	S	3.	S4.	S5.	;	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.	
Worst Case (Check One)		(ap	Sales Codes (check all appropriate)		Engine Class (I or II)	Fuel System (FI or CARB)	Fuel Tank Volume (Liters)		Fuel Tank Fuel Line Surface Type Area (m²) (e.g. Single		e Fuel be Line g. Length ⁽¹⁾	Fuel Line Inside Diameter (mm)	Engine Family	Fuel Tank Executi ve Order	Fuel Line Executive Order	Carbon Canister (or Working Capacity (g/L))/	
			CA Only	50- State			Total	Nominal		or Multi- layer)						Other Venting Control Executive Order	
															Q-18-031A (Q-10-003)		
		RV225		х	I	CARB	1	0.95	0.07				LCRPS.2231GB	N/A	Q-18-018 (Q-17-043)	1.89	
															Q-19-119 (Q-15-010)		
															Q-18-031A (Q-10-003)		
		MA175 MA190		Х	1	CARB	1.55	1.3	0.09	Multi- layer	≤350	3 or greater	LCRPS.1891GB	N/A	Q-18-018 (Q-17-043)	1.38	
															Q-19-119 (Q-15-010)		
															Q-18-031A (Q-10-003)		
		MA200/ RV200-2 RV185-2		х	I	CARB	1.55	1.3	0.09				LCRPS.2011GB	N/A	Q-18-018 (Q-17-043)	1.38	
															Q-19-119 (Q-15-010)		

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of \pm 3 inches (76 mm)