

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
Chongqing Rato Technology Co., Ltd.	LCRPS.5002GV (U-U-169-0340)	500, 459, 439	Gasoline, Gasoline-LPG dual-fuel
	LCRPS.5002GN (U-U-169-0339)	500, 459, 439	
	LCRPS.4202GA (U-U-169-0335)	420, 389	
	LCRPS.4202GP (U-U-169-0336)	420, 389	
	LCRPS.3012GA (U-U-169-0332-1)	301, 292	
	LCRPS.6702GC (U-U-169-0352)	670	
	LCRPS.6702GA (U-U-169-0351)	670	
LCRPS.5002GP (U-U-169-0376)	500, 459		
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION
2020	CRPCM670	See Attachment	Compressor, Generator Set
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
CM		See Attachment	
<small>A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.</small>			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent·day⁻¹ or g ROG·m⁻²·day⁻¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)					
1.20 + 0.056 × Nominal Capacity (L)					
FUEL LINE PERMEATION (g ROG·m ⁻² ·day ⁻¹)		FUEL TANK PERMEATION (g ROG·m ⁻² ·day ⁻¹)		CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	See Attachment	1.5	See Attachment	1.4	See Attachment


BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-169-0365-1 dated June 25, 2020.

Executed on this 22nd day of December 2020.



Allen Lyons, Chief
 Emissions Certification and Compliance Division

Date: _11/09/2020____
 Evaporative Family: ___CRPCM670_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi- Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive
		Calif. Only	50-State			Total	Nominal								
	R9500DP, R9500P		X	II	CARB	27	24	0.74	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R9500DP, R9500P		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R9500DP-M		X	II	CARB	30	27	0.68	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R9500DP-6, R9500P-6, XP13000E DS13000EH XPxxxx*, DSxxxx*		X	II	CARB	34	31	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-18-016 (C-U-07-022) Q-19-021 (Q-17-061)
	R9000DP-6, XP12000E, DS12000E XPxxxx*, DSxxxx*		X	II	CARB	34	31	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-18-016 (C-U-07-022) Q-19-021 (Q-17-061)
	R9000DP-6, XP12000E, DS12000E XPxxxx*, DSxxxx*		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R8000P, R8000DP, R8000DP-T		X	II	CARB	27	24	0.74	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R8000P, R8000DP, R8000DP-T		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R8000DP-6, XP10000E DS1000E XPxxxx*, DSxxxx*		X	II	CARB	34	31	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-18-016 (C-U-07-022) Q-19-021 (Q-17-061)

Date: _11/09/2020____
 Evaporative Family: ___CRPCM670_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive
		Calif. Only	50-State			Total	Nominal								
	R8000DP-6, XP10000E DS1000E XPxxxx*, DSxxxx*		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R9500DPN, R9500PN		X	II	CARB	27	24	0.74	Multi-layer	≤ 400	4 or greater	LCRPS.5002GN	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R9500DPN, R9500PN		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.5002GN	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R9500DPN-6, R9500PN-6, DS13000EH,XP 13000EH XPxxxx*, DSxxxx*		X	II	CARB	34	31	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.5002GN	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-18-016 (C-U-07-022) Q-19-021 (Q-17-061)
	R9000DPN-6, XP12000EH, DS12000EH XPxxxx*, DSxxxx*		X	II	CARB	34	31	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.5002GN	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-18-016 (C-U-07-022) Q-19-021 (Q-17-061)
	R9000DPN-6, XP12000EH, DS12000EH XPxxxx*, DSxxxx*		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.5002GN	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R8000DPN-6, XP10000EH XPxxxx*, DSxxxx*		X	II	CARB	34	31	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.5002GN	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-18-016 (C-U-07-022) Q-19-021 (Q-17-061)
	R8000DPN-6, XP10000EH XPxxxx*, DSxxxx*		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.5002GN	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R420/K420,R39 0,R420P, R390P		X	II	CARB	4.78	3.9	0.16	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-18-012 (C-U-07-021)
	R8000iDP 57480 GN875i R8000IDP-P 100520, 200719		X	II	CARB	20	16.1	0.52	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-023	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-029

Date: _11/09/2020____
 Evaporative Family: __CRPCM670____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive
		Calif. Only	50-State			Total	Nominal								
	R8000DP 57480 GN875i R8000DP-P 100520, 200719		X	II	CARB	18.5	16	0.57	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-029
	R8000DP 57480 GN875i R8000DP-P 100520, 200719		X	II	CARB	24	22.5	0.58	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-019 (Q-16-008)
	R7100P-8, R7100DP-8, 68529, 68526, 68530, 68525, 63968		X	II	CARB	27	24	0.67	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R7100P-8, R7100DP-8, 68529, 68526, 68530, 68525, 63968		X	II	CARB	31.5	30	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-019 (Q-16-008) Q-18-016 (C-U-07-022)
	R7100DP-9		X	II	CARB	30	28	0.71	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R7100P, R7100DP, R7100DP-T, WEN9000E 56877-CA		X	II	CARB	27	24	0.74	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R7100P, R7100DP, R7100DP-T, WEN9000E 56877-CA		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R7100DP-M, PR-G8000M-E, GEN8000 -XXXX*		X	II	CARB	30	27	0.68	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R7100DP-3		X	II	CARB	27	24	0.67	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R6000P-3, R6000DP-3		X	II	CARB	27	24	0.67	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)

Date: _11/09/2020____
 Evaporative Family: ___CRPCM670_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive
		Calif. Only	50-State			Total	Nominal								
	R6000P, R6000DP		X	II	CARB	27	24	0.74	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R6000P, R6000DP		X	II	CARB	27	25	0.69	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R6000DP-8		X	II	CARB	27	24	0.67	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R6000DP-8		X	II	CARB	31.5	30	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-019 (Q-16-008) Q-18-016 (C-U-07-022)
	R6000P-9, R6000DP-9		X	II	CARB	30	28	0.71	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R6000P-M, R6000DP-M, PR-G6000M, GEN6000- XXXX*		X	II	CARB	30	27	0.68	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA LCRPS.4202GP	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R300/K300		X	II	CARB	4.78	3.9	0.16	Multi-layer	≤ 400	4 or greater	LCRPS.3012GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-18-012 (C-U-07-021)
	R5000P, R5000DP		X	II	CARB	27	24	0.74	Multi-layer	≤ 400	4 or greater	LCRPS.3012GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R5000P-8, R5000DP-8 63964		X	II	CARB	31.5	30	0.7	Multi-layer	≤ 400	4 or greater	LCRPS.3012GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-019 (Q-16-008) Q-18-016 (C-U-07-022)
	R5000P-8, R5000DP-8 63964		X	II	CARB	27	24	0.67	Multi-layer	≤ 400	4 or greater	LCRPS.3012GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)
	R5500iDP, R5500iP R5500iDPN, R5500iPN, GN625I		X	II	CARB	18.5	16	0.57	Multi-layer	≤ 400	4 or greater	LCRPS.3012GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-029

Date: _11/09/2020____
 Evaporative Family: ___CRPCM670_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive
		Calif. Only	50-State			Total	Nominal								
	R5500DP-P, R5500IP-P, 100519, 100608	X	II	CARB	20	16.1	0.52	Multi-layer	≤ 400	4 or greater	LCRPS.3012GA	Q-19-023	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-029 Q-18-027	
	R5500DP, R5500P	X	II	CARB	20	17	0.53	Multi-layer	≤ 400	4 or greater	LCRPS.3012GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-029 Q-18-027	
	R12000DP-2, WX11000, PCC141100, 61725	X	II	CARB	31	28	0.59	Multi-layer	≤ 1700	4 or greater	LCRPS.6702GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-022 (Q-11-024)	
	R12000DP-A, RP12000E, RP12000 RPxxxx*	X	II	CARB	36	30	0.87	Multi-layer	≤ 1700	4 or greater	LCRPS.6702GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-022 (Q-11-024)	
	R12000DP-A, RP12000E, RP12000 RPxxxx*	X	II	CARB	47	42	0.97	Multi-layer	≤ 1700	4 or greater	LCRPS.6702GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-022 (Q-11-024)	
	R670	X	II	CARB	16.5	15	0.37	Multi-layer	≤ 1700	4 or greater	LCRPS.6702GA	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-020 (Q-11-023) Q-18-016 (C-U-07-022)	
X	R11500DP-4	X	II	CARB	60	50	1.1	Multi-layer	≤ 1700	4 or greater	LCRPS.6702GC	Q-19-132	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-022 (Q-11-024)	
	R9500P-P R9500DP-P R9000DP-P 200929	X	II	CARB	35	29.1	0.751	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-023 Q-19-010 Q-19-132C	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-021 (Q-17-061)	
	R9500P-P R9500DP-P R9000DP-P 200929	X	II	CARB	36	30.3	0.766	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-023 Q-19-010 Q-19-132C	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-021 (Q-17-061)	
	R9500P-P R9500DP-P R9000DP-P 200929	X	II	CARB	28.8	21.5	0.702	Multi-layer	≤ 400	4 or greater	LCRPS.5002GV LCRPS.5002GP	Q-19-132A Q-19-023	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-004	
	R6000P-P R6000DP-P 201033	X	II	CARB	28.8	21.5	0.702	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA	Q-19-132A Q-19-023	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-004	
	R6000P-P R6000DP-P 201033	X	II	CARB	35	29.1	0.751	Multi-layer	≤ 400	4 or greater	LCRPS.4202GA	Q-19-132C Q-19-023	Q-18-031A (Q-10-003) Q-18-018 (Q-17-043) Q-19-119 (Q-15-010) Q-20-001	Q-19-021	

