

ZHEJIANG YAOFENG POWER TECHNOLOGY CO., LTD.

EXECUTIVE ORDER U-U-220-0133-1 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095:

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION											
	MANUFACTURER	ENGINE FAMILY	(E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)						
	EJIANG YAOFENG POWER TECHNOLOGY CO., LTD.	LZYPS.2241GA	(U-U-220-0124)	192, 196, 212, 224	Gasoline, LPG, Gasoline-LPG Dual Fuel						
S.A. = See Attachment TBC = To Be Certified EQUIPMENT DESCRIPTION											
MODEL. YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION								
2020	ZYPCM1	3.40	Generator	enerator Set, Logsplitter, Pressure Washer, Pump							
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL									
	Canister/Metal	See Attachment									
A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. <u>Venting Control Type and Code:</u> Carister=C Sealed Tank=S Other=O 2. <u>Tank Barrier Type and Code:</u> Metal=M Treated HDPEor PE=P Co-extruded=C Selar=L Nylcn=N Aceta=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes = C, S. O); (Tank Barrier Codes = M, P, C, L, N. A, O). <u>Note:</u> Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for											

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day-1 or g ROG·m-2·day-1 or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)										
0.95 + 0.056 × Nominal Capacity (L)										
	LINE PERMEATION ROG·m ⁻² ·day ⁻¹)		ROG·m ⁻² ·day ¹)	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)						
STANDARD	DARD CERTIFICATIONLEVEL STA		CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	OR EXECUTIVE ORDER					
15	Q-18-031A (Q-18-005), Q-19-071	1.5	Q-19-070A, Q-19-070B (Q-17-008D)	1.0	Q-19-040 (Q-07-020), Q-18-011 (C-U-07-008), Q-19-039 (Q-13-008), Q-19-112					

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-220-0133 dated February 19, 2020.

Executed on this _____ day of July 2020.

emissions control has been demonstrated by the manufacturer.

Allen Mons, Chief

Emissions Certification and Compliance Division

For CARB Use Only Executive Order: U-U-220-0133-1 Attachment __1 __ of __1

Small Off-Road Evaporative Certification Database Form

MODEL SUMMARY

S1.	S2.	S	3.	S4.	S5.	,	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Model	(check all Cla		Engine Class (I or II)	Fuel System (FI or CARB)		Fuel Tank (Liters) Fuel Tank Internal Surface Area (m²)		Line I Type I (e.g. Le	Fuel Insid Line Diame	Fuel Line Inside Diameter (mm)	Inside Diameter	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister (or Working Capacity (g/L))/
		CA Only	50- State			Total	Nominal		or Multi- layer)	, ,					Other Venting Control Executive Order
×	YF168F-2 YF172F YF168FD-2 YF172FD		×	I	CARB	4.37	3.40	0.165	Multi- layer	230 60	4.5	LZYPS.2241GA	Q-19-070A Q-19-070B (Q-17-008D)	Q-18-031A (Q-08-005) Q-19-071	Q-19-040 (Q-07-020) Q-18-011 (C-U-07-008) Q-19-039 (Q-13-008) Q-19-112

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of \pm 3 inches (76 mm)