## THE TORO COMPANY





Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DE	SCRIPTION									
	MANUFACTURER	ENGINE FAMILY	(E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)							
KAWA	SAKI HEAVY INDUSTRIES, LTD	LKAXS.7262CG LKAXS.8522CB LKAXS.8522CC	(U-U-004-0831)	726 852 852	Gasoline							
	KOHLER COMPANY	LKHXS.7472PF	(U-U-005-0662)	747								
	S.A. = See Attachment TBC = To Be Certified  EQUIPMENT DESCRIPTION											
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	APPLICATION									
2021	L4XCCMBC	45.40 ZTR – Commercial										
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL										
	Canister/Co-extruded See Attachment											
Code:- Met	PE (Venting Control Type/Tank Barrier Ty tal=M Treated HDPE or PE=P Co-extrud Tank Barrier Codes = M, P, C, L, N, A, O)	ed=C Selar=L Nylon=N Acetal	=A Other=O B. EVAPO	RATIVE FAMILY	2-Letter CODE (Venting Control Codes							

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day or g ROG·m²-day or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day¹)												
1.20 + 0.056 × Nominal Capacity (L)												
_	INE PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )		ANK PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)								
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER							
15	Q-19-003, Q-19-002, Q-19-024	1.5	Q-19-073	Q-19-056								

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 21st day of July 2020.

Allen Lygns, Chief

**Emissions Certification and Compliance Division** 

For CARB Use Only
Executive Order: U-UAttachment \_\_\_\_\_ of \_\_\_\_\_

## **Small Off-Road Evaporative Certification Database Form**

## **MODEL SUMMARY**

S1.	S2.	S	3.	S4.	S5.		S6.		S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Model	(che	Sales Codes (check all appropriate) Engine Class (I or II)		Fuel System (FI or CARB)		nk Volume iters)	Fuel Tank Internal Surface Area	Fuel Line Type (e.g. Single or Multi-layer)	Nomi nal Fuel Line Lengt	Fuel Line Inside Diameter (mm)	Engine Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister (or Working Capacity
		CA Only	50- State			Total	Nominal	(m²)		h <sup>(1)</sup> (mm)					(g/L))/ Other Venting Control Executive Order
	LZS651CK AXXXXX		Х	II	CARB	47.30	45.40	0.98	Multilayer	1070	6.35	LKAXS.7262CG	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
	LZS740AK CXXXXX		Х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
	LZS749AK CXXXXX		Х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
Х	LZE751CK AXXXXX		Х	II	CARB	47.30	45.40	0.98	Multilayer	1492	6.35	LKAXS.8522CB LKAXS.8522CC	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
	LZX801CK AXXXXX		Х	II	CARB	47.30	45.40	0.98	Multilayer	1492	6.35	LKAXS.8522CB LKAXS.8522CC	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
	LZS801CK AXXXXX		х	II	CARB	47.30	45.40	0.98	Multilayer	1492	6.35	LKAXS.8522CB LKAXS.8522CC	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
	LZE651CK AXXXXX		х	II	CARB	47.30	45.40	0.98	Multilayer	1070	6.35	LKAXS.7262CG	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
	74904		Х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
	74906		х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
	72926		Х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056

## For CARB Use Only Executive Order: U-UAttachment \_\_\_\_\_ of \_\_\_\_

72928	Х	Ш	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
72943	х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
72945	Х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
72951	Х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS,7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
72921	Х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
72922	х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056
72906	Х	II	FI	47.30	45.40	0.98	Multilayer	2047	6.35	LKHXS.7472PF	Q-19-073	Q-19-003, Q-19-002, Q-19-024	Q-19-056