## THE TORO COMPANY



Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

MANUFACTURER  ENGINE FAMILY (E.O. NUMBER)  ENGINE SIZE (cc)  ENGINE SIZE (cc)  ENGINE SIZE (cc)  SIZE (cc)  ENGINE SIZE	ENGINE DESCRIPTION												
S.A. = See Attachment TBC = To Be Certified  EQUIPMENT DESCRIPTION  FUEL TANK NOMINAL CAPACITY (liters)  EQUIPMENT APPLICATION	ed/liquefied												
TBC = To Be Certified  EQUIPMENT DESCRIPTION  MODEL YEAR EVAPORATIVE FAMILY NOMINAL CAPACITY (liters)  EQUIPMENT APPLICATION	ne												
MODEL YEAR EVAPORATIVE FAMILY NOMINAL CAPACITY (liters) EQUIPMENT APPLICATION													
2021 L4XCCMBN 18.93, 19.31 Other													
EMISSION CONTROL SYSTEMS (ECS) ENGINE and/or EQUIPMENT MODEL	ENGINE and/or EQUIPMENT MODEL												
Canister/Co-extruded See Attachment	See Attachment												

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day or g ROG·m²-day or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day¹)												
1.20 + 0.056 × Nominal Capacity (L)												
	LINE PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )		ANK PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)								
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER							
15	Q-19-003, Q-19-002	1.5	Q-19-055B	1.4	Q-19-064							

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 21st day of July 2020.

Allen Lyons, Chief

**Emissions Certification and Compliance Division** 

For CARB Use (	<u>Only</u>
<b>Executive Order</b>	:: U-U-
Attachment	of

## **Small Off-Road Evaporative Certification Database Form**

## **MODEL SUMMARY**

S1.	S2.	S	3.	S4.	S5.	S6.		S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Model	(check all appropriate) (I or II) (FI or CARB) (Liters) Tank Intern Surface Area		Fuel Tank Internal Surface Area (m²)	Fuel Line Type (e.g. Single or Multi-layer)	Nomi nal Fuel Line Leng th <sup>(1)</sup>	Fuel Line Inside Diameter (mm)	Engine Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister (or Working Capacity (g/L))/ Other				
		Only	State			Total	Nominal	(111)	wuiti-iayer)	(mm)					Venting Control Executive Order
	39074		Х	II	CARB	20.06	18.93	0.46	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	39078		Х	II	CARB	20.06	18.93	0.46	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	39634		Х	II	CARB	20.06	18.93	0.46	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	39638		Х	II	CARB	20.06	18.93	0.46	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	39674		Х	II	CARB	20.06	18.93	0.46	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	39678		Х	II	CARB	20.06	18.93	0.46	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	39934		Х	II	CARB	20.06	18.93	0.46	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	39938		Х	II	CARB	20.06	18.93	0.46	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	29521		Х	=	CARB	24.76	19.31	0.490	Multilayer	877	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
	39521		Х	II	CARB	24.76	19.31	0.490	Multilayer	877	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
х	44448		Х	II	CARB	24.76	19.31	0.490	Multilayer	1187	6.35	LKAXS.7262CG	Q-19-055B	Q-19-003 Q-19-002	Q-19-064

version 1.2 (5/30/2019)

## For CARB Use Only Executive Order: U-UAttachment \_\_\_\_\_ of \_\_\_\_

44454	Х	П	CARB	24.76	19.31	0.490	Multilayer	1187	6.35	LKAXS.7262CG	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
44409	X	=	CARB	24.76	19.31	0.490	Multilayer	1264	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
44423	Х	II	CARB	24.76	19.31	0.490	Multilayer	1187	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
<mark>44436</mark>	Х	II	CARB	24.76	19.31	0.490	Multilayer	1264	6.35	LKAXS,6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
<mark>44460</mark>	Х	II	CARB	24.76	19.31	0.490	Multilayer	1187	6.35	LKAXS.7262CG	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
MGS481C KAXXXXX	Х	II	CARB	24.76	19.31	0.490	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
TTS481CK AXXXXX	Х	II	CARB	24.76	19.31	0.490	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
TTS541CK AXXXXX	Х	II	CARB	24.76	19.31	0.490	Multilayer	710	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
ARX541C KAXXXXX	Х	II	CARB	24.76	19.31	0.490	Multilayer	877	6.35	LKAXS.6032CD	Q-19-055B	Q-19-003 Q-19-002	Q-19-064
TTX691CK AXXXXX	Х	II	CARB	24.76	19.31	0.490	Multilayer	623	6.35	LKAXS.7262CG	Q-19-055B	Q-19-003 Q-19-002	Q-19-064