



Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DESC	CRIPTION					
	MANUFACTURER	ENGINE FAMILY (E.	O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)			
Br	iggs & Stratton Corporation	JBSXS.3442VA (U-L LBSXS.3442VA (U-L MBSXS.3442VA (U-L KBSXS.5002VV (U-L LBSXS.5002VV (U-L MBSXS.5002VV (U-L KBSXS.5002VV (U-L JBSXS.5402VL (U-L LBSXS.5402VL (U-U-L MBSXS.5402VL (U-U-KBSXS.5402VL (U-U-U-KBSXS.5402VL (U-U-U-U-U-U-U-U-U-U-U-U-U-U-U-U-U-U-U-	J-002-1098) J-002-1162) J-002-1068) J-002-1023) J-002-1099) J-002-1140) J-002-1024) -002-1100-1) J-002-1139) -002-1072-1)	344, 500, 540	Gasoline			
	ongqing Zongshen General Power Machine Co., Ltd.	JCZHS.4392V1 (U-L LCZHS.4392V1 (U-L MCZHS.4392V1 (U-L KCZHS.4392V1 (U-L JCZHS.5472V1 (U-L LCZHS.5472V1 (U-L MCZHS.5472V1 (U-L KCZHS.5472V1 (U-L	J-082-0395) J-082-0448) J-082-0333) J-082-0283) J-082-0378) J-082-0443)	382, 439, 547	Gasoline			
	Kohler Company	JKHXS.7252GB (U-L LKHXS.7472GF (U-L KKHXS.7252GB (U-L JKHXS.5412GB (U-L KKHXS.5412GB (U-L LKHXS.5412GB (U-L MKHXS.7472GF (U-L MKHXS.5412GB (U-L)	J-005-0651) J-005-0635) J-005-0554) J-005-0606) J-005-0653) J-005-0702)	660, 725, 747, 541	Gasoline			
S.A. = See At TBC = To Be		EQUIPMENT DE	SCRIPTION					
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION					
2021	MTDCP1	See Attachment	Riding Mov	ower, Lawn and Garden Tractor, Commercial Turf, ZTR-Residential, ZTR-Commercial				
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL						
Canister/Treated HDPE		See Attachment						

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day or g ROG·m<sup>-2</sup>·day or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types

DIURNAL EMISSION STANDARD  (g organic material hydrocarbon equivalent·day¹)										
1.20 + 0.056 × Nominal Capacity (L)										
	INE PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )		FANK PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)						
STANDARD	DADD     STANDADD		CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER					
15	15 See Attachment		See Attachment	1.4	See Attachment					

## MTD CONSUMER GROUP, INC.

EXECUTIVE ORDER U-U-130-0053-1 New Off-Road Small Spark-Ignition Equipment

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-130-0053 dated January 21, 2021.

Executed on this 8th day of June, 2021.

Allen Lyons, Chief

**Emissions Certification and Compliance Division** 

Date: 08/10/2021

Evaporative Family: MMTDECPRPPE1

Model Summary

For CARB Use Only Executive Order: U-U-130-0053-1\_RC01\_10-6-2021 Attachment 1 of 1

		Sales Codes	(Check all			Se Fuel Tank Vo									
S1. Worst Case (Check One)	S2. Model	Calif. Only	50-State	S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	Total	Nominal	S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
	13x72xxx2xx 13x72xxxBxx		Х	П	CARB	6.07	3.79	0.22860	MULTI-LAYER	575	6.4	JCZHS.4392V1 KCZHS.4392V1 LCZHS.4392V1 MCZHS.4392V1	Q-20-015	Q-19-002	Q-19-087
	13xC2xxx2xx 13xC2xxxBxx		X	II	CARB	6.07	3.79	0.22860	MULTI-LAYER	508	6.4	JBSXS.3442VA KBSXS.3442VA LBSXS.3442VA MBSXS.3442VA	Q-20-015	Q-19-002	Q-19-087
	13x87xxx2xx 13x87xxxBxx		Х	II	CARB	6.19 6.241	5.15 5.087	0.19330 0.1970	MULTI-LAYER	406	6.4	JCZHS.5472V1 KCZHS.5472V1 LCZHS.5472V1 <b>MCZHS.5472V1</b>	Q-20-015 Q-19-037	Q-19-002	Q-19-087
	13xB7xxx2xx 13xB7xxxBxx		х	П	CARB	6.19 6.241	5.15 5.087	0.19330 0.1970	MULTI-LAYER	448	6.4	JCZHS.4392V1 KCZHS.4392V1 LCZHS.4392V1 <b>MCZHS.4392V1</b>	Q-20-015 Q-19-037	Q-19-002	Q-19-087
	13xC7xxx2xx 13xC7xxxBxx		х	Ш	CARB	6.19 6.241	5.15 5.087	0.19330 0.1970	MULTI-LAYER	394	6.4	JBSXS.3442VA KBSXS.3442VA LBSXS.3442VA MBSXS.3442VA	Q-20-015 Q-19-037	Q-19-002	Q-19-087
	13xL7xxx2xx 13xL7xxxBxx		х	П	CARB	6.19 6.241	5.15 5.087	0.19330 0.1970	MULTI-LAYER	419	6.4	JBSXS.5402VL KBSXS.5402VL LBSXS.5402VL MBSXS.5402VL	Q-20-015 Q-19-037	Q-19-002	Q-19-087
	13xM7xxx2xx 13xN7xxx2xx 13xM7xxxBxx 13xN7xxxBxx		Х	Ш	CARB	6.19 6.241	5.15 5.087	0.19330 0.1970	MULTI-LAYER	419	6.4	JBSXS.5002VV KBSXS.5002VV LBSXS.5002VV MBSXS.5002VV	Q-20-015 Q-19-037	Q-19-002	Q-19-087
	13xO7xxx2xx 13xO7xxxBxx		Х	II	CARB	6.19 6.241	5.15 5.087	0.19330 0.1970	MULTI-LAYER	428	6.4	JKHXS.5412GB KKHXS.5412GB LKHXS.5412GB <b>MKHXS.5412GB</b>	Q-20-015 Q-19-037	Q-19-002	Q-19-087
	13x6Axxx2xx 13x8Axxx2xx 13x6AxxxBxx 13x8AxxxBxx		Х	П	CARB	13.52 13.514	11.36 12.537	0.34933 0.3540	MULTI-LAYER	533	6.4	JCZHS.5472V1 KCZHS.5472V1 LCZHS.5472V1 <b>MCZHS.5472V1</b>	Q-20-015 Q-19-037	Q-19-002	Q-19-087
	13xOAxxx2xx 13xOAxxxBxx 13xKAxxx2xx 13xKAxxxBxx		х	П	CARB	13.52 13.514	11.36 12.537	0.34933 0.3540	MULTI-LAYER	529	6.4	JKHXS.5412GB KKHXS.5412GB LKHXS.5412GB <b>MKHXS.5412GB</b>	Q-20-015 Q-19-037	Q-19-002	Q-19-087
	13xQAxxx2xx 13xPAxxx2xx 14xQAxxx2xx 13xQAxxxBxx 13xPAxxxBxx 14xQAxxxBxx		Х	Ш	CARB	13.52 13.514	11.36 12.537	0.34933 0.3540	MULTI-LAYER	859	6.4	JKHXS.7252GB KKHXS.7252GB LKHXS.7472GF MKHXS.7472GF	Q-20-015 Q-19-037	Q-19-002	Q-19-087
х	17xRExxA2xx 17xRExxM2xx 17xRExxABxx 17xRExxMBxx		х	П	CARB	14.79	13.25	0.84946	MULTI-LAYER	1067	6.4	JKHXS.7252GB KKHXS.7252GB LKHXS.7472GF <b>MKHXS.7472GF</b>	Q-20-015	Q-19-002	Q-19-087