

CHONGQING AM PRIDE POWER&MACHINERY CO.,LTD

EXECUTIVE ORDER U-U-164-0146

New Off-Road Small Spark-Ignition
Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE D	ESCRIPTION				
	MANUFACTURER	ENGINE FAMILY (E.O. NUMBER) ENGIN			FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)		
	CHONGQING AM PRIDE VER&MACHINERY CO.,LTD	NCPPS.0805GA MCPPS.0805GA		80 80	Gasoline, Gasoline-LPG dual-fuel		
TBC = To Be	Certified	EQUIPMENT	DESCRIPTION				
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)		NT APPLICATION			
2022	NCPPS.0805GA	See Attachment Compressor, Generator Set, Pump, Pressure Washe					
EMISSI	ON CONTROL SYSTEMS	ENGINE and/or EQUIPMENT MODEL(S)					
	Р	See Attachment					
TANK TYPE:	S=sealed M=metal P=treated HDPE or	PE C=coextruded L=selar N=nylon A=acetal O=other (specify)					

The following are the evaporative emission standard (Title 13, California Code of Regulations, 13 CCR Section 2755 or 2757, as applicable), and certification level in g ROG·m⁻²·day⁻¹ for this evaporative family or the component Executive Order, as applicable.

*=not applicable	PERMEATION EMISSION STANDARDS										
	FUEL LINE PERMEATION (g ROG·m ⁻² ·day ⁻¹)	FUEL TANK PERMEATION (g ROG·m ⁻² ·day ⁻¹)									
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER								
15	See Attachment	2.0	See Attachment								

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this <u>20th</u> day of December 2021.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Date: 3/15/2022

Evaporative Family: NCPPS.0805GA

Model Summary

For CARB Use Only Executive Order: U-U-164-0146 Attachment _1_of_5_ RC2: 6-7-22

	1	I				1	ı	ı		ı	1	
		1			4.							
		Sales		Fuel Tank Vo	olume (Liters)					1		
		(Check all a			1							
11.	12.	Calif. Only	50-State	Total	Nominal	15.	16.	17.	18.	19.	20.	21.
Worst Case	Model					Fuel Tank Internal	Fuel Line Type (e.g.	Fuel Line Length	Fuel Line Internal Diameter	Exhaust Family	Fuel Tank	Fuel Line
(Check One)						Surface Area (m^2)	Single or Multi-	(mm)	(mm)		Component	Component
							Layer)				Executive Order	Executive Order
	AP2000i											
	SC2000i											
	SUA2000i											
	P2000i											
	AT20-120001											
	AT20-120001 AT20-115001											
	SUA2000iV											Q-18-018
	AP1500i							110				Q-18-024
	AT20-115501		x	4.10	4.00	0.185	Multi-Layer	115	5	MCPPS.0805GA	Q-19-005B	Q-18-030A
	SUA2000iP					0.200		83	7	NCPPS.0805GA	L	Q-18-031A
	SUA2000iAP							03				Q-19-071
	SUA2001i											Q-13-0/1
	SUA2002i											
	SUA2003i											
	SUA2004i											
	SUA2005i											
	GUT034											
	GUT120											
	AP2000i											
	SC2000i											
	SUA2000i											
	P2000i											
	AT20-120001											
	AT20-120001 AT20-115001											
	SUA2000iV											Q-18-018
	AP1500i							110	_			Q-18-024
	AT20-115501		x	4.2	4.0	0.186	Multi-Layer	115	5	MCPPS.0805GA	Q-20-010	Q-18-030A
	SUA2000iP						,	83	7	NCPPS.0805GA		Q-18-031A
	SUA2000iAP											Q-19-071
	SUA2001i											Q 13 0/1
	SUA2002i											
	SUA2003i											
	SUA2004i											
	SUA2005i											
	GUT034											
	GUT120											
	1001120	l			1	1	I	1	l	l	ı	

Date: 3/15/2022

Evaporative Family: NCPPS.0805GA

Model Summary

For CARB Use Only Executive Order: U-U-164-0146 Attachment _2_of_5_ RC2: 6-7-22

		1:	3.		4.							
		Sales	Codes	Fuel Tank Vo	olume (Liters)							
		(Check all a	ppropriate)									
11.	12.	Calif. Only	50-State	Total	Nominal	15.	16.	17.	18.	19.	20.	21.
Worst Case	Model					Fuel Tank Internal	Fuel Line Type (e.g.	Fuel Line Length	Fuel Line Internal Diameter	Exhaust Family	Fuel Tank	Fuel Line
(Check One)						Surface Area (m^2)	Single or Multi-	(mm)	(mm)		Component	Component
							Layer)				Executive Order	Executive Order
	SUA2000iL											
	SUA2000iD								· ·			
	AP2000iD											Q-18-018
	AT20-220001							110	4.5			Q-18-024
х	IEE2200i		v	4.10	4.00	0.185	Multi-Layer	115	5	MCPPS.0805GA	Q-19-005B	Q-18-030A
^	SUA2001iD		^	4.10	4.00	0.105	Widiti Layer	83	7	NCPPS.0805GA	Q 15 005D	Q-18-031A
	SUA2002iD							83	,			Q-19-071
	SUA2003iD											Q 15 0/1
	SUA2004iD											
	SUA2005iD											
	SUA2000iL											
	SUA2000iD											
	AP2000iD											Q-18-018
	AT20-220001							110	4.5			Q-18-024
	IEE2200i		×	4.2	4.0	0.186	Multi-Layer	115	5	MCPPS.0805GA	Q-20-010	Q-18-030A
	SUA2001iD		ĺ .	2		5.100	a.c. Layer	83	7	NCPPS.0805GA	25 010	Q-18-031A
	SUA2002iD							- 55	,			Q-19-071
	SUA2003iD											Q 13 0/1
	SUA2004iD											
	SUA2005iD											

Date: 3/15/2022

Evaporative Family: NCPPS.0805GA

For CARB Use Only Executive Order: U-U-164-0146 Attachment _3_of_5_ RC2: 6-7-22

Model Summary

_	1		_							1		ı
		1			4.							
1			Codes	Fuel Tank Vo	lume (Liters)							
		(Check all a	,									
11.	12.	Calif. Only	50-State	Total	Nominal	15.	16.	17.	18.	19.	20.	21.
Worst Case	Model					Fuel Tank Internal			Fuel Line Internal Diameter	Exhaust Family	Fuel Tank	Fuel Line
(Check One)						Surface Area (m^2)	Single or Multi-	(mm)	(mm)		Component	Component
							Layer)				Executive Order	Executive Order
	SUA2300i											
	P2300i											
	AP2300i											
	SC2300i											
	AT20-122501											
	AP2250i											
	SC2400i											
	SUA2300iP											
	SP2250i											
	STEALTH2350i											
	SUA2300iA											
	XP2300iH											
	SUA2301i											Q-18-018
	SUA2302i					/		170				Q-18-024
	SUA2303i		×	4.30	4.00	0.181	Multi-Layer	115	5	MCPPS.0805GA	Q-19-005B	Q-18-030A
	SUA2304i							94	7	NCPPS.0805GA	X = 0 000 =	Q-18-031A
	SUA2305i							262				Q-19-071
	SUA2301iA											
	SUA2302iA											
	SUA2303iA											
	SUA2304iA											
	SUA2305iA											
	SUA2700i 802006											
	802006 802007											
	802007											
	802008											
	802009											
	802010 SC2000i											
	SC2000i SC1700i											
	3C1/00I											

Date: 3/15/2022

Evaporative Family: NCPPS.0805GA

Model Summary

For CARB Use Only Executive Order: U-U-164-0146 Attachment _4_of_5_ RC2: 6-7-22

		1: Sales (Check all a	Codes	1. Fuel Tank Vo								
11. Worst Case (Check One)	12. Model	Calif. Only	50-State	Total	Nominal	15. Fuel Tank Internal Surface Area (m^2)	16. Fuel Line Type (e.g. Single or Multi- Layer)	17. Fuel Line Length (mm)	18. Fuel Line Internal Diameter (mm)	19. Exhaust Family	20. Fuel Tank Component Executive Order	21. Fuel Line Component Executive Order
	SUA2300i P2300i AP2300i SC2300i AT20-122501 AF2250i SC2400i SUA2300iP SP2250i STEALTH2350i SUA2300iA XP2300iH SUA2300iS SUA2300iI SUA2301i SUA2302i SUA2303i SUA2304i SUA2305i SUA2301i SUA2305i SUA23005 SUA2700i		x	4.2	4.0	0.186	Multi-Layer	170 115 94 262	5 7	MCPPS.0805GA NCPPS.0805GA	Q-20-010	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071
	SUA2300iD SUA2500iD SUA2600iD SUA2700iD		x	4.30	4.00	0.181	Multi-Layer	170 262	4.5 5	MCPPS.0805GA NCPPS.0805GA	Q-19-005B	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071
	SUA2300iD SUA2500iD SUA2600iD SUA2700iD		x	4.2	4.0	0.186	Multi-Layer	170 262	4.5 5	MCPPS.0805GA NCPPS.0805GA	Q-20-010	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071

Date: 3/15/2022

Evaporative Family: NCPPS.0805GA

For CARB Use Only Executive Order: U-U-164-0146 Attachment _5_of_5_ RC2: 6-7-22

Model Summary

Model Sumi	mary											
				1. Fuel Tank Vo								
11. Worst Case (Check One)	12. Model	Calif. Only	50-State	Total	Nominal	15. Fuel Tank Internal Surface Area (m^2)	16. Fuel Line Type (e.g. Single or Multi- Layer)	17. Fuel Line Length (mm)	18. Fuel Line Internal Diameter (mm)	19. Exhaust Family	20. Fuel Tank Component Executive Order	21. Fuel Line Component Executive Order
	INDS2300 AT20-223001 AT20-123001		х	4.30	4.00	0.181	Multi-Layer	170	4.5 5	MCPPS.0805GA NCPPS.0805GA	Q-19-005B	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071
	INDS2300 AT20-223001 AT20-123001		x	4.2	4.0	0.186	Multi-Layer	170	4.5 5	MCPPS.0805GA NCPPS.0805GA	Q-20-010	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071
	802001 802002 802003 802004 802005 SC2000i SC2300i SC1700i XP2450iH		х	3.70	3.40	0.179	Multi-Layer	273	5 7	NCPPS.0805GA	Q-19-005B	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071
	VS2300101 SC2000i SC2300i SC1700i		x	3.10	3.00	0.150	Multi-Layer	235	5 7	NCPPS.0805GA	Q-19-134	Q-18-018 Q-18-024 Q-18-030A Q-18-031A Q-19-071
				-								