

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
Chongqing Rato Technology Co., Ltd.	NCRPS.5002GV (U-U-169-0486)	500, 459, 439	Gasoline, Gasoline-LPG dual-fuel, Gasoline-LPG-CNG tri-fuel
	NCRPS.5002GN (U-U-169-0484)	500, 459, 458, 439	
	NCRPS.4202GA (U-U-169-0469)	420, 389	
	NCRPS.3012GA (U-U-169-0471)	301, 292	
	NCRPS.6702GC (U-U-169-0489-2)	670	
	NCRPS.7392GA (U-U-169-0491-1)	739, 670	
	NCRPS.5002GF (U-U-169-0514)	500	
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION
2022	CRPCM670	See Attachment	Compressor, Generator Set
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
CM		See Attachment	
<small>A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.</small>			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent·day⁻¹ or g ROG·m⁻²·day⁻¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)					
1.20 + 0.056 × Nominal Capacity (L)					
FUEL LINE PERMEATION (g ROG·m ⁻² ·day ⁻¹)		FUEL TANK PERMEATION (g ROG·m ⁻² ·day ⁻¹)		CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	See Attachment	1.5	See Attachment	1.4	See Attachment

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-169-0508 dated November 24, 2021.

Executed on this 31st day of May 2022.



Allen Lyons, Chief
 Emissions Certification and Compliance Division

Date: _03/03/2022____
 Evaporative Family: ___CRPCM670_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	R9500(D)P(N) DF1200X R9500(D)P(T)		X	II	CARB	27.0	24.0	0.74	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R9500(D)P(N) DF1200X R9500(D)P(T)		X	II	CARB	27.0	25.0	0.69	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R9500(D)P(N) DF1200X R9500(D)P(T)		X	II	CARB	34.0	31.0	0.70	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-021 Q-18-016
	R9500(D)P(N)-M R9500(D)P(T)-M GEN-10000-xxxx* PR-Gxxxx*		X	II	CARB	30.0	27.0	0.68	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R9500(D)P(N)-F R9500(D)P(T)-F ESxxxx*E-CA PGxxxx*E-CA		X	II	CARB	30.0	27.0	0.68	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R9500(D)P(N)-6, R9500(D)P(T)-6 XPxxxx*, DSxxxx*		X	II	CARB	34.0	31.0	0.70	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-18-016 Q-19-021
	R9000(D)P(N)-6, R9000(D)P(T)-6 XPxxxx*, DSxxxx*		X	II	CARB	34.0	31.0	0.70	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-18-016 Q-19-021
	R9000(D)P(N)-6, R9000(D)P(T)-6 XPxxxx*, DSxxxx*		X	II	CARB	27.0	25.0	0.69	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016

Date: _03/03/2022_____
 Evaporative Family: ___CRPCM670_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	R8000(D)P(N) R8000(D)P(N)-T		X	II	CARB	27.0	24.0	0.74	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R8000(D)P(N) R8000(D)P(N)-T		X	II	CARB	27.0	25.0	0.69	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R8000(D)P(N)-6 XPxxxx*, DSxxxx*		X	II	CARB	34.0	31.0	0.70	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-18-016 Q-19-021
	R8000(D)P(N)-6 XPxxxx*, DSxxxx*		X	II	CARB	27.0	25.0	0.69	Multi-Layer	≤500	4 or greater	NCRPS.5002GV NCRPS.5002GN	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R9500AiDF-xxxx*, D12000iE		X	II	FI	36.0	30.0	0.87	Multi-Layer	≤700	3 or greater	NCRPS.5002GF	Q-19-132	Q-18-018 Q-19-085	Q-19-021 Q-19-019
	R420/K420, R390		X	II	CARB	4.78	3.90	0.16	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-18-012
	R8000iDP 57480 GN875I		X	II	CARB	18.5	16.0	0.57	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-029
	R8000iDP 57480 GN875I		X	II	CARB	24.0	22.5	0.58	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-019

Date: _03/03/2022____
 Evaporative Family: ___CRPCM670_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	R7100(D)P-8 63968		X	II	CARB	27.0	24.0	0.67	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R7100(D)P-8 63968		X	II	CARB	31.5	30	0.7	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-019 Q-18-016
	R7100(D)P-9		X	II	CARB	30.0	28.0	0.71	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R7100(D)P, R7100(D)P- T, WENxxxx* 56877		X	II	CARB	27.0	24.0	0.74	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R7100(D)P, R7100(D)P- T, WENxxxx* 56877		X	II	CARB	27.0	25.0	0.69	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R7100(D)P-M, PR-Gxxxx* GEN8000- xxxx*		X	II	CARB	30.0	27.0	0.68	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R7100(D)P-F ESxxxx*E-CA PGxxxx*E-CA		X	II	CARB	30.0	27.0	0.68	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R7100(D)P-3		X	II	CARB	27.0	24.0	0.67	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016

Date: 03/03/2022
 Evaporative Family: CRPCM670

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	R7100(D)P-S RY906500S RY906500VNM RY9065001VNM RY906500CVNM RY905500		X	II	CARB	30.0	28.0	0.71	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R7100(D)P-S RY906500S RY906500VNM RY9065001VNM RY906500CVNM RY905500		X	II	CARB	28.00	24.60	0.72	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132C	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R6000(D)P-3		X	II	CARB	27.0	24.0	0.67	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R6000(D)P		X	II	CARB	27.0	24.0	0.74	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R6000(D)P		X	II	CARB	27.0	25.0	0.69	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R6000(D)P-8		X	II	CARB	27.0	24.0	0.67	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R6000(D)P-8		X	II	CARB	31.5	30.0	0.70	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-019 Q-18-016
	R6000(D)P-9		X	II	CARB	30.0	28.0	0.71	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016

Date: _03/03/2022_____
 Evaporative Family: ___CRPCM670_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	R6000(D)P-M, PR-Gxxxx*, GEN6000- xxxx*		X	II	CARB	30.0	27.0	0.68	Multi-Layer	≤500	4 or greater	NCRPS.4202GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R300/K300 R290-S		X	II	CARB	4.78	3.90	0.16	Multi-Layer	≤500	4 or greater	NCRPS.3012GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-18-012
	R5000(D)P		X	II	CARB	27.0	24.0	0.74	Multi-Layer	≤500	4 or greater	NCRPS.3012GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R5500(D)P		X	II	CARB	20.0	17.0	0.53	Multi-Layer	≤500	4 or greater	NCRPS.3012GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-029
	R5500(D)P-8 63964		X	II	CARB	31.5	30.0	0.70	Multi-Layer	≤500	4 or greater	NCRPS.3012GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-019 Q-18-016
	R5500(D)P-8 63964		X	II	CARB	27.0	24.0	0.67	Multi-Layer	≤500	4 or greater	NCRPS.3012GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-020 Q-18-016
	R5500i(D)P(N), GN625I		X	II	CARB	18.5	16.0	0.57	Multi-Layer	≤500	4 or greater	NCRPS.3012GA	Q-19-132	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-029
	R5500(D)P(N)		X	II	CARB	19.00	16.80	0.54	Multi-Layer	≤500	4 or greater	NCRPS.3012GA	Q-19-132C	Q-18-031A Q-18-018 Q-19-119 Q-20-001 Q-21-007	Q-19-029 Q-18-027

