

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
BRIGGS & STRATTON, LLC	NBSXS.6272HN (U-U-002-1215)	570, 627	Gasoline
HONDA MOTOR CO., LTD.	NHNXS.6882BA (U-U-001-1047)	688	
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION
2022	KNACP	See Attachment	Pressure Washer
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
CP		See Attachment	
<small>A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.</small>			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent·day⁻¹ or g ROG·m⁻²·day⁻¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)					
1.20 + 0.056 × Nominal Capacity (L)					
FUEL LINE PERMEATION (g ROG·m ⁻² ·day ⁻¹)		FUEL TANK PERMEATION (g ROG·m ⁻² ·day ⁻¹)		CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	See Attachment	1.5	See Attachment	1.4	See Attachment

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 14th day of December 2022.



Robin U. Lang, Chief
 Emissions Certification and Compliance Division

Date: ____ 11/30/2022
 Evaporative Family: ____ KNACP

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
X	HOTSYS 1291SS, HWW 8.0/3000 OIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	HOTSYS 1291SSG, HWW 8.0/3000 OIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	Hotsy 1270SSG- PR HWW		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	HDS 5.0/35 LFT, 5@3500		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-20-024
	HDS 8.0/30 LFT 8@3000		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-20-024
	HOTSYS 1260SS, HWW GENG, 4.5/3000 OIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-20-024
	HOTSYS 1260SSG,HWW ,120V BRNER,4.5/300 OOIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-20-024
	HOTSYS 1270SSG,HWW ,120V BRNER,4.5/400 OOIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	HOTSYS 1280SSG,HWW ,120V BRNER,5.1/350 OOIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	HOTSYS 1290SS, HWW GENG, 5.6/3000 OIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	HOTSYS 1290SSG,HWW ,120V BRNER,5.6/300 OOIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	HOTSYS 1270SS, HWW GENG, 4.5/4000 OIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024

Date: ____ 11/30/2022
 Evaporative Family: ____ KNACP

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	HOTSY 1280SS, HWW GENG, 5/3500 OIL		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	Special-HCS		X	II	CARB	51.004	45.825	0.8236	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-20-024
	BD-404029		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-19-115
	LANDA 4.5@5000 GX660 NHNXS.6882BA ESCWW BLT CGE		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	BD- 405039E,HOTS Y 4.0@5000 20HP NHNXS.6882BA ES		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	BD- 455039E,HOTS Y 4.5 5000 24HPES NHNXS.6882BA		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	Special-BR Series		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	KARCHER BR- 455037E,CW BELT 688CC SUN		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	KARCHER BR- 405037E,CW BELT 688CC SUN		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	HD 5/30 G		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	HD 6/30 G		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	HHD 5/30 G		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	HHD 6/30 G		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	HHD 8/35 G		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	HD 4.0/ 50PB Cage		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	HD 4.5/ 50PB Cage		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115

Date: ____ 11/30/2022
 Evaporative Family: ____ KNACP

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	AM WATR WORKS,SKD,4.7 /3500 DC OIL BURNER		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	AMERICAN WATR WORK,SKD,4.7/ 3500 AC OIL		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SSG-503027E KARCHER 18HP		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-19-115
	SSG- 503027E/G KARCHER 18HP		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-19-115
	SSG-503537E KARCHER 20HP		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SHARK, SSG- 503537E		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SSG- 503537E/G KARCHER 20 HP		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SHARK, SSG- 503537E/G		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SSG-603537E KARCHER 24HP		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SHARK, SSG- 603537E		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SSG- 603537E/G KARCHER 24HP		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SHARK, SSG- 603537E/G		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	SSG-503537 E/G		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115
	HDS 4.8/30 Pe Cage		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-19-115
	HDS 4.8/30 Pe Cage W/Gen		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NBSXS.6272HN	Q-19-016	Q-19-153	Q-19-115
	HDS 4.7/35 Pe Cage		X	II	CARB	31.578	27.275	0.5961	Multi-Layer	1193.8	6.35	NHNXS.6882BA	Q-19-016	Q-19-153	Q-19-115

