

KUBOTA CORPORATION

EXECUTIVE ORDER U-U-003-0353 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DE	SCRIPTION							
	MANUFACTURER	ENGINE FAMILY	(E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural LPG=liquefied petroleum gas)					
ВІ	RIGGS & STRATTON, LLC	PBSXS.7242VE	(U-U-002-1252)	656, 724	Gasoline					
K	AWASAKI MOTORS, LTD.	PKAXS.7262CF	(U-U-004-0899)	726	Gasoline					
TBC = To Be	Certified	EQUIPMENT	DESCRIPTION							
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION							
2023	KBXCO2	See Attachment	Law	Lawn and Garden Tractor, ZTR - Residential						
EMISSION	CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL								
	Canister/Other	See Attachment								
/letal=M Trea	(Venting Control Type/Tank Barrier Type tted HDPE or PE=P Co-extruded=C Sela = M. P. C. L. N. A. O). Note : Always list	ar=L Nylon=N Acetal=A Other=	O B. EVAPORATIVE F.	AMILY 2-Letter C	ODE (Venting Control Codes =C, S, O); (Tank					

The following are the evaporative emission standard (Title 13, California Code of Regulations, Section 2754 or 2754.1, as applicable), and certification level in g organic material hydrocarbon equivalent day. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent day⁻¹)								
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL						
1.20 + 0.056 × Nominal Capacity (L)	*	= (STANDARD) - (EFELD)	0.4						

BE IT FURTHER RESOLVED: That the evaporative model emission limit (EMEL), as applicable, is the diurnal or hot soak plus diurnal emission rate declared by the manufacturer based on evaporative emissions test results for the model of engine or equipment model within the evaporative family that is expected to exhibit the highest evaporative emission rate relative to the applicable diurnal or hot soak plus diurnal emission standard, obtained by following TP-902. No engine or equipment emissions within the evaporative family can have a diurnal emissions rate that is higher than the final declared EMEL established by final test data pursuant to TP-902.

BE IT FURTHER RESOLVED: That the evaporative family emission limit differential (EFELD), as applicable, is an emission rate differential between the diurnal or hot soak plus diurnal emission standard in Tables 1, 2 or 3 of section 2754(a) for the model of engine or equipment within the evaporative family that is expected to exhibit the highest evaporative emission rate relative to the applicable diurnal or hot soak plus diurnal emission standard and the EMEL declared for the model and is applicable to the entire evaporative family represented by the model. The EFELD is used to determine the EO holder's compliance with the applicable diurnal emission standard, on a corporate average basis, for any equipment within this evaporative family. (See Title 13 CCR Section 2754.1(f).)

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with Title 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.



KUBOTA CORPORATION

EXECUTIVE ORDER U-U-003-0353 New Off-Road Small Spark-Ignition Equipment

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this ______ day of March 2023.

Robin U. Lang, Chief Emissions Certification and Compliance Division

Date: __12/6/2022____ Evaporative Family: _KBXCO2_____ For CARB Use Only
Executive Order: U-U-003-0353
Attachment __1_of__1_

Model Summary

		Sã	`	1		Se		1	1					ı	1
		Sales Codes				Fuel Tank Vo									
						ruei iank vo	iume (Liters)								
S1.	S2.	approp Calif. Only	50-State	S4.	S5.	Total	Nominal	S7.	\$8.	S9.	S10.	S11.	S12.	S13.	S14.
Worst Case (Check One)	Model			Engine Class (I or II)	Fuel System (FI or CARB)			Fuel Tank Internal	Fuel Line Type (e.g. Single or	Nominal Fuel Line Length	Fuel Line Inside Diameter (mm)	Engine Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister (or Working
(Check One)				or II)	(FI OF CARB)			Surface Area	(e.g. single or Multi-Layer)	(mm)	Diameter (mm)		Order	Executive Order	Capacity (g/L)/
								(m^2)	Williti-Layer)	(111111)					Other Venting
								(111-12)							Control Executive
															Order)
	Z231KW		х	Ш	CARB	15.4	13.6	0.55	Multi-Layer	1150	6.4	PKAXS.7262CF	Q-19-052A	Q-19-002A	Q-18-013A
														Q-19-082A	
	T2090BR		Х	II	CARB	17.6	14.3	0.482	Multi-Layer	1935	6.4	PBSXS.7242VE	Q-19-052A	Q-19-002A	Q-18-013A
Х	T2290KW		х	II	CARB	17.6	14.3	0.482	Multi-Layer	2210	6.4	PKAXS.7262CF	Q-19-052A	Q-19-002A	Q-18-013A
	T2290KWT		х	II	CARB	17.6	14.3	0.482	Multi-Layer	2210	6.4	PKAXS.7262CF	Q-19-052A	Q-19-002A	Q-18-013A
									,						