

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095:

**IT IS ORDERED AND RESOLVED:** That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION										
	MANUFACTURER	ENGINE FAMILY (E.			FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)					
Y	AMAHA MOTOR CO., LTD.	PYMXS.3572EM (U- PYMXS.3572EN (U-		357	Gasoline					
S.A. = See A TBC = To Be		EQUIPMENT DE	ESCRIPTION							
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION							
2023	YMXCC33A	See Attachment Utility Cart/Vehicle and Other								
EMISSION	I CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL								
	СС	See Attachment								
Metal=M Trea	(Venting Control Type/Tank Barrier Type ted HDPE or PE=P Co-extruded=C Sela = M, P, C, L, N, A, O). <b>Note</b> : Always list	ar=L Nylon=N Acetal=A Other=O E	B. EVAPORATIVE FA	AMILY 2-Letter C	ODE (Venting Control Codes =C, S, O); (Tank					

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day or g ROG·m²-day¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD  (g organic material hydrocarbon equivalent·day⁻¹)  1.20 + 0.056 × Nominal Capacity (L)									
	LINE PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )		FANK PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)					
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER				
15	15 See Attachment		1.5 See Attachment		See Attachment				

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 28th day of October 2022.

Robin U. Lang, Chief

**Emissions Certification and Compliance Division** 

Jolin U. Lang

Date: XX/XX/2022

Evaporative Family: YMXCC33A

Model Summary

For CARB Use Only Executive Order: U-U-017-0390 Attachment 1 of 1

		S3. Sales Codes (Check all appropriate)				S Fuel Tank Vo									
S1. Worst Case (Check One)	S2. Model	Calif. Only	50-State	S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	Total	Nominal	S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
	DR2A23 PTV		х	II	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A24 PTV		х	П	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
Х	DR2A23 PTV-6 PASS		х	П	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A24 PTV-6 PASS		х	П	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A23 PTV-4 PASS		х	П	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A24 PTV-4 PASS		х	II	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A23 SUPER HAULER		х	II	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A24 SUPER HAULER		х	II	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A23 CAMP RFS		х	П	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A24 CAMP RFS		х	II	FI	24.9	22	0.53	Multi-Layer	717	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A23EFI		х	II	FI	24.9	22	0.53	Multi-Layer	521	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A24 EFI		х	П	FI	24.9	22	0.53	Multi-Layer	521	7.3	PYMXS.3572EN	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A23 EFI-L		х	II	FI	24.9	22	0.53	Multi-Layer	521	7.3	PYMXS.3572EM	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	DR2A24 EFI-L		х	II	FI	24.9	22	0.53	Multi-Layer	521	7.3	PYMXS.3572EM	Q-20-019	Q-19-011A (Q-19-011)	Q-20-022
	_														