Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION											
	MANUFACTURER	ENGINE FAMILY	NGINE FAMILY (E.O. NUMBER) ENGINE SIZE (cc) (CNG/LNG=com LPG=liqu								
SUZHO	U ERMA MACHINERY CO., LTE	D. PSEMS.2241EM	(U-U-104-0129)	196, 212, 224	Gasoline						
S.A. = See Attachment TBC = To Be Certified EQUIPMENT DESCRIPTION											
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION								
2023	SEMCM	See Attachment Compressor, Generator Set, Pressure Washer, Pump, Ridi									
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL									
	Canister/Metal	See Attachment									
A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. <u>Venting Control Type and Code</u> :- Canister=C Sealed Tank=S Other=O 2. <u>Tank Barrier Type and Code</u> :- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes = C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). <u>Note</u> : Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.											

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day⁻¹ or g ROG·m⁻²·day⁻¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent day ⁻¹)									
0.95 + 0.056 × Nominal Capacity (L)									
	LINE PERMEATION ROG·m ^{-2.} day ⁻¹)		FANK PERMEATION g ROG·m ⁻² ·day ⁻¹)	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)					
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER				
15	See Attachment	1.5	See Attachment	1.4	See Attachment				

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 2^{n^2} day of May 2022.

John Schi for

Allen Lyons, Chief Emissions Certification and Compliance Division

SORE Evap > 80cc Model Summary Template (rev. Aug 2021)

Date: _2022-3-22_____ Evaporative Family: _SEMCM______

Model Summary

For CARB Use Only Executive Order: U-U-104-0130 Attachment _1_of_1_

				1					1		1			1	1
		S				SE									
		Sales Code				Fuel Tank Vo	lume (Liters)								
\$1 .	S2.	approp Calif. Only	50-State	S4.	S5.	Total	Nominal	\$7.	S8.	\$9.	\$10.	\$11.	S12.	\$13.	\$14.
Worst Case	Model	Call. Only	50-State	54. Engine Class (I		TOLAI	Nominal	57. Fuel Tank	50. Fuel Line Type		Fuel Line Inside	Engine Family	Fuel Tank Executive	Fuel Line	Carbon Canister
(Check One)	woder			or II)	(FI or CARB)			Internal	(e.g. Single or	Line Length	Diameter (mm)	Engine Failing	Order	Executive Order	(or Working
(check one)				01 11)	(FIOI CARD)			Surface Area		(mm)	Diameter (mm)		order	Executive Order	Capacity (g/L)/
								(m^2)	Wulti-Layer)	(1111)					Other Venting
								(111-2)							Control Executive
															Order)
															oracij
х	EM225	-	х	1	CARB	13.2	13	0.209	multilayer	≤300	≥3	PSEMS.2241EM	Q-19-143	Q-18-024	Q-19-098
~			~		OAIND	15.2	15	0.209	manayor			I SEMS.224TEM	Q-17-145	Q-10-024	Q-17-078
	EM200		х	1	CARB	12.2	13	0.209	multilouer	≤300	≥3	PSEMS.2241EM	0 10 142	Q-18-024	0.10.009
	EM200	-	^	1	CARD	13.2	15	0.209	multilayer	2000		PSEM5.2241EM	Q-19-143	Q-18-024	Q-19-098
										≤300	≥3				
	EM210		х	I	CARB	13.2	13	0.209	multilayer	\$300	23	PSEMS.2241EM	Q-19-143	Q-18-024	Q-19-098
			ļ		ļ								L		
				1											
		ł											-		
		-	-										-		
		1	1	1									1		
		t	1	1	1	1		İ						l	
		†	1	1	<u> </u>				1				1		
		1	1	1	1										
		ł	ł	1	ł								+		
				1											
		l	l		ł								+		
<u> </u>		ļ	ļ		L										
		ļ	ļ		ļ								L		
		1	1	1											
		ł	ł	1	1	1							1		
				1											
<u> </u>		 	 	1	1										
		1	1	1	1						1		1	1	