

JIANGSU JIANGHUAI ENGINE CO., LTD.

EXECUTIVE ORDER U-U-068-0431 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION											
	MANUFACTURER	ENGINE FAMILY (E.	O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)						
JIANGS	U JIANGHUAI ENGINE CO., LTD	PJDGS.4202UA (U-	U-068-0415)	420	Gasoline						
S.A. = See A TBC = To Be		EQUIPMENT DE	ESCRIPTION	•							
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION								
2023	JDGCM4202UA	See Attachment	e Attachment Compressor, Generator Set, Pressure Washer, Pur								
EMISSION	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL									
	Canister/Metal	See Attachment									
Metal=M Trea	(Venting Control Type/Tank Barrier Type/ ated HDPE or PE=P Co-extruded=C Sela = M, P, C, L, N, A, O). Note : Always list	ar=L Nylon=N Acetal=A Other=O E	B. EVAPORATIVE F.	AMILY 2-Letter C	ODE (Venting Control Codes =C, S, O); (Tank						

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day or g ROG·m²-day¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day⁻¹) 1.20 + 0.056 × Nominal Capacity (L)									
	LINE PERMEATION ROG·m ⁻² ·day ⁻¹)		FANK PERMEATION ROG·m ⁻² ·day ⁻¹)	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)					
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER				
15	15 See Attachment		See Attachment	1.4	See Attachment				

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this /st day of July 2022.

Allen Lyons, Chief

Johns Shi for

Emissions Certification and Compliance Division

Date: __06/21/2022_____ Evaporative Family: __JDGCM4202UA_____ For CARB Use Only Executive Order: U-U-068-0431 Attachment _1__of_1_

Model Summary

		Sales Codes				So Fuel Tank Vo									
		approp	oriate)		25						242				
S1. Worst Case (Check One)	S2. Model	Calif. Only	50-State	S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	Total	Nominal	S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order		S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
	25U0		х	II	CARB	36.3	32.5	0.69	multilayer	178±5	6.35	PJDGS.4202UA	Q-19-060	Q-22-033 Q-22-032 Q-19-071A	Q-19-099(34L) Q-20-032(32.5L)
	25P1/25T2		х	II	CARB	35.4	28.0	0.70	multilayer	178±5	6.35	PJDGS.4202UA	Q-19-060	Q-22-033 Q-22-032 Q-19-071A	Q-19-066(30.7L) Q-19-083(32L) Q-20-032(32.5L)
	25U1		х	II	CARB	37.1	32.3	0.73	multilayer	178±5	6.35	PJDGS.4202UA	Q-19-060	Q-22-033 Q-22-032 Q-19-071A	Q-19-099(34L) Q-20-032(32.5L)
х	25U1		х	II	CARB	37.1	32.3	0.73	multilayer	178±5	6.35	PDGS.4202UA	Q-19-060	Q-22-033 Q-22-032 Q-19-071A	Q-19-099(34L) Q-20-032(32.5L)