

## **JOHN DEERE**

EXECUTIVE ORDER U-U-077-0069-1 New Off-Road Small Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DE	SCRIPTION						
	MANUFACTURER	ENGINE FAMILY	ENGINE FAMILY (E.O. NUMBER)  ENGINE SIZE (CC)  (CNG/LNG-LPC						
	RIGGS & STRATTON, LLC	MBSXS.5402VL (U-U-002-1139) MBSXS.7242VE (U-U-002-1138) NBSXS.5402VL (U-U-002-1217) NBSXS.7242VE (U-U-002-1198) PBSXS.5402VL (U-U-002-1242) PBSXS.7242VE (U-U-002-1252)		540, 656, 724	Gasoline				
TBC = To Be	Certified	EQUIPMENT	DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)		EQUIPMENT APPLICATION					
2023	JDXCC3	See Attachment	Lawr	n and Garden	and Garden Tractor, ZTR – Residential				
EMISSION	ISSION CONTROL SYSTEMS (ECS) ENGINE and/or EQUIPMENT MODEL								
C	anister/Co-extruded		See Attachment						
Metal=M Treat		ar=L Nylon=N Acetal=A Other=0	B. EVAPORATIVE FA	MILY 2-Letter C	er=O 2. <u>Tank Barrier Type and Code</u> :- <b>ODE</b> (Venting Control Codes =C, S, O); (Tank use abbreviations for FCS types				

The following are the evaporative emission standard (Title 13, California Code of Regulations, Section 2754 or 2754.1, as applicable), and certification level in g organic material hydrocarbon equivalent day. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable	DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day⁻¹)						
STANDARD	EVAPORATIVE FAMILY EMISSION LIMIT DIFFERENTIAL (EFELD)	EVAPORATIVE MODEL EMISSION LIMIT (EMEL)	CERTIFICATION LEVEL				
1.20 + 0.056 × Nominal Capacity (L)	1.25	= (STANDARD) - (EFELD)	0.46				

**BE IT FURTHER RESOLVED:** That the evaporative model emission limit (EMEL), as applicable, is the diurnal or hot soak plus diurnal emission rate declared by the manufacturer based on evaporative emissions test results for the model of engine or equipment model within the evaporative family that is expected to exhibit the highest evaporative emission rate relative to the applicable diurnal or hot soak plus diurnal emission standard, obtained by following TP-902. No engine or equipment emissions within the evaporative family can have a diurnal emissions rate that is higher than the final declared EMEL established by final test data pursuant to TP-902.

**BE IT FURTHER RESOLVED:** That the evaporative family emission limit differential (EFELD), as applicable, is an emission rate differential between the diurnal or hot soak plus diurnal emission standard in Tables 1, 2 or 3 of section 2754(a) for the model of engine or equipment within the evaporative family that is expected to exhibit the highest evaporative emission rate relative to the applicable diurnal or hot soak plus diurnal emission standard and the EMEL declared for the model and is applicable to the entire evaporative family represented by the model. The EFELD is used to determine the EO holder's compliance with the applicable diurnal emission standard, on a corporate average basis, for any equipment within this evaporative family. (See Title 13 CCR Section 2754.1(f).)

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with Title 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.



## **JOHN DEERE**

**EXECUTIVE ORDER U-U-077-0069-1** New Off-Road Small Spark-Ignition Equipment

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-077-0069 dated May 27, 2022.

Executed on this 6th day of March 2023.

Robin U. Lang, Chief Emissions Certification and Compliance Division

Date: \_\_\_\_ 1-Feb-23

Evaporative Family: \_\_\_\_\_ JDXCC3

Model Summary

For CARB Use Only Executive Order: U-U-077-0069-1 Attachment \_1\_\_of\_1\_\_

St.   St.   Worst Case   Check One)   So State   So S										S6. Fuel Tank Volume (Liters		S3. Sales Codes (Check all appropriate)				
S110	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)		Fuel Tank Executive		Fuel Line Inside	Nominal Fuel Line Length	Fuel Line Type (e.g. Single or	Fuel Tank Internal Surface Area	Nominal	Total	Fuel System	Engine Class (I	50-State	Calif. Only		Worst Case
S120	2.8g/L	Q-19-002A	NA	NBSXS.5402VL PBSXS.5402VL	6.35	1980	Multi-Layer	0.35	9.1	12.1	CARB	II	Х		S110	
S130   X   II   CARB   12.1   9.1   0.35   Multi-Layer   2215   6.35   NBSXS.7242VE   NA   Q-19-002A	2.8g/L	Q-19-002A	NA	NBSXS.7242VE PBSXS.7242VE	6.35	2206	Multi-Layer	0.35	9.1	12.1	CARB	II	Х		S120	
S140	2.8g/L	Q-19-002A	NA	NBSXS.7242VE PBSXS.7242VE	6.35	2215	Multi-Layer	0.35	9.1	12.1	CARB	II	Х		\$130	
X   S160   X   II   CARB   12.1   9.1   0.35   Multi-Layer   2215   6.35   NBSXS.7242VE   NA   Q-19-002A	2.8g/L	Q-19-002A	NA	NBSXS.7242VE PBSXS.7242VE	6.35	2215	Multi-Layer	0.35	9.1	12.1	CARB	II	Х		\$140	
S170	2.8g/L	Q-19-002A	NA	NBSXS.7242VE PBSXS.7242VE	6.35	2215	Multi-Layer	0.35	9.1	12.1	CARB	11	Х		\$160	х
S180	2.8g/L	Q-19-002A	NA	NBSXS.7242VE PBSXS.7242VE	6.35	2215	Multi-Layer	0.35	9.1	12.1	CARB	11	Х		\$170	
Z315E	2.8g/L	Q-19-002A	NA	NBSXS.7242VE PBSXS.7242VE	6.35	2215	Multi-Layer	0.35	9.1	12.1	CARB	11	Х		S180	
Z325E X II CARB 14.17 11.2 0.4277 Multi-Layer 1221 6.35 NBSXS.7242VE NA Q-19-002A PBSXS.7242VE PBSXS.7242VE MSXS.7242VE MSSXS.7242VE NA Q-19-002A  Z515E X II CARB 19.1 17 0.48 Multi-Layer 1200 6.35 NBSXS.7242VE NA Q-19-002A	3.3g/L	Q-19-002A	NA	NBSXS.7242VE PBSXS.7242VE	6.35	1221	Multi-Layer	0.4277	11.2	14.17	CARB	11	Х		Z315E	
Z515E X II CARB 19.1 17 0.48 Multi-Layer 1200 6.35 NBSXS.7242VE NA Q-19-002A	3.3g/L	Q-19-002A	NA	NBSXS.7242VE PBSXS.7242VE	6.35	1221	Multi-Layer	0.4277	11.2	14.17	CARB	11	Х		Z325E	
	1.5g/L	Q-19-002A	NA	NBSXS.7242VE	6.35	1200	Multi-Layer	0.48	17	19.1	CARB	11	Х		Z515E	