

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
Chongqing Dajiang Power Equipment Co., Ltd	NCDPS.5502GE (U-U-105-0430) PCDPS.5502GE (U-U-105-0496)	500, 550	Gasoline or LPG or CNG
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION
2023	CDPCM25502GE	See Attachment	Compressor, Generator Set, Pressure Washer, Pump, Tiller, Walk-Behind Mower, Other
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
Canister/Metal		See Attachment	
<small>A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.</small>			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent·day⁻¹ or g ROG m⁻² day⁻¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)					
1.20 + 0.056 × Nominal Capacity (L)					
FUEL LINE PERMEATION (g ROG m ⁻² day ⁻¹)		FUEL TANK PERMEATION (g ROG m ⁻² day ⁻¹)		CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	See Attachment	1.5	See Attachment	1.4	See Attachment

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 6th day of July 2022.



Allen Lyons, Chief
Emissions Certification and Compliance Division

Date: March 24, 2022
 Evaporative Family: CDPCM25502GE

For CARB Use Only
 Executive Order: U-U-105-0523
 Attachment of
 RC1: 11-19-22

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5.5	0.21	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	7.5	6	0.287	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	7.2	6	0.251	Multilayer	L=180±75	4.5±0.5 or greater; 3.5±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5	0.344	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	5	5	0.189	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5	0.209	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5	0.192	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5	0.317	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	7	6	0.388	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)

Date: March 24, 2022
 Evaporative Family: CDPCM25502GE

For CARB Use Only
 Executive Order: U-U-105-0523
 Attachment of
 RC1: 11-19-22

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5.5	0.21	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	5.3	5	0.282	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	5.5	5	0.2	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5.5	0.243	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	7	6	0.259	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5.8	0.287	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5.8	0.213	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6.5	6.3	0.242	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	7.8	7.7	0.34	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-013(8.27L) Q-22-022(8.55L)

Date: March 24, 2022
 Evaporative Family: CDPCM25502GE

For CARB Use Only
 Executive Order: U-U-105-0523
 Attachment 3 of 12
 RC1: 11-19-22

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6.8	6.7	0.215	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	5.8	5.4	0.184	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6	5.4	0.193	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	5.7	5.2	0.186	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6.8	5.9	0.186	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6.6	6.2	0.197	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6.1	5.5	0.199	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	6.8	6.2	0.206	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	7.8	6.2	0.206	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)

Date: __ March 24, 2022
 Evaporative Family: __CDPCM25502GE__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	6.6	6	0.211	Multilayer	150±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-024(6.71L) Q-18-012A(7.4L) Q-22-013(8.27L) Q-22-022(8.55L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	45	40	0.934	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078;	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
X	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	46	40	0.947	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	38	36	0.859	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	15	12	0.427	Multilayer	L=180±75	4.5±0.5 or greater; 3.5±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-014(13.13L) Q-22-015(16.37L) Q-22-016(19.23L) Q-22-017(26.46L) Q-22-025(18.08L) Q-22-027(20.01L) Q-22-028(16.05L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	13	12.5	0.451	Multilayer	L=180±75	4.5±0.5 or greater; 3.5±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-014(13.13L) Q-22-015(16.37L) Q-22-016(19.23L) Q-22-017(26.46L) Q-22-025(18.08L) Q-22-027(20.01L) Q-22-028(16.05L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	13	12	0.351	Multilayer	L=180±75	4.5±0.5 or greater; 3.5±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-014(13.13L) Q-22-015(16.37L) Q-22-016(19.23L) Q-22-017(26.46L) Q-22-025(18.08L) Q-22-027(20.01L) Q-22-028(16.05L)

Date: March 24, 2022
 Evaporative Family: CDPCM25502GE

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	35.97	30	0.732	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	34.4	30	0.714	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	35.27	30	0.733	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	34.08	31	0.702	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	35	30	0.761	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	43	40	1.013	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	45	40	0.934	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)

Date: March 24, 2022
 Evaporative Family: CDPCM25502GE

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	34	32	0.645	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	36	34	0.873	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	34	32	0.621	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	35	32	0.738	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	35	32	0.644	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	40	37	0.674	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	37	35	0.765	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)

Date: March 24, 2022
 Evaporative Family: CDPCM25502GE

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	35.5	35	0.811	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	37.5	35	0.657	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	36	35	0.751	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	38	36	0.859	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	40	39	0.758	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	35.97	30	0.732	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	34.4	30	0.714	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	35.27	30	0.733	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L)

Date: March 24, 2022
 Evaporative Family: CDPCM25502GE

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C, DH550C		X	II	CARB	34.08	31	0.702	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C, DH550C		X	II	CARB	35	30	0.761	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C, DH550C		X	II	CARB	43	40	1.013	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C, DH550C		X	II	CARB	45	40	0.934	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C, DH550C		X	II	CARB	34	32	0.645	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C, DH550C		X	II	CARB	36	34	0.873	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C, DH550C		X	II	CARB	34	32	0.621	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM25502GE_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	35	32	0.738	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	35	32	0.644	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	40	37	0.674	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	37	35	0.765	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	35.5	35	0.811	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	37.5	35	0.657	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	36	35	0.751	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500;500ELG,DH500B ,FE500B,DHLG550;550ELG ,FE550B,DH550B, DH500C, DH550C		X	II	CARB	38	36	0.859	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM25502GE_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500;500ELG,DH500B,FE500B,DHLG550;550ELG,FE550B,DH550B, DH500C,DH550C		X	II	CARB	40	39	0.758	Multilayer	L=205±76 L=125±76 L=180±76 L=165±76 L=240±76	φ3.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-19-007B	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-026(50.24L) Q-18-017A(51L) Q-22-020(51.09L)
	DHLG500,DH500B,FE500B, DH500C,DHLG550,DH550B,FE550B,DH550C		X	II	CARB	5.5	5	0.1996	Multilayer	L=(220+300+170)±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-013(8.27L) Q-22-022(8.55L) Q-22-024(6.74L)
	DHLG500,DH500B,FE500B, DH500C,DHLG550,DH550B,FE550B,DH550C		X	II	CARB	29	24	0.695	Multilayer	L=(220+300+170)±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-023(30L) Q-22-029(30.10L) Q-22-030(34.14L)
	DHLG500,DH500B,FE500B, DH500C,DHLG550,DH550B,FE550B,DH550C		X	II	CARB	18	16	0.528	Multilayer	L=(220+300+170)±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-015(16.37L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-025(18.08L) Q-22-028(16.05L)
	DHLG500,DH500B,FE500B, DH500C,DHLG550,DH550B,FE550B,DH550C		X	II	CARB	35.5	30	0.738	Multilayer	L=(220+300+170)±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-030(34.14L)
	DHLG500,DH500B,FE500B, DH500C,DHLG550,DH550B,FE550B,DH550C		X	II	CARB	34	32	0.802	Multilayer	L=(220+300+170)±75	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-030(34.14L)

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHLG500,DH500B,FE500B ,DH500C,DHLG550,DH550 B,FE550B,DH550C		X	II	CARB	33	30	0.645	Multilayer	$L=(220+300+170)\pm 75$	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-030(34.14L)
	DHLG500,DH500B,FE500B ,DH500C,DHLG550,DH550 B,FE550B,DH550C		X	II	CARB	34	32.4	0.725	Multilayer	$L=(220+300+170)\pm 75$	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-030(34.14L)
	DHLG500,DH500B,FE500B ,DH500C,DHLG550,DH550 B,FE550B,DH550C		X	II	CARB	16	15	0.499	Multilayer	$L=(220+300+170)\pm 75$	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-015(16.37L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-025(18.08L) Q-22-028(16.05L)
	DHLG500,DH500B,FE500B ,DH500C,DHLG550,DH550 B,FE550B,DH550C		X	II	CARB	17.5	14.5	0.508	Multilayer	$L=(220+300+170)\pm 75$	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-015(16.37L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-025(18.08L) Q-22-028(16.05L)
	DHLG500,DH500B,FE500B ,DH500C,DHLG550,DH550 B,FE550B,DH550C		X	II	CARB	28	25	0.767	Multilayer	$L=(220+300+170)\pm 75$	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-023(30L) Q-22-029(30.10L) Q-22-030(34.14L)
	DHLG500,DH500B,FE500B ,DH500C,DHLG550,DH550 B,FE550B,DH550C		X	II	CARB	30.5	28	0.729	Multilayer	$L=(220+300+170)\pm 75$	4.5±0.5 or greater; 4.0±0.5 or greater	NCDPS.5502GE PCDPS.5502GE	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-019(33.40L) Q-22-023(30L) Q-22-029(30.10L)

