

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095:

**IT IS ORDERED AND RESOLVED:** That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE DES	CRIPTION					
	MANUFACTURER	ENGINE FAMILY (E	.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)			
LC	ONCIN MOTOR CO., LTD.	PCGPS.3522PN (U	-U-145-0591)	352	Gasoline			
S.A. = See A TBC = To Be		EQUIPMENT D	ESCRIPTION	•	,			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)		EQUIPMENT APPLICATION				
2023	CGPCP352	See Attachment	Brushcutter, Commercial Turf, Compressor, Edger, Hedge Trin t Ice Auger, Leaf Blower/Vacuum, Line Trimmer, Pressure Washer, Tiller, Other					
EMISSION	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL						
	Canister/HDPE	See Attachment						
Metal=M Trea	(Venting Control Type/Tank Barrier Type ated HDPE or PE=P Co-extruded=C Sela = M. P. C. L. N. A. O). <b>Note:</b> Always list	ar=L Nylon=N Acetal=A Other=O	B. EVAPORATIVE F	AMILY 2-Letter C	<b>CODE</b> (Venting Control Codes =C, S, O); (Tank			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day or g ROG·m<sup>-2</sup>·day<sup>-1</sup> or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day⁻¹)										
1.20 + 0.056 × Nominal Capacity (L)										
	INE PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )		FANK PERMEATION ROG·m <sup>-2</sup> ·day <sup>-1</sup> )	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)						
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER					
15	See Attachment	1.5	See Attachment	1.0	See Attachment					

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this \_\_\_\_\_\_ day of June 2022.

Allen Lyons, Chief

Jahna Sahi for

**Emissions Certification and Compliance Division** 

SORE Evap > 80cc Model Summary Template	(rev.	2020

Date: \_\_3/24/2023\_\_\_\_ Evaporative Family: \_\_CGPCP352\_\_\_\_\_

Model Summary

For CARB Use Only
Executive Order: U-U-145-0618
Attachment \_1\_\_of\_1\_\_

RC#01 (05-17-2023)

		Sales Codes approp	(Check all oriate)			S6 Fuel Tank Vol									
S1. Worst Case (Check One)	S2. Model	Calif. Only	50-State	S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	Total	Nominal	S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
х	LC1P85FA		х	II	CARB	2.60	2.50	0.12447	Multilayer	<=300	4 or greater	PCGPS.3522PN	Q-20-031	Q-22-032 (Q-18-024) Q-19-013B (Q-19-013A) Q-19-002A (Q-19-002)	Q-19-092(3.3L) Q-19-112A (Q-19-112 3.75L)