

ZHEJIANG CONSTANT ENGINE MADING CO., LTD.

EXECUTIVE ORDER U-U-243-0104-1
New Off-Road Small Spark-Ignition

Rew Oil-Road Small Spark-ightion Equipment Page 1 of 2

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

		ENGINE	DESCRIPTION						
	MANUFACTURER	ENGINE FAMILY	(E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
		PZCES.1931GD	(U-U-243-0093)	171, 193	Gasoline, Gasoline-LPG Dual Fuel				
ZHE	EJIANG CONSTANT ENGINE MADING CO., LTD	PZCES.2231GD	(U-U-243-0095)	196, 208, 223	Gasoline, Gasoline-LPG Dual Fuel, Gasoline-LPG-CNG Triple Fuel				
		PZCES.2231GB	(U-U-243-0106)	208, 223	Gasoline, Gasoline-LPG Dual Fuel,				
	Attachment Be Certified	EQUIPMEN	T DESCRIPTION						
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)		EQUIPMENT APPLICATION					
2023	ZCECM4	See Attachment	Pum	p, Pressure W	asher, Generator Set, Other				
EMISSIO	N CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL							
	Canister/Metal	See Attachment							
/letal=M Tre	E (Venting Control Type/Tank Barrier Ty eated HDPE or PE=P Co-extruded=C S ss = M, P, C, L, N, A, O). Note: Always	elar=L Nylon=N Acetal=A Othe	er=O B. EVAPORATIVE	FAMILY 2-Letter	ther=O 2. <u>Tank Barrier Type and Code</u> :- CODE (Venting Control Codes =C, S, O); (Tank				

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent day or g ROG·m²-day¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day⁻¹)											
0.95 + 0.056 × Nominal Capacity (L)											
	LINE PERMEATION ROG·m ⁻² ·day ⁻¹)		FANK PERMEATION g ROG·m ⁻² ·day ⁻¹)	CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)							
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER						
15	See Attachment	1.5	See Attachment	1.4	See Attachment						

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.



ZHEJIANG CONSTANT ENGINE MADING CO., LTD.

EXECUTIVE ORDER U-U-243-0104-1

New Off-Road Small Spark-Ignition Equipment Page 2 of 2

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-243-0104 dated July 01, 2022

Executed on this __/8th_ day of October 2022.

Robin U. Lang, Chief
Emissions Certification and Compliance Division

SORE Evap > 80cc Model Summary Template (rev. 2020)

Date: _9/7/2022_____ Evaporative Family: _ZCECM4_____ For CARB Use Only
Executive Order: U-U-243-0104-1
Attachment _1__of_3__

Model Summary

		Sales Codes approp	(Check all			So Fuel Tank Vo									
S1. Worst Case (Check One)	S2. Model	Calif. Only	50-State	S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	Total	Nominal	S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
	W02981,W02982, W02983,W02984, W02985,W02986, W02987,W02988, W02989,W03081, W03082,W03083, W03084,W03085, W03086,W03087, W03088,W03089, W02881,W02882, W02881,W02882, W03281,W03282, W03281,W03284, W03281,W03382, W03283,W03284, W03383,W03386, W03387,W03388, W03389,W102941, W102944,W102945, W102944,W102945, W102944,W102945, W102944,W102945, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103041,W103046, W103042,W103341,W103344, W103342,W103344, W103241,W103244, W103245,W103246, W103245,W103246,		x		CARB	7.2	6.8	0.263	Multi-layer	322 160	5	PZCES.1931GD	Q-22-004A	Q-19-086 Q-22-032 Q-19-013B	Q-22-013
х	P04007,P04008, P04009,P04010, P04011,P04012, H04051,H04052, H04053,H04054; H04059;		х	1	CARB	26.8	22.5	0.624	Multi-layer	116 315	4.5	PZCES.2231GD	Q-22-004A	Q-19-086 Q-22-032 Q-19-013B	Q-22-017

SORE Evap > 80cc Model Summary Template (rev. 2020)

Date: _9/7/2022_____ Evaporative Family: _ZCECM4_____ For CARB Use Only Executive Order: U-U-243-0104-1 Attachment _2__of_3__

Model Summary

		Sales Codes approp	(Check all			Se Fuel Tank Vo									
S1. Worst Case (Check One)	S2. Model	Calif. Only	50-State	S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	Total	Nominal	S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
	P03607, P03608, P03615, P03616, P03610, P03613, P03618, P03619, P03620, P03628, P03629, P03630, P03631, P03632; P03502, P03503, P03504, P03509, P03510, P03511, P03512; P03633, P03634, P03635, P03636;		x	ı	CARB	23.5	19	0.537	Multi-layer	628	4.5	PZCES.2231GD	Q-22-004A	Q-19-086 Q-22-032 Q-19-013B	Q-22-016 Q-22-017
	H03651,H03652, H03653,H03654, H03655,H03656; H03659;		х	I	CARB	23.2	18.5	0.547	Multi-layer	628	45	PZCES.2231GD	Q-22-004A	Q-19-086 Q-22-032 Q-19-013B	Q-22-016 Q-22-017
	T04071, T04072, T04073, T04074, T04075, T04076;		Х	I	CARB	23.2	18.5	0.547	Multi-layer	628	45	PZCES.2231GD	Q-22-004A	Q-19-086 Q-22-032 Q-19-013B	Q-22-016 Q-22-017
	WD03081,WD03082, WD03083,WD02981, WD02982,WD02983, WD03381,WD03382, WD03383;		x	ı	CARB	7.1	6.8	0.263	Multi-layer	322 160	5	PZCES.1931GD	Q-22-004A	Q-19-086 Q-22-032 Q-19-013B	Q-22-013
	W036610F, WH036620F, W036630F, WH036640F, W036650F, W035630F, WH035620F, W035630F, WH035640F, W035650F;		x	ı	CARB	27.1	22.2	0.601	Multi-layer	275 310	4.5	PZCES.2231GB	Q-22-004A	Q-19-086 Q-22-032 Q-19-013B	Q-22-016 Q-22-017

SORE Evap > 80cc Model Summary Template (rev. 2020)

Date: _9/7/2022_____ Evaporative Family: _ZCECM4_____ For CARB Use Only Executive Order: U-U-243-0104-1 Attachment _3__of_3__

Model Summary

		S3				S									
		Sales Codes approp				Fuel Tank Vo	lume (Liters)								
S1. Worst Case (Check One)	S2. Model	Calif. Only	50-State	S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	Total	Nominal	S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
	W040610F, W040630F, W040650F, W039610F, W039630F, W039650F, WH040620F, WH040640F, WH049640F, WH039640F;		X	ı	CARB	27.1	22.2	0.601	Multi-layer	275 310	4.5	PZCES.2231GB	Q-22-004A	Q-19-086 Q-22-032 Q-19-013B	Q-22-016 Q-22-017