

CHONGQING DAJIANG POWER EQUIPMENT CO., LTD

EXECUTIVE ORDER U-U-105-0560New Off-Road Small Spark-Ignition
Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	EVAPORAT	IVE FAMILY	FUEL TYPE		
2024	RCDPS.	0805GE	Gasoline-LPG-CNG Multi-Fuel		
EVAPORATIVE EMISSION CONTRO	OL SYSTEMS	EQUIPMENT APPLICATION			
Treated HDPE (P)		G	enerator Set, Pump, Other		

Equipment/evaporative systems certified by this Executive Order are further described in Attachment.

The following are the evaporative emission standard (Title 13, California Code of Regulations, Section 2755 or 2757, as applicable), and certification level in g ROG·m⁻²·day⁻¹ for this evaporative family or the component Executive Order, as applicable.

*=not applicable	plicable PERMEATION EMISSION STANDARDS									
	FUEL LINE PERMEATION (g ROG·m ⁻² ·day ⁻¹)	FUEL TANK PERMEATION (g ROG·m ⁻² ·day ⁻¹)								
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER							
15	See Attachment	2.0	See Attachment							

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with Title 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and Sections 2760 and 2764 (emission control system warranty).

BE IT FURTHER RESOLVED: That the listed engine models are certified based on the information provided by the manufacturer in its application for certification, the manufacturer's attestation that the listed engine models meet all applicable certification requirements for 2024 model year small off-road engines in the 13 CCR Sections 2400 through 2409, and Sections 2750 through 2774, and on CARB staff's review of the information and documents submitted by the manufacturer in support of that attestation.

On December 20, 2022, CARB submitted a request that the United States Environmental Protection Agency (U.S. EPA) grant California an authorization for 2021 Amendments to its Small Off-Road Engine regulation, which establishes emission standards and other emission-related requirements for off-road spark-ignition engines rated at or below 19 kilowatts. If U.S. EPA grants California the authorization for the 2021 Amendments to the Small Off-Road Engine regulation, this Executive Order terminates on the date that U.S. EPA's authorization decision is published in the Federal Register.

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 17th day of June 2024.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Rolin U. Lang

SORE Evaporative < 80cc Model Summary Template (rev. 2020)

Date:_May 25, 2025______
Evaporative Family: _RCDPS.0805GE______

For CARB Use Only
Executive Order: U-U-105-0560
Attachment __1_of_2__

Model Summary

		13 Sales C	odes	14 Fuel Tank	Volume							
11. Worst Case (Check One)	12. Model	(Check all ap	50-State	(Lite	Nominal	15. Fuel Tank Internal Surface Area (m^2)	16. Fuel Line Type (e.g. Single or Multi- Layer)	17. Fuel Line Length (mm)	18. Fuel Line Internal Diameter (mm)	19. Exhaust Family	20. Fuel Tank Component Executive Order	21. Fuel Line Component Executive Order
	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		х	3	2.8	0.185	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B
	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		х	3.15	3	0.174	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B
	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		х	5.1	4.8	0.226	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B
	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		х	4.5	4.2	0.181	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B
	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		х	4.1	4	0.17	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B
	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		х	5.2	5	0.196	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B
х	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		х	5.5	5.4	0.19	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B
	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		х	4.4	4.3	0.168	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B
	DJ148FLG,DHLG80,DH80B ,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D J148FLG-1		Х	5.1	4.8	0.193	Multilayer	L=200±76	Ф3.5 or greater Ф4.5 or greater	RCDPS.0805GE, PCDPS.0805GE	Q-22-038	Q-22-032 Q-22-033 Q-18-031B Q-18-030B

SORE Evaporative < 80cc Model Summary Template (rev. 2020)

Date:_May 25, 2025	
Evaporative Family: _	RCDPS.0805GE

For CARB Use Only
Executive Order: U-U-105-0560
Attachment _2__of_2_

Model Summary

		13		14					I			
		Sales C		Fuel Tank								
		(Check all ap	nronriato\	(Lite								
11.	12.	Calif. Only	50-State	Total	Nominal	15.	16.	17.	18.	19.	20.	21.
Worst Case	Model	Calli. Olliy	JO-State	iotai	Nomina	Fuel Tank				Exhaust Family	Fuel Tank	Fuel Line
(Check One)						Internal Surface	Single or Multi-	(mm)	Diameter (mm)	220.0000.0000	Component	Component
(4,						Area (m^2)	Layer)	()			Executive Order	Executive Order
						,	, , ,					
	DJ148FLG,DHLG80,DH80B											Q-22-032
	,FE80B,148FLG,DHDLG80, DHD80B,FED80B,DLG80,D		х	5.2	5	0.181	Multilayer	L=200±76	Φ3.5 or greater	RCDPS.0805GE,	Q-22-038	Q-22-033
	J148FLG-1		^	5.2	3	0.181	iviuitilayei	L-200±76	Φ4.5 or greater	PCDPS.0805GE	Q-22-036	Q-18-031B
												Q-18-030B
	1				1			1	1	1	1	