## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER U-U-1-168 Relating to Certification of New Small Off-Road Engines

## HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by the Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the engine and exhaust emission control systems produced by the manufacturer for use in small off-road equipment are certified as described below:

Model Year:

2002

Fuel Type:

Gasoline

Engine Class:

Spark-ignition, 4-stroke, greater than 65 cc but less than 225 cc

Typical Equipment Usage: Pump, pressure washer, stump beater, generator set, tiller

| Engine Family | Displacement (Cubic Cent.) | Durability Period<br>(Hours) | Emission Control System<br>and Special Features |
|---------------|----------------------------|------------------------------|---|
| 2HNXS.0991AK  | 99                         | 250                          | Engine Modification                             |

Engine models are listed on the attachment. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission standards, and certification emission values, in grams per brake horsepower-hour for this engine family are:

|                         | Hydrocarbons plus<br>Oxides of Nitrogen | Carbon<br><u>Monoxide</u> | Particulate<br><u>Matter</u> |
|-------------------------|---|---------------------------|------------------------------|
| Standards:              | 12                                      | 410                       | n/a                          |
| Family Emission Limits: | n/a                                     | n/a                       | n/a                          |
| Certification:          | 9                                       | 335                       | n/a                          |

İ

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels and Consumer Information - 1995 and Later Small Off-Road Engines" (Title 13, California Code of Regulations, Section 2404) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engines shall have closed crankcases as stipulated in Part I, Section 18(h) of the "California Exhaust Emission Standards and Test Procedures for 1995 and Later Small Off-Road Engines."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Sections 2405 and 2406). The Executive Officer hereby approves these materials for use in complying with these sections for this engine family.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 23 Dday of February 2001

R. B. Summerfield, Chief

Mobile Source Operations Division

Develen for

Page: 9 -1

Model Year: Manufacturer:

2002

HONDA MOTOR CO.,LTD.

Engine Family: 2HNXS.0991AK

Issued: Revised:

1/11/2001

E.O. Number: U-U-1-168

## **Small Off-Road Engine Model Summary Form**

Units for Table: kw

| Worst<br>Case? | 47.<br>Model<br>Designation | 48.<br>Sales<br>Code | 49.<br>Displ<br>(cc) | 50.<br>Bore/<br>Stroke | 51.<br>Ignition<br>Timing | 52.<br>Max<br>Power | 53.<br>Rated Speed<br>(RPM) | 54.<br>Rated<br>Torque | 55.<br>Torque Speed<br>(RPM) | 56.<br>Emiss<br>Control Sys |
|----------------|-----------------------------|----------------------|----------------------|------------------------|---------------------------|---------------------|-----------------------------|------------------------|------------------------------|-----------------------------|
| X              | 2099H1                      | 50-State             | 98.5                 | 56.0/40.0              | 25 BTDC                   | 2.2                 | 3600                        | 5.7                    | 3600                         | ЕМ                          |
|                | 2099H2 /                    | 50-State             | 98.5                 | 56.0/40.0              | 25 BTDC                   | 2,55                | 5000                        | 5.5                    | 3600                         | EM                          |
|                | 2099H3                      | 50-State             | 98.5                 | 56.0/40.0              | 25 BTDC                   | 2.2                 | 3600                        | 5.7                    | 3600                         | EM                          |

•