MITSUBISHI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER U-U-028-0159
New Off-Road Small Spark-Ignition
Equipment

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE/EVAPORATIVE FAMILY	DISPLACEMENT (cc)	ENGINE CLASS	FUEL TYPE (CNG/LNG=compressed/liquefied natural ga LPG=liquefied petroleum gas)					
2006	6MVXS.3922AA	392	4-stroke, > 225 cc	Gasoline					
DURABILITY HOURS		FEATURES & NTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION						
500	Engine	Modification	Pump, Generator						
ENGINE CODES/MOD (rated power kilowatt, kV	ELS r in	GM401 (6.01, 6.71 kW), GM391 (5.33, 5.97 kW)							

The following are the exhaust hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels in grams per kilowatt-hour (g/kW-hr), and permeation standard (13 CCR Section 2754(b)), and certification level in grams per square meter per day (g/m²/day) for this engine/evaporative family or the component Executive Order. Engines or equipment models powered exclusively with alternative fuel as defined in Section 2751(b)(1) are exempt from complying with evaporative emission requirements. Engines within this engine family shall have closed crankcases in conformance with Section 90.109 of the "California Exhaust Emission Standards and Test Procedures for 2005 and Later Small Off-Road Engines," adopted September, 2003.

NA=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)	FUEL HOSE PERMEATION (g/m²/day)			
STANDARD	12.1	549	NA .	STANDARD	OR COMPONENT		
FAMILY EMISSION LEVEL	NA	NA	NA	STANDARD	EXECUTIVE ORDER		
CERTIFICATION LEVEL	8.4	408	NA	15	G-05-018		

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 and 2759 (labeling) and 13 CCR Sections 2405, 2406, 2760, and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine/evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 2674 day of April 2006.

Allen Lyons, Chief

Mobile Source Operations Division

ATTACHMENT I OF!

DRAFT

Small Off-Road Evaporative Certification Database Form (Supplementary Information)

u-u-028-0159

MODEL SUMMARY

S14.	Canister or Other	Venung Control Executive Order	N/A					
S13.	Fuel Line Executive Order		G-05-018					
S12.	Fuel Tank Executive Order		N/A					
S11.	Exhaust Family		N/A		·			
S10.	Fuel Line Inside Diameter	(mm)	4.75 6.35 7.90					
S9.	Nominal Fuel Line	(mm)	320					
S8.	Fuel Line Type		J30R7					
S7.	Fuel Tank Internal	Surface Area (m²)	N/A					
S6.	Fuel Tank Vol.	(Liters)	N/A					
SS.	Fuel System (FI or	CAKB)	CARB					
. S4.	Engine Class (I or II)		п					
	check ate)	50- State	×					
S3.	Sales Codes (check all appropriate)	49- State						
	Sales all a	CA						
S2.	Engine or Equipment Model		GM391&401					
S1.	Worst Case (Check	One)	N/A					

ATTACHMENT 10F1

Model Year:

2006

Manufacturer:

Mitsubishi Heavy Industries, Ltd.

Engine Family: 6MVXS.3922AA

Issued:

11/6/98

Revised:

E.O. Number:

4/6/**M2fin**

Menu U-U-028-0159

Page: 9

Small Off-Road Engine Model Summary Form

Units for Table: kw

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	GM401	Calif. Only	392	89/63	25 deg btdc	6.01	3060			ЕМ
X	GM391	Calif. Only	392	89/63	25 deg btdc	5.33	3060			EM
	GM401	Calif. Only	392	89/63	25 deg btdc	6.71	3600			EM
	GM391	Calif. Only	392	89/63	25 deg btdc	5.97	3600			EM
	GM401	Calif. Only	392	89/63	25 deg btdc	6.71	3600			EM
	GM401	Calif. Only	392	89/63	25 deg btdc	6.71	3600			EM
	GM401	Calif. Only	392	89/63	25 deg btdc	6.71	3600			EM
									-	_
									-	
										: :
										:
-		-								
			<u>.</u> .							
							-			