

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE	FAMILY	DISPLACEMENT (cc)	ENGINE CLASS		FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
2008	8HNXS	.187A1A	161, 187	4-strok	e, >80 cc- < 225 cc	Gasoline				
	DURABILITY SPECIAL FEATURES & TYPICAL EQUIPME HOURS EMISSION CONTROL SYSTEMS TYPICAL EQUIPME				TYPICAL EQUIPMENT APPLICATION					
12	5		ЕМ		1	Walk-Behind Lawnmower, Compressor, Pump, Pressure Washer, nerator Set, Non-Backpack Blower, Tiller, Edger, Other OEM Product				
ENGINE CODES/MODELS (rated power in kilowatt, kW)					nent					
EGR=exhau	ist gas recirc	ulation AIR=s	econdary air injection PAII	R=pulsed All	R MFI=multi port fuel injec	warm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S ction SFI=sequential MFI TBI=throttle body fuel injection x)=in series ECM=engine control module				

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 90.109 of the "California Exhaust Emission Standards and Test Procedures for 2005 and Later Small Off-Road Engines," adopted July 26, 2004.

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)
STANDARD	10.0	549	*
FAMILY EMISSION LEVEL	11.2	•	*
CERTIFICATION LEVEL	9.5	369	*

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of December 2007.

Annette Hebert, Chief

Mobile Source Operations Division

Rophaul Susmouth

1045

Model Year:

Manufacturer:

Engine Family:

2008

Honda Motor Co., Ltd.

8HNXS.187A1A

Issued:

6/27/2007

Revised: 8/24/2007 E.O. Number: U-U-001-0379

Small Off-Road Engine Model Summary Form

Units for Table: kw

Page: 9 -1

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Forque Speed (RPM)	56. Emiss Control Sys
	8187H01A	50-State	187.0	69.0/50.0	20° BTDC	3.9	3600	11.2 N.m	2500	EM
X	8161H01A	50-State	160.8	64.0/50.0	20° BTDC	3.4	3600	9.4 N.m	2500	EM
	8161H01B	50-State	160.8	64.0/50.0	20° BTDC	3.4	3600	9.4 N.m	2500	ЕМ
	8161H02A	50-State	160.8	64.0/50.0	20° BTDC	3.4	3600	9.4 N.m	2500	EM
:	8161H03A	50-State	160.8	64.0/50.0	20° BTDC	3.4	3600	9.4 N.m	2500	EM

Page: 9 -1

Model Year: Manufacturer: 2008

Engine Family: 8HNXS.187A1A

800

Honda Motor Co., Ltd.

2 of 5

Issued:

6/27/2007

Revised:

E.O. Number: U- U-001-0379

Small Off-Road Engine Model Summary Form

Units for Table:

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated 1 Torque	55. Forque Speed (RPM)	56. Emiss Control Sys
	8161V01A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
:	8161V02A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
:	8161V03A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
	8161V04A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
	8161V05A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
	8161V06A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
	8161V07A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
:	8161V08A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
	8161V09A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9. 4 N .m	2500	EM
:	8161V10A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	ЕМ

Model Year: Manufacturer: 2008

Engine Family: 8HNXS.187A1A

Honda Motor Co., Ltd.

Motor Co. Ltd

305

Issued:

6/27/2007

Revised:

E.O. Number: U- 4-001-0379

Small Off-Road Engine Model Summary Form

Units for Table:

Page: 9 -1

Worst Case?	47. Model Designation	48. Sales Code	49 . Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	8161V11A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM
	8161V12A	50-State	160.8	64.0/50.0	20° BTDC	3.3	3600	9.4 N.m	2500	EM

4 of 5

Issued:

Revised:

6/27/2007

E.O. Number: U-U-001-0379

Small Off-Road Engine Model Summary Form

Units for Table:

Page: 9 -1

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51, Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. orque Speed (RPM)	56. Emiss Control Sys
	8187H02A	50-State	187.0	69.0/50.0	20° BTDC	3.9	3600	11.2 N.m	2500	ЕМ
	8187V01A	50-State	187.0	69.0/50.0	20° BTDC	3.8	3600	11.3 N.m	2500	EM
	8187V02A	50-State	187.0	69.0/50.0	20° BTDC	3.8	3600	11.3 N.m	2500	EM
:	8187V03A	50-State	187.0	69.0/50.0	20° BTDC	3.8	3600	11.3 N.m	2500	EM
	8187V04A	50-State	187.0	69.0/50.0	20° BTDC	3.8	3600	11.3 N.m	2500	EM

Model Year:

Manufacturer:

2008

Engine Family: 8HNXS.187A1A

Honda Motor Co., Ltd.

Model Year: Manufacturer: 2008

Engine Family: 8HNXS.187A1A

Honda Motor Co., Ltd.

545

Issued:

6/27/2007

0/2/

Revised:

E.O. Number: U-U-001-0379

Page: 9 -1

Small Off-Road Engine Model Summary Form

Units for Table:

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. d Emiss Control Sys
	8161H01H	50-State	160.8	64.0/50.0	20° BTDC	3.4	3600	9.4 N.n	n 2500	EM
							:			
									:	<u></u>