

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

**IT IS ORDERED AND RESOLVED:** That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (cc)	ENGINE CLASS	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
2009	9HNXS.389A5A	338, 389	4-stroke, ≥ 225 cc	Gasoline
DURABILITY HOURS	SPECIAL FEATURES & EMISSION CONTROL SYSTEMS		TYPICAL EQUIPMENT APPLICATION	
500	EM		Walk-Behind Lawnmower, Riding Mower, Compressor, Pump, Generator Set, Tiller	
ENGINE CODES/MODELS (rated power in kilowatt, kW)	SEE ATTACHMENT			
<small>ABBREVIATIONS: EM=engine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S EGR=exhaust gas recirculation AIR=secondary air injection PAIR=pulsed AIR MFI=multi port fuel injection SFI=sequential MFI TBI=throttle body fuel injection DFI=direct fuel injection TC/SC=turbo/super charger CAC=charge air cooler 2(prefix)=parallel (2)(suffix)=in series ECM=engine control module</small>				

The following are the hydrocarbon plus oxides of nitrogen (HC+NO<sub>x</sub>), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 90.109 of the "California Exhaust Emission Standards and Test Procedures for 2005 and Later Small Off-Road Engines," adopted July 26, 2004.

*=not applicable	HC+NO <sub>x</sub> (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)
STANDARD	8.0	549	*
FAMILY EMISSION LEVEL	9.8	*	*
CERTIFICATION LEVEL	6.4	364	*

**BE IT FURTHER RESOLVED:** That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).


**BE IT FURTHER RESOLVED:** That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

**This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.**

Executed at El Monte, California on this 22<sup>nd</sup> day of December 2008.

  
 Annette Hebert, Chief  
 Mobile Source Operations Division

Model Year: 2009  
 Manufacturer: Honda Motor Co., Ltd.  
 Engine Family: 9HNXS.399A5A

Issued: 6/30/2008  
 Revised:  
 E.O. Number: U-4-001-0422

**Small Off-Road Engine Model Summary Form**

Units for Table: kw

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	92DH01B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH02B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH03B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH04B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH05B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH06B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH0700-B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH06B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
X	92DH09B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH10B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM

Model Year: 2009  
Manufacturer: Honda Motor Co., Ltd.  
Engine Family: 9HNXS.389A5A

Issued: 6/30/2008  
Revised:  
E.O. Number: U-4-001-0422

**Small Off-Road Engine Model Summary Form**

Units for Table: kw

47. Worst Case?	48. Model Designation	49. Sales Code	50. Displ (cc)	51. Bore/ Stroke	52. Ignition Timing	53. Max Power	54. Rated Speed (RPM)	55. Rated Torque	56. Torque Speed (RPM)	57. Emiss Control Sys
	92DH11B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH12B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH13B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH14B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH15B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH16B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH17B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH18B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH19B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH2000-B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM

Model Year: 2009  
 Manufacturer: Honda Motor Co., Ltd.  
 Engine Family: 9HNXS 389A5A

Issued: 6/30/2008

Page: 9 - 1

Revised:

E.O. Number: U-4-001-0422

**Small Off-Road Engine Model Summary Form**

Units for Table: kw

47. Worst Case?	48. Model Designation	49. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	92DH2100-B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH2200-B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH2300-B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH24B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH25B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH26B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH27B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH28B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH29B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH30B1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM

Model Year: 2009  
 Manufacturer: Honda Motor Co., Ltd.  
 Engine Family: 9HNXS.389A5A

Issued: 6/30/2008  
 Revised:  
 E.O. Number: U-U-001-0422

**Small Off-Road Engine Model Summary Form**

Units for Table: kW

47. Worst Case?	48. Model Designation	49. Sales Code	50. Displ (cc)	51. Bore/ Stroke	52. Ignition Timing	53. Max Power	54. Rated Speed (RPM)	55. Rated Torque (RPM)	56. Torque Speed (RPM)	57. Emiss Control Sys
	92DH32F2-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH3300R B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH3400R B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH3500R B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH3600R B	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM
	92DH38E1-A	50-State	338.0	82.0/64.0	25° BTDC	7.1	3600	22.1 N.m	2500	EM

Model Year: 2009  
 Manufacturer: Honda Motor Co., Ltd.  
 Engine Family: SHNXS.389ASA

Issued: 6/30/2008  
 Revised:  
 E.O. Number: U-4-001-0422

**Small Off-Road Engine Model Summary Form**

Units for Table: kW

47. Worst Case?	48. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	92DJ01B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ02B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ04F3-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ0500-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ0600RB	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ0700RB	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ0800RB	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ0900RB	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ1000RB	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM

Model Year: 2009  
 Manufacturer: Honda Motor Co., Ltd.  
 Engine Family: 9HNXS 389A5A

Issued: 6/30/2008  
 Revised:  
 E.O. Number: U-U-001-0422

**Small Off-Road Engine Model Summary Form**

Units for Table: kW

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	92DJ1100-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ1200-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ1300-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ1400-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ1500-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ16B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ1600-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ17B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ18B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ19B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ20B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM

Model Year: 2009  
 Manufacturer: Honda Motor Co., Ltd.  
 Engine Family: 9HNXS389ASA

Issued: 6/30/2008  
 Revised:  
 E.O. Number: U-U-001-0422

**Small Off-Road Engine Model Summary Form**

Units for Table: kW

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	92DJ21B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ2100-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ2200-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ23B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ24B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ2500RB	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ26B1-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ2700RB	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ2800-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ2900RB	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM
	92DJ3000-B	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM



Model Year: 2009  
Manufacturer: Honda Motor Co., Ltd.  
Engine Family: 9HNXS 389A5A

Attachment 8 of 8

Issued: 6/30/2008  
Revised:  
E.O. Number: U-U-001-0422

Page: 9 - 1

**Small Off-Road Engine Model Summary Form**

Units for Table: kW

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	92DJ33E2-A	50-State	389.3	88.0/64.0	25° BTDC	8.2	3600	25.1 N.m	2500	EM