EXECUTIVE ORDER U-U-075-0022 New Off-Road Small Spark-Ignition Engines at or Below 19 Kilowatts

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	PNGINE PAMILI		DISPLACEMENT (cc)	ENGINE CLASS  4-stroke, >80 cc - <225 cc		FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)  Dual Fuel (Gasoline or LPG)	
2009			196				
DURABILITY		EMI	SPECIAL FEATURES & ISSION CONTROL SYSTEMS		TYPICAL EQUIPMENT APPLICATION		
HOURS 125		EM			Compressor, Pump, Pressure Washer, Generator Set, Snowblower, Non-Backpack Blower, Tiller, Edger		
ENGINE CODES/MODELS (rated power in kilowatt, kW)		JF168FLH-3 (3.8 kW)  JF168FLH-4 (3.8 kW)  JF168FLH-4 (3.8 kW)  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O28=oxygen sensor HO2S=heated O2S  Lengine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC=three-way/ox					
ABBREVIAT EGR=exhau DFI=direct fo	IONS: EM= st gas recirc rel injection	engine modificat ulation AIR=sec TC/SC=turbo/st	tion TWC/OC=three-way/o condary air injection PAIR= uper charger CAC=charge	oxidizing catalyst Wil- pulsed AIR MFI=mu air cooler 2(prefix)=	iti port fuel injec parallel (2)(\$uff	valm-up I WOOC 025-5x/get 1551-157 (1) 2 tion SFI=sequential MFI TBI=throttle body fuel injection by)=in series ECM=engine control module	

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 90.109 of the "California Exhaust Emission Standards and Test Procedures for 2005 and Later Small Off-Road Engines," adopted July 26, 2004.

to at any Namble	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)
*=not applicable STANDARD	10.0	549	*
FAMILY EMISSION LEVEL	17.3	*	*
CERTIFICATION LEVEL	14.2	305	

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

**BE IT FURTHER RESOLVED:** That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_9 \*\*\* day of June 2009.

Rophes Sussavity

Mobile Source Operations Division