CHONGQING ZONGSHEN GENERAL POWER MACHINE CO., LTD

EXECUTIVE ORDER U-U-082-0107-1 New Off-Road Small Spark-Ignition Engines at or Below 19 Kilowatts

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE EAMILY		DISPLACEMENT ENGINE		CLASS	FUEL TYPE		
2013	DCZHS.4202HW		420, 383, 357	4-stroke, ≥ 225 cc		Gasoline		
DURABILITY HOURS		SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
250		EM			Snowblower, Ice Auger			
ENGINE MODELS (rated power in kilowatt, kW)		See Attachment						

The following are the carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr).

*=not applicable	CO (g/kW-hr)	PM (g/kW-hr)		
STANDARD	549	*		
FAMILY EMISSION LEVEL	*	*		
CERTIFICATION LEVEL	473	*		

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

BE IT FURTHER RESOLVED: That because the listed engine models shall be used exclusively in wintertime snowblower and/or ice auger products only (13 CCR Section 2403(b)(1)(footnote 5)), the equipment is exempt from complying with 13 CCR, Chapter 15, Article 1 (evaporative emission requirements for off-road equipment).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-082-0107 dated November 29, 2012.

Executed at El Monte, California on this ______day of April 2013.

Annette Hebert, Chief

Mobile Source Operations Division

Page: 9

Model Year:

Manufacturer:

2013

Chongqing Zongshen General Power

Issued:

2/28/2013

DCZHS.4202HW Engine Family:

Revised:

E.O. Number: U-U-082-0107-1 **Small Off-Road Engine Model Summary Form**

Units for Table: kw

	47.	48.	49.	50.	51.	52.	53.	54.	55.	56.
Worst Case?	Model Designation	Sales Code	Displ (cc)	Bore/ Stroke	Ignition Timing	Max Power	Rated Speed (RPM)	Rated Torque	Torque Speed (RPM)	Emiss Control Sys
	190F_	50-State	420	90/66	23	7.8	3600	23	2750	EM
X	490-SU_	50-State	420	90/66	23	7.8	3600	23	2750	EM
	183F_	50-State	357	83/66	24	6.8	3600	20	2750	EM
	483-SU_	50-State	357	83/66	24	6.8	3600	20	2750	EM
	490-SH_	50-State	420	90/66	23	7.8	3600	23	2750	EM
July 2007 Fully SVIII See SEE Standard	483-SH_	50-State	357	83/66	24	6.8	3600	20	2750	EM
ar man	490-SY_	50-State	420	90/66	23	7.8	3600	23	2750	EM
	483-SY_	50-State	357	83/66	24	6.8	3600	20	2750	EM
	186F_	50-State	383	86/66	26	7	3600	21	2600	EM
	SN360_	50-State	357	83/66	23	6.8	3600	20	2600	EM
	SN390_	50-State	383	86/66	26	7	3600	21 .	2600	EM
	SN420_	50-State	420	90/66	23	7.8	3600	23	2600	EM
	490-WU_	50-State	420	90/66	23	7.8	3600	23	2750	EM
2000	490-WH_	50-State	420	90/66	23	7.8	3600	23	2750	EM