California	Environmental	Protection	Agency
) Ai	r Resou	rces B	oard

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGI	NE FAMILY	DISPLACEMENT (cc)	ENGINE CLASS		FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)	
2013	D7T7	S.0244MP	24	2-stroke, <50 cc		Gasoline	
	DURABILITY SPECIAL FEATURES & TYPICAL EQUIPMENT APPL HOURS EMISSION CONTROL SYSTEMS		TYPICAL EQUIPMENT APPLICATION				
300	)		TWC		Hedge Trimmer		
ENGI CODES/M (rated po kilowatt	ODELS wer in				See Attach	iment	
EGR=exhaus	t gas recirc	ulation AIR=sec	ondary air injection PAIR=pul	sed AIR MFI=mu	Iti port fuel inj	=warm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S jection SFI=sequential MFI TBI=throttle body fuel injection uffix)=in series ECM=engine control module	

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 90.109 of the "California Exhaust Emission Standards and Test Procedures for 2005 and Later Small Off-Road Engines," adopted July 26, 2004.

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)	
STANDARD	50	536	2.0	
FAMILY EMISSION LEVEL	50	*	1.1	
CERTIFICATION LEVEL	45	146	0.9	

**BE IT FURTHER RESOLVED:** That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

**BE IT FURTHER RESOLVED:** That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ day of December 2012.

Annette Hebert, Chief Mobile Source Operations Division

Model Year: 2013 Manufacturer:

## HITACHI KOKI USA LTD Engine Family: D7T7S.0244MP

## Issued: Revised:

10/8/2012 E.O. Number: U-u-176-0128

## Small Off-Road Engine Model Summary Form

ATTACHMENT By loft

Units for Table: kW

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
x	HTS-2530PF	50-State	23.9	33/28	30 DEG	1.0	7000	0.98 N-M	5500	TWC
	HTD-2520PF	50-State	23.9	33/28	30 DEG	1.0	7000	0.98 N-M	5500	TWC
	HTD	50-State	23.9	33/28	30 EDG	1.0	7000	0.98 N-M	5500	TWC
	HTD-2526PF	50-State	23.9	33/28	30 DEG	1.0	7000	0.98 N-M	5500	TWC
	HTD	50-State	23.9	33/28	30 DEG	1.0	7000	0.98 N-M	5500	TWC
	CH50ED2	50-State	23.9	33/28	30 DEG	1.0	7000	0.98 N-M	5500	TWC
	CH55ED2	50-State	23.9	33/28	30 DEG	1.0	7000	0.98 N-M	5500	TWC
	CH66ED2	50-State	23.9	33/28	30 DEG	1.0	7000	0.98 N-M	5500	TWC
	CH78ED2	50-State	23.9	33/28	30 DEG	1.0	7000	0.98 N-M	5500	TWC