EXECUTIVE ORDER U-U-001-0862 New Off-Road Small Spark-Ignition Engines at or Below 19 Kilowatts

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGI	NE FAMILY	DISPLACEMENT (cc) ENGINE C		CLASS	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)			
2018	JHNX	(S.3892AB	389	4-stroke, ≥ 225 cc		Gasoline			
DURABILITY HOURS			SPECIAL FEATURES		TYPICAL EQUIPMENT APPLICATION				
1000			EM		Walk-Behind Lawnmower, Riding Mower, Compressor, Pump, Generator Set, Tiller				
ENGINE CODES/MODELS (rated power in kilowatt, kW)		See Attachment							
EGR=exhaus	t gas recirc	ulation AIR=seco	ondary air injection PAIŔ≃r	pulsed AlR MFI=mu	iti port fuel injec	warm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S ction SFI=sequential MFI TBI=throttle body fuel injection ix)=in series ECM=engine control module			

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 1054.115(a) of the "California Exhaust Emission Standards and Test Procedures for New 2013 and Later Small Off-Road Engines," adopted October 25, 2012.

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)	
STANDARD	8.0	549	*	
FAMILY EMISSION LEVEL	7.8	*	*	
CERTIFICATION LEVEL	6.5	389	*	

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this _____day of September 2017.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Page: 9 -1

Model Year: Manufacturer: 2018

Honda Motor Co., Ltd.

Engine Family: JHNXS.3892AB

Issued:

4/10/2017

Revised:

E.O. Number:

ATTACHMENT PloF3 EO#U-U-OQ-0862

Units for Table: kW

Small Off-Road Engine Model Summary Form

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	J2MH01B2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	n 2500	EM
	J2MH0100-B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	n 2500	EM
	J2MH0100R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	n 2500	EM
	J2MH02B2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	n 2500	EM
X	J2MH03G2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	m 2500	EM
	J2MH04G2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	m 2500	EM
	J2MH0500R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	m 2500	EM
	J2MH0600R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	n 2500	EM
	J2MH0700R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	m 2500	EM
	J2MH08B2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	m 2500	EM

Page: 9 -2

Model Year:

2018

Engine Family: JHNXS.3892AB

Manufacturer: Honda Motor Co., Ltd.

Issued:

5/16/2017

Revised: E.O. Number: ATTACHMENT & ZOF3 ECT U-U-001-0862

Units for Table: kw

Small Off-Road Engine Model Summary Form

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	J2MH09B2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM
	J2MH1000R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM
	J2MH1100R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM
	J2MH1200R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM
	J2MH13B2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM
	J2MH1300-B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N .n	n 2500	EM
	J2MH1400R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM
	J2MH1500-B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
	J2MH1500R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM .
	J2MH16E2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM

Page: 9 -3

Model Year:

2018

Engine Family: JHNXS.3892AB

Manufacturer: Honda Motor Co., Ltd.

Issued:

5/16/2017

Revised:

E.O. Number:

ATTACHMENT P30F3 E0#U-U-001-0862

Units for Table: kw

Small Off-Road Engine Model Summary Form

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	J2MH18B2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	ЕМ
	J2MH19B2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM
	J2MH20B2- C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.r	n 2500	ЕМ
	J2MH21B2- C	50-State	389	88.0/64.0	10° BTDC	9.0	3600	26.5 N.r	n 2500	EM
	J2MH22B2- C	50-State	389	88.0/64.0	10° BTDC	8.3	3600	25.0 N.r	n 2500	EM