

BRIGGS & STRATTON CORPORATION

EXECUTIVE ORDER U-U-002-1118
New Off-Road Small Spark-Ignition
Engines at or Below 19 Kilowatts

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY		DISPLACEMENT (cc)	ENGINE CLASS	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)				
2020	LBSX	S.8102VS	724, 810	4-stroke, ≥225 cc	Gasoline				
DURABILITY HOURS		SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION				
1000			EM		Tractor				
ENGINE CODES/MODELS (rated power in kilowatt, kW)		See Attachment							
ABBREVIATI EGR=exhaus	ONS: EM=	ulation AIR=sec	ondary air injection PAIR=pul	sed AIR MFI=multi port fu	/UOC=warm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S usel injection SFI=sequential MFI TBI=throttle body fuel injection (2)(suffix)=in series ECM=engine control module				

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 1054.115(a) of the "California Exhaust Emission Standards and Test Procedures for New 2013 and Later Small Off-Road Engines," adopted October 25, 2012.

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)
STANDARD	8.0	549	
FAMILY EMISSION LEVEL	7.2	549	•
CERTIFICATION LEVEL	5.8	398	

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 1777 day of December 2019.

Allen Loons, Chief

Emissions Certification and Compliance Division

Page: 9

Model Year:

Manufacturer:

2020

Engine Family: LBSXS.8102VS

Briggs & Stratton Corporation

Issued:

Revised:

E.O. Number: U-U-CO2-1118

10/2/2019

Small Off-Road Engine Model Summary Form

Units for Table: kW

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
X	44C6	50-State	724	79.2 / 73.4	22	16.1	3600	47.5	2800	EM
	44C7	50-State	724	79.2 / 73.4	22	17.9	3600	50.2	2800	EM
	44C8	50-State	724	79.2 / 73.4	22	17.5	3600	50.8	2600	EM
	44T9	50-State	724	79.2 / 73.4	22	18.0	3600	51.7	2800	EM
	49V6	50-State	810	83.8 / 73.4	22	17.7	3600 .	53.2	2400	EM
	4497	50-State	724	79.2 / 73.4	22	17.9	3600	50.2	2800	EM
	49J6	49-State Only	810	83.8 / 73.4	22	18.5	3600	55.4	2800	EM
		100000								