

JIANGSU JIANGHUAI ENGINE CO., LTD.

EXECUTIVE ORDER U-U-068-0306 New Off-Road Small Spark-Ignition Engines at or Below 19 Kilowatts

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095:

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY		DISPLACEMENT (cc)	ENGINE CLASS		FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefi petroleum gas)				
2020	LJDG	S.2231GD	196, 208, 223	4-stroke, >80	cc - <225 cc	Gasoline				
DURABILITY HOURS		SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION					
125			EM			Compressor, Pump, Pressure Washer, Generator Set				
ENGINE CODES/MODELS (rated power in kilowatt, kW)		See Attachment								
EGR=exhausi	gas recircu	ulation AIR=seco	ondary air injection PAIR=	pulsed AIR MFI=mi	ulti port fuel inject	varm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S tion SFI=sequential MFI TBI=throttle body fuel injection x)=in series ECM=engine control module				

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 1054.115(a) of the "California Exhaust Emission Standards and Test Procedures for New 2013 and Later Small Off-Road Engines," adopted October 25, 2012.

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)	
STANDARD	10.0	· 549	*	
FAMILY EMISSION LEVEL	.*	+	*	
CERTIFICATION LEVEL	8.8	382	*	

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______day of November 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Page: 9

Model Year: Manufacturer:

Engine Family:

2020

Jiangsu Jianghuai Engine Co., Ltd.

LJDGS.2231GD

Issued:

Revised:

9/22/2019

E.O. Number: U-U-068-0306

Small Off-Road Engine Model Summary Form

Units for Table: kW

	47.	48.	49.	50.	51.	52.	53.	54.	55.	56.
Worst Case?	Model Designation	Sales Code	Displ (cc)	Bore/ Stroke	Ignition Timing	Max Power	Rated Speed (RPM)	Rated Torque	Torque Speed (RPM)	Emiss Control Sys
	JF200/JF200N	50-State	196	68/54mm	BTDC25	4.2kW	3600	13N.m	2800	EM
	JF210/JF210N	50-State	208	70/54mm	BTDC25	4.4kW	3600	13,8N.m	2800	EM
	JF200-LN	50-State	196	68/54mm	BTDC25	4.2kW	3600	13N.m	2800	EM
	JF210-LN	50-State	208	70/54mm	BTDC25	4.4kW	3600	13.8N.m	2800	EM
	C200	50-State	196	68/54mm	BTDC25	4.2kW	3600	13N.m	2800	EM
	C210	50-State	208	70/54mm	BTDC25	4.4kW	3600	13.8N.m	2800	EM
	JFNT200	50-State	196	68/54mm	BTDC25	4.2kW	3600	13.8N.m	2800	EM
	JGNT210	50-State	208	70/54mm	BTDC25	4.4kW	3600	13.8N.m	2800	EM
X	JF223	50-State	223	70/58mm	BTDC25	4.7kW	3600	14.5N.m	2800	EM
	JFNT223	50-State	223	70/58mm	BTDC25	4.7kW	3600	14.5N.m	2800	EM