New Off-Road Small Spark-Ignition Engines at or Below 19 Kilowatts



Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGI	NE FAMILY	DISPLACEMENT (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)		(CNG/LNG=compressed/liquefied natural gas		
2022	NMTE	S.0424GK	42	2-stroke	, < 50 cc Gasoline			
DURABI HOUF			SPECIAL FEATURES		TYPICAL EQUIPMENT APPLICATION			
50			ОС			Chainsaw		
ENGII CODES/Mo (rated po- kilowatt	ODELS wer in				See Attachmen	ıt		
EGR=exhaus	t gas recirc	ulation AIR=seco	ngine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S ation AIR=secondary air injection PAIR=pulsed AIR MFI=multi port fuel injection SFI=sequential MFI TBI=throttle body fuel injection C/SC=turbo/super charger CAC=charge air cooler 2(prefix)=parallel (2)(suffix)=in series ECM=engine control module					

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 1054.115(a) of the "California Exhaust Emission Standards and Test Procedures for New 2013 and Later Small Off-Road Engines," adopted October 25, 2012.

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)
STANDARD	50	536	2.0
FAMILY EMISSION LEVEL	*	*	*
CERTIFICATION LEVEL	36	237	0.7

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 14th day of November 2021.

Allen Kyons, Chief

Emissions Certification and Compliance Division

Date: 8/15/2021

Engine Family: NMTDS.0424GK

For CARB Use Only

Executive Order: U-U-020-0447

Attachment 1 of 1

56.	55.	54.	52.	52.	51.	50.	49.	10	/17	
Emission Control Syste		54. Rated Torque	Rated Speed (RPM)	Max Power (kW)	Ignition Timing	Bore/Stroke (mm)	Displacement (cc)	48. Sales Code	47. Model Designation	Worst Case (Check One)
OC	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	MTD42.1	Х
OC	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	Black & Decker	
OC	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	Craftsman	
ОС	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	Cub Cadet	
ОС	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	DeWalt	
ОС	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	Hyper Tough	
OC	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	Remington	
OC	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	Rover	
OC	6000	2.06 Nm	9000	1.67	32°BTDC	42/31	42	50-State	Troy-Bilt	