

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER M-2-354
Relating to Certification of New Motorcycles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and,

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for four-stroke gasoline-powered motorcycles:

<u>Engine Family</u>	<u>Displacement Cubic Centimeters</u>	<u>Class</u>	<u>Exhaust Emission Control Systems & Special Features</u>
YHNXC0.75CBB	747	III	Pulsed Secondary Air Injection

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and exhaust emission certification values for this engine family. The designated hydrocarbons standard shall be listed on the permanent tune-up label:

<u>Hydrocarbon Standards (Corporate Average) Grams per Kilometer</u>	<u>Hydrocarbons (Designated) Grams per Kilometer</u>	<u>Hydrocarbons (Certification) Grams per Kilometer</u>	<u>Carbon Monoxide (Standard) Grams per Kilometer</u>	<u>Carbon Monoxide (Certification) Grams per Kilometer</u>
1.4	1.0	0.7	12	8

BE IT FURTHER RESOLVED: That the above-described certification is subject to the following terms, limitations and conditions:

The above designated hydrocarbons standard shall be the exhaust limit for this engine family during the model year and therefore cannot be redesignated by the manufacturer. It represents the hydrocarbons exhaust emission standard applicable to this engine family that shall be applied when determining compliance of any motorcycle within this engine family pursuant to Section 2101 of Title 13, California Code of Regulations. It will also be used to determine compliance with the above corporate average hydrocarbons standard as required per Section 1958(b), Title 13 of the California Code of Regulations.


BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 16th day of June 1999.

A handwritten signature in black ink, appearing to read "R. B. Summerfield", is written over a faint, circular embossed seal.

R. B. Summerfield, Chief
Mobile Source Operations Division

Engine Family: YHNXC0.75CBB

Motorcycle Model Summary Form

65. Model Designation	66. Worst Case	67. Disp. (cc)	68. Bore / Stroke (mm)	69. Basic Ignition Timing (degrees)	70. Power (kW)	71. Rated Speed (RPM)	72. Rated Torque (Nm)	73. Rated Speed (RPM)
CB750	X	747	67.0 / 53.0	10 (BTDC)	56.7	8500	65.7	7500

65. Model Designation	74. EIM (kg)	75. Loaded Vehicle Weight Range (kg)	76. Road Load (nt)	77. Total Vehicle Mass (kg)	78. Full Weight with All Factory Options (kg)	79. Trans. Type	80. N/V
CB750	340	336 - 345	143.6	345	345	M5	42.8

Motorcycle Engine Family Information Form

0.1

1. Manufacturer: Honda Motor Co., Ltd.
2. Certification contact Person, address, phone, and fax:

Julie Barkow, Certification Assistant, Certification Department
American Honda Motor Co., Inc. Mail Stop 500-2C-8A
1919 Torrance Blvd., Torrance CA 90501-2746
Telephone: (310)783-3417 Fax: (310)783-3510 E-Mail: Julie_Barkow@ahm.honda.com

3. Model Year: 2000
4. Process Code: New
(new, correction, revised, r/c, f/f, etc.)
5. Engine Family: YHMXC0.75CBB
50s Eng. Code: N/A
49s Eng. Code: N/A
Calif. Eng. Code: YDN1
6. Emission Control System: PAIR
7. Calif. Designated Standard(g/km): 1.0
8. Project Annual Sales: **CONFIDENTIAL**
9. New Technology: ☐ Yes ☒ No
If yes, cite the correspondence or reference
the submittal document: N/A
10. Displacement(cc): 747
11. Number of Cylinder: 4
12. Cylinder Arrangement: L-4
13. Cylinder Head Configuration: OHV/DOHC
14. Type of Cooling: Air Cooled
15. Combustion Cycle: Otto
16. Method of Aspiration: Natural
17. Fuel System: Carburetors
18. Number of Catalytic Converters: N/A

19. Adjustable Parameters:

Parameters(s)	Adjustable Range (or N/A)	Tamper Resistance Method (or N/A)	Method Approved
Carburetor Pilot Screw	Limited to 3/4 turn leaner side	Limiter cap	N/A

20. AECDs in the Emission Control System:

Exhaust System	Evaporative System
AECDs In System: <u>PAIR Control Valve</u>	AECDs In System: <u>Evap CAV Control Valve</u>

Application

Processed by: Joseph Jegede Date: 6/10/99 Reviewed by: [Signature] Date: 6/10/99

Engine Family: YHNXC0.75CBB

Motorcycle Test Information Form

27. Are you carrying over test results from a previously certified family? ☒ Yes ☐ No
 a) If yes, indicate family name: MHN074744N3
 b) Is the family being certified identical to the family from which the data is being carried over? Yes
28. Model Designation of Test Vehicle: CB750
29. Test Information Number: M09
30. Vehicle ID: 91DN-01
31. Service Accumulation Duration(km): 15016
32. Maximum Rated Power(kW @RPM): 56.7 @ 8500
33. Displacement(cc): 747
34. Certification Fuel: Indolene
35. Test Data Set: 1
42. Exhaust Emission Deterioration Factor
36. Road Load(nt): 143.6
37. Inertia Mass(kg): 340
38. N/V: 42.8
39. Evap Bench Test Method Approval:
 Data: March 9, 1983
 Reference: 17.01.01-1 (ARB) &
 17.01.02-2 (ARB) thru
 17.01.02-12 (ARB) in 1999
 Model Year Application
40. Unscheduled Maintenance: ☒ Yes ☐ No
41. If yes Vehicle Log Provided: N/A
 N/A

Test Number	System Kilometers	Emission Values	
		HC	CO
1	3687	0.89	7.2
2	6262	0.88	6.7
3	6292	0.87	7.1
4	9797	0.76	6.9
5	12889	0.75	7.2
6	12919	0.68	7.7
7	15016	0.70	7.3
Interpolated Values at 15,000 km:		HC = 0.6820	CO = 7.3649
Extrapolated Values at 30,000 km:		HC = 0.3845	CO = 7.9369

Check One:	
Regular DF	<input checked="" type="checkbox"/>
Modified DF	<input type="checkbox"/>
If Different Vehicle Specify Vehicle ID	

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	CO	7.3			
g/km	CO ₂	111.0			
g/km	HC	0.70			
g/km	Evap.	0.88			

(X)

(X)

(+))

Deterioration Factors
1.078

1.000 (0.564)
0.0

44. Certification Levels:

g/km	CO	8			
g/km	HC	0.7			
g/test	Evap.	0.9			

(): Calculated Value

Engine Family: YHNXC0.75CBB

Evaporative Emission Information

45. Evaporative Family: XHNXE0024HZY
 46. Number of Evap. Canisters: 1
 47. Design Working Capacity(g): 23.5
 48. Configuration: Open Bottom
 49. Number of storage Areas: 1
 50. Fuel Reservoir Volume(cc): 368
 51. Vent System Configuration: Internal
 52. Nominal Tank Capacity(liter): 18.0

53. Engine Displacement Class: III
 54. Storage Medium Composition: Charcoal
 55. Evap. Canister Medium Volume(cc): 570 +/- 12.7
 56. Evap. Family Sales: **CONFIDENTIAL**
 57. Engine Code: YDN1
 58. Evap. Emission Family Code: 00ZY
 59. Evap. Emission Family Group: H
 60. Overall Evap D.F. = 0.0

Bench DF

61. Test Vehicle ID: 91DK-01
 62. Test Results:

Test Number	System Kilometers	Evap. Emission Values (g/test)
1	3500	0.84
2	3500	0.75
3	3500	0.81
4	15000	0.83
5	15000	0.76
6	15000	0.73
7		
Interpolated Values at <u>15,000</u> km: = <u>0.773</u>		
Extrapolated Values at <u>30,000</u> km: = <u>0.739</u>		
Bench Test D.F. = <u>0.00</u> (calculated value = -0.03)		

Check One:	
Regular DF	<input checked="" type="checkbox"/>
Modified DF	<input type="checkbox"/>
If Different Vehicle Specify Vehicle ID	

Vehicle DF

63. Test Vehicle ID: 91DN-01
 64. Test Results:

Test Number	System Kilometers	Evap. Emission Values (g/test)
1	3687	0.81
2	6262	0.87
3	6292	1.01
4	9797	1.04
5	12889	0.98
6	12919	0.81
7	15016	0.88
Interpolated Values at <u>15,000</u> km: = <u>0.922</u>		
Extrapolated Values at <u>30,000</u> km: = <u>0.944</u>		
Vehicle Test D.F. = <u>0.02</u>		