State of California AIR RESOURCES BOARD

EXECUTIVE ORDER M-2-365 Relating to Certification of New Motorcycles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and,

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for four-stroke gasoline-powered motorcycles:

Engine Family	Displacement Cubic Centimeters	Class	Exhaust Emission Control Systems & Special Features
YHNXCO.23AAB	234	II	Engine Modification

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and certification emission values for this engine family:

Hydrocarbons (Standard)	Hydrocarbons (Certification)	Carbon Monoxide (Standard)	Carbon Monoxide (Certification)
Grams per Kilometer	Grams per Kilometer	Grams per Kilometer	Grams per Kilometer
1.0	0.8	12	8

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 22 day of September 1999.

R. B. Summerfield, Chief Mobile Source Operations Division

E. O. H: M-2-365 Section: 7 Page:6

Issued: 1999/7/30

Revised:

Engine Family: YHNXCO.23AAB

Motorcycle Model Summary Form

65. Model Designation	66. Worst Case	67. Disp. (cc)	68. Bore / Stroke (mm)	69. Basic Ignition Timing (degrees)	70. Power (kW)	71. Rated Speed (RPM)	72. Rated Torque (Nm)	73. Rated Speed (RPM)
CB250	X	234	53.0 / 53.0	10 (BTDC)-	14.4	8500	19.6	6500
	5							

65. Model Designation	74. EIM (kg)	75. Loaded Vehicle Weight Range (kg)	76. Road Load (nt)	77. Total Vehicle Mass (kg)	78. Full Weight with All Factory Options (kg)	79. Trans. Type	80. N/V
CB250	230	226 - 235	121.2	235	235	M5	70.0

E.O.#: M-2-365 Section: 7 Page:1 Issued: 1999/7/30

Revised:

Manufacturer: Honda M	otor Co., Ltd.		0.1			
Certification contact	Person, address, phone, and	d fax:				
American Honda Motor 1919 Torrance Blvd.,	fication Assistant, Certific r Co., Inc. Mail Stop 500-20 , Torrance CA 90501-2746 -3417 Fax: (310)783-3510 E-1					
Model Year: 2000		10. Displacement(cc): 234	,			
Process Code: New (new, correction, revi	sed, r/c, f/f, etc.)	11. Number of Cylinder: 2				
Engine Family: YHNXC	0.23AAB	12. Cylinder Arrangement: L-2				
50s Eng. Code: N 49s Eng. Code: Y Calif. Eng. Code	BEl	13. Cylinder Head Configuration: OHV/OHC 14. Type of Cooling: Air Cooled				
Emission Control Syste	em: EM	15. Cambustion Cycle: Otto	15. Cambustion Cycle: Otto			
Calif. Designated Star	ndard(g/km): N/A	16. Method of Aspiration: Natural				
Project Annual Sales:	CONFIDENTIAL	17. Fuel System: Carburetors				
New Technology: Ye If yes, cite the correct the submittal document. Adjustable Parameters	espondence or reference .:: N/A	18. Number of Catalytic Converters:	N/A			
Parameters(s)	Adjustable Range (or N/A)	Tamper Resistance Method Method (or N/A)	Approved			
Carburetor Pilot Screw	Limited to 7/8 turn leaner side only	Limiter cap N/A	A			
			*			
	n Control System:					
. AECDs in the Emission		Evaporative System				
Exhaust System		Evaporative System				
		AFCDs In System: N/A				
Exhaust System AECDs In System:		AECDs In System:				
Exhaust System AECDs In System: N/A		AECDs In System: N/A				
APCDs In System: N/A	ocessed by: Joseph Jeged	AECDs In System: N/A				

E.O.#: M-2-365 Section: 7 Page: 4

Issued: 1999/7/30

Revised:

Engine Family: YHNXCO.23AAB

Motorcycle Test Information Form

27.	Are	you	carrying	over	test	results	fram	a	previously	certified	family?	\boxtimes	Yes		No
-----	-----	-----	----------	------	------	---------	------	---	------------	-----------	---------	-------------	-----	--	----

a) If yes, indicate family name: MHN023441E5

b) Is the family being certified identical to the family from which the data is being carried over?

28. Model Designation of Test Vehicle: CB250

29. Test Information Number: MO5

30. Vehicle ID: 91BE-01

31. Service Accumulation Duration (km): 9016

32. Maximum Rated Power (kW @ RPM): 14.4 @ 8500

33. Displacement (cc): 234

34. Certification Fuel: Indolene

35. Test Data Set: 1

36. Road Load(nt): 121.2

37. Inertia Mass(kg): 230

38. N/V: 70

39. Evap Bench Test Method Approval:

. Data: March 9, 1983

Reference: 17.01.01-1(ARB) & 17.01.02-2(ARB) thru 17.01.02-12(ARB) in 1999 Model Year Application

40. Unscheduled Maintenance: ☐ Yes ⊠ No

(X)

(X) (+)

41. If yes Vehicle Log Provided: N/A

42. Exhaust Emission Deterioration Factor

		Emission V	alues
Test Number	System Kilameters	HC	∞
1	2603	0.60	7.4
2	6272	0.66	7.8
3	6302	0.66	7.6
4	9016	0.69	7.8
5			
6	NOT THEFT IS		
7			
Interpolate	d Values at 9,000 k	m: $HC = 0.6945$	$\infty = 7.8384$
Extrapolate	d Values at 18,000 k	m: HC = 0.8225	$\infty = 8.4130$

Regular DF	X
Modified DF	
If Different Specify Vehi	Vehicle cle ID

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	ω	7.8			
g/km	ಯ್ಯ	53.5			
g/km	HC	0.69			130
g/km	Evap.	1.45			

-	Deterioration Factors
	1.073
-	1.184
T	0.2

44. Certification Levels:

g/km	8	(8)	
g/km	HC	0.8	
g/test	Evap.	1.6	

E.O. #: M-2-365 Section: 7 Page: 5

Issued: 1999/7/30

Revised:

Engine Family: YHNXCO.23AAB

Evaporative Emission Information

45. Evaporative Family: YHNXE0019AYG

46. Number of Evap. Canisters: 1

47. Design Working Capacity(g): 19.0

48. Configuration: Open Bottom

49. Number of storage Areas: 1

50. Fuel Reservoir Volume (cc): 60

51. Vent System Configuration: External

52. Naminal Tank Capacity(liter): 16.0

53. Engine Displacement Class: II

54. Storage Medium Composition: Charcoal

55. Evap. Canister Medium Volume (cc): 360 +/- 7.7

56. Evap. Family Sales: CONFIDENTIAL

57. Engine Code: YBE2

58. Evap. Emission Family Code: 00YG

59. Evap. Emission Family Group: A

60. Overall Evap D.F.= 0.2

Bench DF

61. Test Vehicle ID: 89CP-01

62. Test Results:

Test Number	System Kilameters	Evap. Emiss:	
1	3500	0.	43
2,	3500	٠ 0.	40
3	3500	0.	33
4	15000	0.	55
5	15000	0.	52
6	15000	0.	45
7			
Interpolated	Values at 15,000 km	: = <u>0.507</u>	
Extrapolated	Values at 30,000 km	= 0.663	

Regular DF X Modified DF If Different Vehicle Specify Vehicle ID

Check One:

Vehicle DF

63. Test Vehicle ID: 91BE-01

Bench Test D.F. = 0.16

64. Test Results:

Test Number	System Kilameters	Evap. Emission Values (g/test)
1	2603	1.24
2	6272	1.09
3	6302	1.35
4	9016	1.45
5		
6		
7		
Interpolated	Values at 9,000 km	: = <u>1.370</u>
Extrapolated	Values at 18,000 km	:= 1.638
Vehicle Test	D.F. = 0.27	