#### State of California AIR RESOURCES BOARD

# Relating to Certification of New Motorcycles

## YAMAHA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and,

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9:

IT IS ORDERED AND RESOLVED: That 2000 model-year Yamaha Motor Co., Ltd. exhaust emission control systems are certified as described below for four-stroke gasoline-powered motorcycles:

Engine Family	Displacement Cubic Centimeters	Class	Exhaust Emission Control Systems
YYMXC1.06GEB	1063	250	a special reatures
Vehicle models	and to	111	Pulsed Secondary Air Injection

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and exhaust emission certification values for this engine family. The designated hydrocarbons standard shall be listed on the permanent tune-up label:

Hydrocarbon St (Corporate Average) Grams per Kilometer	(Designated) Grams per Kilometer	Grams per	Val Dull	Monoxide (Certification) Grams per Kilometer
BE IT FURTHER DESCUE	1.1	0.7	12	8
DE 11 LUKIHED DECOLVE	FD			_

BE IT FURTHER RESOLVED: That the above-described certification is subject to the following terms, limitations and conditions:

The above designated hydrocarbons standard shall be the exhaust limit for this engine family during the model year and therefore cannot be redesignated by the manufacturer. It represents the hydrocarbons exhaust emission standard complicable to this engine family that shall be applied when determining compliance of any motorcycle within this engine family pursuant to Section determine compliance with the above corporate average hydrocarbons standard as required per Section 1958(b), Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 30 day of September 1999.

R. B. Summerfield, Chief

Mobile Source Operations Division

E.O. # M-3-306 Section: 7 Page: 6 Issued: Sept. 1, 1999 Revised:

Engine Family: YYMXC1.06GEB

## Motorcycle Model Summary Form

	(cc)	Stroke (mm)	Ignition Timing (degrees)	(kW)	Speed (RPM)	Torque (Nm)	Speed (RPM)
	1063	95.0 / 75.0	10	47.8	5750	86.3	2500
٧	1063	95.0 / 75.0	10	47.8	5750	86.3	2500
	1063	95.0 / 75.0	10	47.8	5750	86.3	2500
	1063	95.0 / 75.0	10	47.8	5750	86.3	2500
	V	V 1063	1063 95.0 / 75.0 V 1063 95.0 / 75.0 1063 95.0 / 75.0	1063 95.0 / 75.0 10 V 1063 95.0 / 75.0 10 1063 95.0 / 75.0 10	1063 95.0 / 75.0 10 47.8 V 1063 95.0 / 75.0 10 47.8 1063 95.0 / 75.0 10 47.8	1063 95.0 / 75.0 10 47.8 5750 V 1063 95.0 / 75.0 10 47.8 5750 1063 95.0 / 75.0 10 47.8 5750	1063     95.0 / 75.0     10     47.8     5750     86.3       V     1063     95.0 / 75.0     10     47.8     5750     86.3       1063     95.0 / 75.0     10     47.8     5750     86.3

65. Model Designation	74. EIM (kg)	75. Loaded Vehicle Weight Range (kg)	76. Road Load (nt)	77. Total Vehicle Mass (kg)	78. Full Weight with All Factory Options (kg)	79. Trans. Type	80. N/V
XVS1100	400		155.8	275	294.15	MT-5	34. 3
XVS1100C	400		155.8	275	294. 15	MT-5	34. 3
XVS1100A	400		155.8	288	308.80	MT-5	34.3
XVS1100AC	400		155.8	288	308.80	MT-5	34.3

E.o.# M-3-306 Section: 7 Page: 1 Issued: Sept. 1, 1999 Revised:

#### Motorcycle Engine Family Information For

Name: Address:	Michael J. Schmitt Division Manager Government Relations Yamaha Motor Corporat 6555 Katella Avenue	Izumi Yamamoto Engineer Engineering Administration Divisi on, U.S.A. Motorcycle Operations Group Yamaha Motor Co., Ltd. 2500 Shingai, Iwata-shi
	Cypress, California 9 (714) 761-7710 (714) 229-7940	
50s Engine 49s Engine Calif.Engi Emission Contr Calif.Designat Projected Annu New Technology	Carry-over YYMXC1.06GEB Code: Code: ne Code: ol System: PAIR ed Standard: l.lg/km al Sales: Yes No the correspondence or r document:	10. Displacement: 1063cc 11. Number of Cylinders: 2 12. Cylinder Arrangement: V-2 (75°) 13. Cylinder Head Configuration: OHC 14. Type of Cooling: Air 15. Combustion Cycle: 4 16. Method of Aspiration: Natural 17. Fuel System: Carburetor 18. Number of Catalytic Converters: Neference
Parameter(s		Tamper Resistance Method Method Approved (or NA)
AECDs In the E Exhaust System AECDs In System		

E.O. # M-3-306 Page: 4 Section: 7 Issued: Sept. 1, 1999 Revised:

Engine Family: YYMXC1.06GEB

Motorcycle Test	Information	Form
-----------------	-------------	------

	Are you carrying over tes	results from a pre	viously certified	family?	_v_Yes	-NO
27.	Are you carrying over tes	name: XYMXC1.06G	<u>EB</u>	tich the	data is beir	g carried ov

- b) Is the family being certified identical to the family from which the data is being carried over? Yes
- 28. Model Designation of Test Vehicle: XVS1100C
- 29. Test Information Number: <u>5EL</u>
- 30. Vehicle ID: JYAVP11Y8XA000002
- 31. Service Accumulation Duration: 3 months
- 32. Maximum Rated Power: 47.8 kW @ 5750 RPM
- 33. Displacement: 1063 cc
- 34. Certification Fuel: Unleaded Gasoline
- 35. Test Data Set: 6

- 36. Road Load: 155.8 NT at 65km/h
- 37. Inertia Mass: 440 kg
- 38. N/V: 34.3
- 39. EVAP. Bench Test Method Approved:

Date: January 12, 1982 Reference:

40. Unscheduled Maintenance: Yes v 0

41. If yes, Vehicle Log provided:

42. Exhaust Emission Deterioration Factors:

H C 0.71 0.46 0.60	9.1 8.5 8.3
-	
-	
0.60	8.3
0.00	0.0
0.58	8.9
	8.5
	8.5
	00- 0 5363
	0. 58 0. 63 0. 66  IC= 0. 6084

Interpolated Values at 15000 km: HC= 0.6084 CO= 8.5363

Extrapolated Values at 30000 km: HC= 0.6134 CO= 8.2508

eck one: gular DF	V
dified DF differen ecify veh	t venicle

43. Emission Test Results:

Official Test Results		Test I	Test 2	1031 0	
g/km	CO	8.5			
g/km	CO2	100.8			
g/km	HC	0.66			-
g/km	Evap.	0.90			

	Deterioration Factors	
(x)	0.9666	(1.000)
(x)	1.0083	
(1)	0.1174	

44. Certification Levels:

g/km	00 0	
	HC (0.7)	
g/km	Evap. 1.0	